

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Feb 2023

Print date: 14 Feb 2023

Version: 1.2



Page 1/11

BORNIT® Basement Coating System - Water Stop (SM2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

* 1.1. Product identifier

Trade name/designation:

BORNIT® Basement Coating System - Water Stop (SM2)

* 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

sealing system from the inside against water pressing from outside. All uses that are not stated are advised against

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

BORNIT-Werk Aschenborn GmbH

Produktionsleitung / Labor

Reichenbacher Straße 117

08056 Zwickau

GERMANY

Telephone: 0375 2795 0

Telefax: 0375 2795 150

E-mail: info@bornit.de

Website: www.bornit.de

E-mail (competent person): sicherheitsdatenblatt@bornit.de

Labor: +49-375-2795-0 (Mo-Do. 07:00 Uhr-15:30 Uhr, Fr. 07:00 Uhr- 13:00 Uhr)

1.4. Emergency telephone number

Giftinformationszentrum, 24h: +49-361-730730

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Irrit. 2</i>)	H315: Causes skin irritation.	Calculation method.
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	Calculation method.
STOT-single exposure (<i>STOT SE 3</i>)	H335: May cause respiratory irritation.	Calculation method.

* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05

Corrosion



GHS07

Exclamation mark

Signal word: Danger

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Feb 2023**Print date:** 14 Feb 2023**Version:** 1.2

Page 2/11

BORNIT® Basement Coating System - Water Stop (SM2)**Hazard components for labelling:**

Portlandzementklinker; calcium oxide

Hazard statements for health hazards

H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

Supplemental hazard information: none**Precautionary statements**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.

Precautionary statements Prevention

P280	Wear protective gloves/protective clothing and eye/face protection.
------	---

Precautionary statements Response

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER.

Precautionary statements Disposal

P501	Dispose of contents/container to an appropriate recycling or disposal facility.
------	---



*** 2.3. Other hazards****Other adverse effects:**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Additional information:**

Cement product for which the amount of chromium VI was decreased to < 0,0002 % by a reduction agent (related to the total dry weight).

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 65997-15-1 EC No.: 266-043-4	Portlandzementklinker Eye Dam. 1 (H318), STOT SE 3 (H335), Skin Irrit. 2 (H315)  Danger	29 - < 50 weight-%
CAS No.: 1305-78-8 EC No.: 215-138-9	calcium oxide Eye Dam. 1 (H318), STOT SE 3 (H335), Skin Irrit. 2 (H315)  Danger	5 - < 10 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information:**

First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

In case of skin contact:

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Medical treatment necessary.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Feb 2023

Print date: 14 Feb 2023

Version: 1.2



Page 3/11

BORNIT® Basement Coating System - Water Stop (SM2)

Following ingestion:

Rinse mouth immediately and drink 1 glass of water. Call a physician immediately.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Serious eye damage/eye irritation Irritation to respiratory tract Contains chromium (VI). May produce an allergic reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Suitable extinguishing media: Foam, Carbon dioxide (CO₂), Sand, Extinguishing powder.

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

No known hazardous reactions.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Fire fighting water forms corrosive alkaline solutions - slip hazard!

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Avoid dust formation. Do not breathe dust. Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Protective equipment:

Wear personal protection equipment (refer to section 8).

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up:

Take up mechanically, placing in appropriate containers for disposal. Treat the recovered material as prescribed in the section on waste disposal. Water (with cleaning agent)

6.4. Reference to other sections

Personal protection equipment: see section 8 Disposal: see section 13 Safe handling: see section 7

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Feb 2023**Print date:** 14 Feb 2023**Version:** 1.2

Page 4/11

BORNIT® Basement Coating System - Water Stop (SM2)**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Protective measures****Advices on safe handling:**

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. Do not breathe dust. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Fire prevent measures:

No special fire protection measures are necessary.

Measures to prevent aerosol and dust generation:

Do not use a dry brush as dust clouds or static can be created. Dust should be exhausted directly at the point of origin.

Environmental precautions:

No special environmental measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions:**

Keep container tightly closed. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Hints on storage assembly:

Do not store together with: Aluminium, Acids

Storage class (TRGS 510, Germany): 13 - Non-combustible solids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)**Industrial sector specific solutions:**

Products containing cement, low in chromate

GISCODE:

ZP1

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****8.1.1. Occupational exposure limit values**

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE) from 1 Sept 2014	calcium oxide CAS No.: 1305-78-8 EC No.: 215-138-9	① 1 mg/m ³ ② 2 mg/m ³ ⑤ (eintatembare Fraktion) Y, DFG
IOELV (EU) from 21 Feb 2017	calcium oxide CAS No.: 1305-78-8 EC No.: 215-138-9	① 1 mg/m ³ ② 4 mg/m ³ ⑤ (respirable fraction)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Feb 2023**Print date:** 14 Feb 2023**Version:** 1.2

Page 5/11

BORNIT® Basement Coating System - Water Stop (SM2)**8.2. Exposure controls****8.2.1. Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

8.2.2. Personal protection equipment**Eye/face protection:**

Dust protection eye glasses Eye glasses with side protection EN 166

Skin protection:

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection:

Usually no personal respirative protection necessary. Respiratory protection necessary at: insufficient ventilation Particle filter device (EN 143)

8.2.3. Environmental exposure controls

Avoid release to the environment. Do not allow to enter into surface water or drains.

*** 8.3. Additional information**

Further information: see technical data sheet.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties****Appearance****Physical state:** solid**Colour:** brown**Odour:** odourless**Safety relevant basis data**

Parameter	Value	① Method ② Remark
pH	not determined	
Melting point	1,250 °C	
Freezing point	not determined	
Initial boiling point and boiling range	not determined	
Decomposition temperature	not determined	
Flash point	not determined	
Evaporation rate	not determined	
Auto-ignition temperature	not determined	
Upper/lower flammability or explosive limits	not determined	
Vapour pressure	not determined	
Vapour density	not determined	
Density	3 g/cm ³	
Relative density	not determined	
Bulk density	1.16 kg/m ³	
Water solubility	practically insoluble	
Partition coefficient: n-octanol/water	not determined	
Dynamic viscosity	not determined	
Kinematic viscosity	not determined	

*** 9.2. Other information**

No hazardous reaction when handled and stored according to provisions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Feb 2023

Print date: 14 Feb 2023

Version: 1.2



Page 6/11

BORNIT® Basement Coating System - Water Stop (SM2)

SECTION 10: Stability and reactivity

10.1. Reactivity

Moisture-sensitive.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

* 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

10.5. Incompatible materials

aluminium Strong acid

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Portlandzementklinker	CAS No.: 65997-15-1	EC No.: 266-043-4
LD₅₀ oral:	>2,000 mg/kg (rat) OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)	
LD₅₀ dermal:	>2,000 mg/kg (Rabbit)	
LC₅₀ Acute inhalation toxicity (vapour):	>26.76 mg/L 7 h (rat) OECD Guideline 403 (Acute Inhalation Toxicity)	
LC₅₀ Acute inhalation toxicity (dust/mist):	2.41 mg/L 4 h (rat)	
calcium oxide	CAS No.: 1305-78-8	EC No.: 215-138-9
LD₅₀ oral:	>2,000 mg/kg (Rat)	
LD₅₀ dermal:	>2,500 mg/kg (Rabbit)	

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes skin irritation.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

May cause respiratory irritation.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Feb 2023**Print date:** 14 Feb 2023**Version:** 1.2

Page 7/11

BORNIT® Basement Coating System - Water Stop (SM2)* **11.2. Information on other hazards****Other information:**

No hazardous reaction when handled and stored according to provisions.

SECTION 12: Ecological information* **12.1. Toxicity****Portlandzementklinker** CAS No.: 65997-15-1 EC No.: 266-043-4**LC₅₀:** 4,555 mg/L 4 d (fish, Pimephales promelas) OECD Guideline 203 (Fish, Acute Toxicity Test)**EC₅₀:** 42.4 mg/L 4 d (crustaceans, Americamysis bahia (previous name: Mysidopsis bahia)) EPA OPPTS 850.1035 (Mysid Acute Toxicity Test)**EC₅₀:** 69.2 mg/L 2 d (crustaceans, Americamysis bahia (previous name: Mysidopsis bahia)) EPA OPPTS 850.1035 (Mysid Acute Toxicity Test)**EC₅₀:** >100 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)) EU Method C.3 (Algal Inhibition test)**NOEC:** 3.19 mg/L 21 d (crustaceans, Daphnia magna) OECD Guideline 211 (Daphnia magna Reproduction Test)**NOEC:** 126 mg/L 4 d (fish, Leuciscus idus) German Industrial Standard DIN 38412, part 15**NOEC:** 3.13 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)) EU Method C.3 (Algal Inhibition test)**LOEC:** 4.85 mg/L 21 d (crustaceans, Daphnia magna) OECD Guideline 211 (Daphnia magna Reproduction Test)**LOEC:** 6.25 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)) EU Method C.3 (Algal Inhibition test)**calcium oxide** CAS No.: 1305-78-8 EC No.: 215-138-9**LC₅₀:** 50.6 mg/L 4 d (fish)**ErC₅₀:** 184 mg/L (Algae/water plant)**EC₅₀:** 49.1 mg/L 2 d (crustaceans)**Aquatic toxicity:**

Inorganic product which is not eliminable from water through biological cleaning processes. Poorly biodegradable.

Additional ecotoxicological information:

There are no data available on the mixture itself.

12.2. Persistence and degradability**Additional information:**

The methods for determining the biological degradability are not applicable to inorganic substances. According to experiences this product is inert and not degradable.

* **12.3. Bioaccumulative potential****Portlandzementklinker** CAS No.: 65997-15-1 EC No.: 266-043-4**Log K_{ow}:** 1.62**Bioconcentration factor (BCF):** 0.88**Bioconcentration factor (BCF):**

There are no data available on the mixture itself.

Accumulation / Evaluation:

Does not significantly accumulate in organisms.

* **12.4. Mobility in soil**

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment**Portlandzementklinker** CAS No.: 65997-15-1 EC No.: 266-043-4**Results of PBT and vPvB assessment:** —**calcium oxide** CAS No.: 1305-78-8 EC No.: 215-138-9**Results of PBT and vPvB assessment:** —

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Feb 2023**Print date:** 14 Feb 2023**Version:** 1.2

Page 8/11

BORNIT® Basement Coating System - Water Stop (SM2)* **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

* **12.7. Other adverse effects**

There are no data available on the mixture itself.

SECTION 13: Disposal considerations* **13.1. Waste treatment methods**

Dispose of waste according to applicable legislation.

13.1.1. Product/Packaging disposal**Waste codes/waste designations according to EWC/AVV****Waste code product**

10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
----------	--

Waste code packaging

17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
----------	---

Waste treatment options**Appropriate disposal / Product:**

Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

* **14.7. Maritime transport in bulk according to IMO instruments**

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information* **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.1. EU legislation****Other regulations (EU):**

1. Regulation (EC) No. 1907/2006 of the European Parliament and Council from 18 December 2006 on the registration, evaluation, authorisation and restriction of chemicals (REACH), on the the establishing of a European chemicals agency, on the amending of Regulation (EC) 1999/45 and on the repeal of

en / DE

GeSi.de

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Feb 2023**Print date:** 14 Feb 2023**Version:** 1.2

Page 9/11

BORNIT® Basement Coating System - Water Stop (SM2)

Regulation (EC) No. 793/93 of the Council, Regulation (EC) No. 1488/94 of the Commission, Regulation (EC) No. 76/769 of the Council and Regulations (EC) Nos. 91/155/EWG, 93/67, 93/105 and 2000/21 of the Commission, in their latest versions.

2. Regulation (EC) No. 1272/2008 of the European Parliament and Council from 16 December 2008 on the classification, labelling and packaging of substances and mixtures, amending and appealing of Regulations (EC) Nos. 67/548 and 1999/45 and in order to amend Regulation (EC) No. 1907/2006 (Official Gazette of the European Union L No. 353 from 31 December in the amended version).

3. Regulation (EC) No. 2015/830 of the Commission from 28 May 2015 on the amendment of Regulation (EC) No. 1907/2006 of the European Parliament and the Council on the registration, evaluation, authorisation and restriction of chemicals (REACH) in the amended version.

4. Regulation (EU) No. 2016/425 of the European Parliament and the Council from 9 March 2016 on personal protective equipment and the repeal of Regulation (EC) 89/686 of the Council (Official Gazette of the EU L 81 from 31 March 2016, p. 51).

15.1.2. National regulations **[DE] National regulations****Water hazard class****WGK:**

1 - schwach wassergefährdend

Description:

slightly hazardous to water

Technische Regeln für Gefahrstoffe

TRGS 500, TRGS 510

*** 15.2. Chemical Safety Assessment**

A chemical safety assessment has not been carried out - it is not necessary for the mixture.

SECTION 16: Other information*** 16.1. Indication of changes**

1.1.	Product identifier
1.2.	Relevant identified uses of the substance or mixture and uses advised against
2.2.	Label elements
2.3.	Other hazards
8.3.	Additional information
9.2.	Other information
10.3.	Possibility of hazardous reactions
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
11.2.	Information on other hazards
12.1.	Toxicity
12.3.	Bioaccumulative potential
12.4.	Mobility in soil
12.6.	Endocrine disrupting properties
12.7.	Other adverse effects
13.1.	Waste treatment methods
14.7.	Maritime transport in bulk according to IMO instruments
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
15.2.	Chemical Safety Assessment
16.1.	Indication of changes
16.2.	Abbreviations and acronyms
16.3.	Key literature references and sources for data
16.6.	Training advice
16.7.	Additional information

*** 16.2. Abbreviations and acronyms**

ACGIH American Conference of Governmental Industrial Hygienists

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Feb 2023**Print date:** 14 Feb 2023**Version:** 1.2

Page 10/11

BORNIT® Basement Coating System - Water Stop (SM2)

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DIN	German Institute for Standardization / German Industrial Standard
DNEL	derived no-effect level
EC ₅₀	Effective Concentration 50%
EN	European Standard
ES	Exposure scenario
EWC	European Waste Catalogue
IBC	Intermediate Bulk Container
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
LC ₅₀	Lethal (fatal) Concentration 50%
LD ₅₀	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations

*** 16.3. Key literature references and sources for data**

Classification according to Regulation (EC) No 1272/2008 [CLP]

Substance name	Type	source of supply
Portlandzementklinker CAS No.: 65997-15-1 EC No.: 266-043-4	LD ₅₀ oral; LC ₅₀ Acute inhalation toxicity (vapour); LC ₅₀ Acute inhalation toxicity (dust/mist); LC ₅₀ ; EC ₅₀ ; NOEC; LOEC	Source: European Chemicals Agency, http://echa.europa.eu/

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Irrit. 2</i>)	H315: Causes skin irritation.	Calculation method.
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	Calculation method.
STOT-single exposure (<i>STOT SE 3</i>)	H335: May cause respiratory irritation.	Calculation method.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

*** 16.6. Training advice**

Observe technical data sheet.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 14 Feb 2023

Print date: 14 Feb 2023

Version: 1.2



Page 11/11

BORNIT® Basement Coating System - Water Stop (SM2)

* 16.7. Additional information

The information in this safety data sheet corresponds to the best of our knowledge at the time of printing. The information should give you indications for the safe handling of the product mentioned in this safety data sheet during storage, processing, transport and disposal. The details are not transferable to other products. Insofar as the product is mixed with other materials, mixed or processed, or subjected to processing, the information in this safety data sheet, unless expressly stated otherwise, can not be transferred to the new material produced in this way. Follow instructions for use on the label.

* Data changed compared with the previous version.