


# BORNIT®



— ROCK SOLID CONNECTIONS

# Professional 2024 Building Products

A strong range for strong pros!

Roof, Wall & Road



[www.bornit.com](http://www.bornit.com)



# BORNIT®

— ROCK SOLID CONNECTIONS

A company rich in traditions, BORNIT-Werk Aschenborn GmbH has unerringly continued on its course of business expansion. Today, the Zwickau based company is present with a complete sales program of chemical construction products for the protection and repair of foundations, facades and roofs, as well as a complete program of road construction products. The company was a successor to the Zwickauer Dachpappen- und Asphaltfabrik (founded in 1868 by Alwin Aschenborn), and has now developed in the family's fifth generation into a medium size industrial company.

After state takeover in 1972 and renaming as the VEB Bitumen-Chemie Zwickau, BORNIT® was one of the first businesses to be reprivatized in 1990. Thanks to extensive investments in new production systems and logistics BORNIT® has become a manufacturer of the latest in chemical construction products. The extensive quality program is largely the result of our own research and development work. A Europe wide sales network forms the basis of competent applications advice and reliable service. One of the most important goals of BORNIT® is to be a reliable partner to its national and international customers. The most convenient geographical location, in the middle of Europe, assures short delivery times, closeness to customers and competent technical advice on site.

Tradition means commitment - since 1868 the brand BORNIT® has stood for the production and sale of chemical construction products of high quality made to protect buildings. This is a tradition which commits us to infusing the market with new ideas based on our own research and development. BORNIT® products are easy to apply in compliance with ecological standards and modern environmental protection.

The BORNIT® program for professionals comprises system solutions for protecting and repairing foundations, facades and roofs, as well as for the new construction and maintenance of road surfaces. A further line offered by BORNIT® comprises tools which permit a more efficient application of the products.

#### General information on the BORNIT® professional program

Since the working conditions on construction sites and the areas where the products are applied vary considerably we can only give guidelines of a general nature here. These reflect the latest information available.

The statements about quantities required are estimates and depend on the quality of the individual structure, the substrate etc. Test surfaces must be prepared on site to determine the precise quantities needed. In the course of improving our products we reserve the right to modify specifications.

All the data in the current sales catalog are based on the knowledge available at the time of publication. Current information can be found in the German individual specification sheets, safety data sheets and transport regulations which can be ordered for free from BORNIT® or be downloaded at our German website [www.bornit.de/de](http://www.bornit.de/de). We reserve the right to modify the packaging so that the product pictures cannot be construed as the basis of a legal claim at the time of delivery. Minor deviations in Colour related to the raw materials may occur from one batch to another. That is why if you have ordered Coloured products you should use the same batch number.

**Quality made  
in Germany!**



# BORNIT®-Products in alphabetical order




## Roof



5M-Primer.....	6
Adhesive Filler.....	9
Alu-Tape.....	10
Bitumen 100/25.....	10
Bitumen Adhesive.....	9
Bitumen Mastic.....	9
Bitumen Primer.....	5
Bitumen Primer Spray.....	5
Dachbit.....	8
Flexbit.....	8
Glass Fabric 58.....	8
Grundbit.....	7
MultiClean.....	12
MultiClean Spray.....	13
Roof Paint 230.....	12
Roof Primer 220.....	11
Roof Varnish.....	7
Sheet Metal Adhesive.....	12
Speedbit-Primer.....	7
Spray Adhesive.....	10
Trapezium Tape.....	11
Triangle Tape.....	11



## Wall




1C Bitumen Thick Coating.....	16
2C Flex Bitumen Thick Coating.....	17
Anchor Stirrer.....	17
Anti Sulphate.....	22
Basement Coating System, inside.....	30
Basement Primer.....	16
Basic Primer.....	21
Bitumen Cleaner.....	25
Bitumen Coating.....	14
Bitumen Primer.....	14
Bitumen Primer Spray.....	14
BORNithene Plus.....	19
Corrosion Preventer.....	24
EasyPipe.....	20
EasyPipe Adhesive.....	21
Empty cartridge with spout.....	23
Filling Stick.....	23
Flexbit.....	16
Glass Fabric 165.....	20
Grundbit.....	15
Hand Mixer.....	17
Injection Cream Plus.....	22
Injektil 100.....	23
Injektil Super.....	23
Joint Fabric Tape.....	20
Mineral Flex 2C.....	18
MultiClean.....	25
MultiClean Spray.....	25
Profi 1C Express.....	18
Profi Hybrid 2C.....	18
Sealing Mortar.....	22
Silo Coating.....	24
Silo Primer.....	24
Slurry EL.....	21
Slurry SM1 (system-module 1).....	30
Slurry SF.....	21
Solidificator SM3 (system-module 3).....	30
Speedbit Primer.....	15
Stick Emulsion.....	19

Triangle Tape.....	19
Unibit.....	15
Water Stop SM2 (system-module 2).....	30



## Road



Adapter for Asphalt Adhesive Sprayer.....	43
Asphalt Adhesive R2 C40BF5-S.....	42
Asphalt Adhesive C40BF5-S.....	43
Asphalt Adhesive Sprayer.....	43
Asphalt Fix.....	45
Asphalt Pore Sealer.....	47
Asphalt Primer.....	36
Asphalt Repair Mortar.....	45
Bitumen Cleaner.....	37
Bitumen Joint Sealant 2C.....	35
Bitumen Joint Sealant 2C Mixing nozzle.....	35
Bitumen Primer.....	44
Bitumen Primer Spray.....	44
Bituminous Emulsion C60B4-REP.....	42
Bituminous Emulsion C60BP4-S.....	44
Cold Joint Sealant.....	37
Coldmix Asphalt (bag).....	46
Coldmix Asphalt (bucket).....	46
Cold Sealing Compound.....	36
Concrete Primer.....	36
Crack Flex.....	38
Crack Module SpeedUp.....	38
Crack Tape.....	39
Crack Tape CSA.....	39
Edge Flex.....	40
Edge Module.....	41
Edge Sealant Hot.....	41
Flexomat 3.1.....	40
Hand Applicator.....	39
Hot-Air Lance.....	34
Hot Compound Primer.....	30
Hot Compound Primer Spray.....	30
Hot Sealing N1.....	32
Hot Sealing PS.....	33
Hot Sealing Rail.....	32
Hot Sealing TL.....	32
Joint & Crack Widener.....	33
Joint Flex.....	41
Joint Module.....	42
Joint Tape.....	30
Joint Tape 7 CSA.....	31
Joint Tape CSA.....	31
Mastic Asphalt.....	33
MultiClean.....	48
MultiClean Spray.....	48
Pounder.....	47
Pouring Cans.....	34
Profi Cartridge Gun.....	35
PS Cleaner.....	37
Reactive Asphalt.....	45
Road Markings.....	50/51
RoadStixx.....	46
Round Cord.....	31
Rubber Scraper.....	47
Sealant Heater.....	34
SpeedUp.....	38
Streufix 2.0.....	39



## Greenline



BORNIT® Dachbit.....	52
BORNIT® Flexbit.....	52
BORNIT® Grundbit.....	52
BORNIT® Speedbit Primer.....	52
BORNIT® Unibit.....	52



## Info



Store index:




Protect against frost!



Store away from clamminess!



Store away from heat



# Roof

Primer, coatings, filler compounds, adhesives



## BORNIT® 5M Primer

Solvent-based, extremely quick-drying, brushable and sprayable bitumen primer based on bitumen. BORNIT® 5M Primer is used when short drying times are required in order to achieve rapid work progress

System products:  
BORNIT® MultiClean Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner



Type	Content	Colour	sufficient for
	10 ltr.	black	approx. 50 m <sup>2</sup>
	25 ltr.	black	approx. 125 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900004355	4 017228 00544 7	45 bucket
6900004356	4 017228 00589 8	18 bucket



## BORNIT® Roof Varnish

Solvent-based bitumen top coat for the first coat as well as renovation and maintenance of bituminous and mineral roof coverings, UV-resistant, brush- and sprayable

System products:  
BORNIT® MultiClean Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner



Type	Content	Colour	sufficient for
	5 ltr.	black	approx. 12.5 m <sup>2</sup>
	10 ltr.	black	approx. 25.0 m <sup>2</sup>
	25 ltr.	black	approx. 62.5 m <sup>2</sup>
	200 ltr.	black	approx. 500 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900002631	4 017228 00354 2	75 bucket
6900002533	4 017228 00355 9	45 bucket
6900002630	4 017228 00356 6	18 bucket
6900002629	4 017228 00357 3	4 barrel



## BORNIT® Bitumen Primer Spray

Solvent-containing bitumen primer for easy priming of smaller bituminous and mineral substrates like concrete, asphalt and masonry surfaces, prior to laying bituminous welded sheeting, processing of solvent-containing bitumen coatings as well as road repair materials, fast-drying

System products:  
BORNIT® Coldmix Asphalt (bag)  
BORNIT® Coldmix Asphalt (bucket)  
BORNIT® Reactive Asphalt  
BORNIT® Crack Tape



Type	Content	Colour	sufficient for
	600 ml	black	approx. 3 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900002553	4 017228 00347 4	12 cans per box



## BORNIT® Speedbit Primer

Solvent-free, quick-drying elastomer bitumen primer for laying bitumen welding membranes indoors and outdoors, can be rolled, brushed or sprayed

System products:  
BORNIT® MultiClean Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
Bitumen roof sheetings



Type	Content	Colour	sufficient for
	10 ltr.	black	approx. 50 m <sup>2</sup>
	25 ltr.	black	approx. 125 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900004117	4 017228 00541 6	44 bucket
6900004118	4 017228 00542 3	18 bucket



## BORNIT® Bitumen Primer

Solvent-based bitumen primer for the pretreatment of bituminous and mineral substrates such as concrete and masonry surfaces, before laying bitumen welding membranes, quick-drying, brush- and sprayable

System products:  
BORNIT® Roof Varnish  
BORNIT® Bitumen Adhesive  
BORNIT® Bitumen Mastic  
BORNIT® Bitumen Coating



Type	Content	Colour	sufficient for
	5 ltr.	black	approx. 25 m <sup>2</sup>
	10 ltr.	black	approx. 50 m <sup>2</sup>
	25 ltr.	black	approx. 125 m <sup>2</sup>
	200 ltr.	black	approx. 1000 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900002635	4 017228 00350 4	75 bucket
6900002634	4 017228 00351 1	45 bucket
6900002633	4 017228 00352 8	18 bucket
6900002632	4 017228 00353 5	2 barrel



## BORNIT® Grundbit

Solvent-free bitumen primer for the pretreatment of bituminous and mineral substrates such as concrete and masonry surfaces, before laying bitumen welding membranes and for bitumen emulsion coatings, can be rolled, brushed or sprayed


System products:  
BORNIT® Dachbit  
BORNIT® Flexbit  
BORNIT® Unibit  
Bitumen roof sheetings



Type	Content	Colour	sufficient for
	5 ltr.	black	approx. 25 m <sup>2</sup>
	10 ltr.	black	approx. 50 m <sup>2</sup>
	25 ltr.	black	approx. 125 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900002527	4 017228 00292 7	60 bucket
6900002529	4 017228 00293 4	44 bucket
6900002666	4 017228 00294 1	18 bucket





# Roof

Primer, coatings, filler compounds, adhesives

## BORNIT® Dachbit

## Greenline

System products:  
BORNIT® Grundbit  
BORNIT® Glass Fabric 58  
BORNIT® MultiClean Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner



Order-No.	EAN-Code	Palletisation
6900002665	4 017228 00279 8	60 bucket
6900002664	4 017228 00287 3	44 bucket
6900002663	4 017228 00283 5	18 bucket

Solvent-free bitumen top coat for the protection and maintenance of bituminous and mineral roof coverings, UV-resistant, brush- and sprayable

Type	Content	Colour	sufficient for
	5 ltr.	black	approx. 12.5 m <sup>2</sup>
	10 ltr.	black	approx. 25.0 m <sup>2</sup>
	25 ltr.	black	approx. 62.5 m <sup>2</sup>

## Greenline

System products:  
BORNIT® Grundbit  
BORNIT® Glass Fabric 58  
BORNIT® MultiClean Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner



Order-No.	EAN-Code	Palletisation
6900002660	4 017228 00281 1	60 bucket
6900002534	4 017228 00289 7	44 bucket
6900002659	4 017228 00285 9	18 bucket

## BORNIT® Flexbit

Solvent-free, crack-bridging bitumen elastic coating for the protection of roof coverings against the effects of the weather, moisture protection for components in contact with the ground and for intermediate sealing on horizontal surfaces, UV-resistant, brush- and sprayable

Type	Content	Colour	sufficient for
	5 ltr.	black	approx. 10 m <sup>2</sup>
	10 ltr.	black	approx. 20 m <sup>2</sup>
	25 ltr.	black	approx. 50 m <sup>2</sup>

## BORNIT® Bitumen Mastic

Solvent-based, fiber-reinforced bitumen leveling compound for repairing imperfections on roof coverings made from bitumen roofing membranes and for sealing fillet connections on chimneys and wall transitions, UV-resistant, bridging cracks, can be filled with a spatula

Type	Content	Colour	sufficient for
	1 kg	black	approx. 0.8 m <sup>2</sup>
	2,5 kg	black	approx. 2 m <sup>2</sup>
	6 kg	black	approx. 5 m <sup>2</sup>
	12 kg	black	approx. 10 m <sup>2</sup>

System products:  
BORNIT® Bitumen Primer  
BORNIT® Bitumen Primer Spray  
BORNIT® MultiClean Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner

Order-No.	EAN-Code	Palletisation
6800000347	4 017228 00379 5	18 cans per box
6800000340	4 017228 00364 1	99 bucket
6800000339	4 017228 00365 8	75 bucket
6800000338	4 017228 00366 5	45 bucket

## BORNIT® Adhesive Filler

Solvent-based bitumen filler, for small seals of cracks and holes, for gluing bitumen sheeting, crack-bridging, UV-resistant

Type	Content	Colour	sufficient for
	310 ml	black	approx. 12 m

System products:  
BORNIT® Bitumen Primer  
BORNIT® Bitumen Primer Spray  
BORNIT® MultiClean Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner

Order-No.	EAN-Code	Palletisation
6800001095	4 017228 00316 0	20 pieces per box

## BORNIT® Glass Fabric 58

Reinforcement core for roof coatings with BORNIT® Dachbit or BORNIT® Flexbit

Type	Content	Colour	sufficient for
	50 m	white	approx. 45 - 50 m <sup>2</sup>

System products:  
BORNIT® Dachbit  
BORNIT® Flexbit



Order-No.	EAN-Code	Palletisation
6800000591	4 017228 00228 6	33 roll

## BORNIT® Bitumen Adhesive

Solvent-based bitumen adhesive for bonding sheet-like roof coverings (except bitumen welding strips) and other roofing materials with roof pitches of up to 12.5%, can be brushed on

Type	Content	Colour	sufficient for
	5 ltr.	black	approx. 6.25 m <sup>2</sup>
	10 ltr.	black	approx. 12.5 m <sup>2</sup>
	25 ltr.	black	approx. 18.75 m <sup>2</sup>

System products:  
BORNIT® Bitumen Primer  
BORNIT® MultiClean Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
Bitumen roof sheetings

Order-No.	EAN-Code	Palletisation
6900002613	4 017228 00368 9	75 bucket
6900002535	4 017228 00369 6	45 bucket
6900002612	4 017228 00370 2	18 bucket



# Roof

Primer, coatings, filler compounds, adhesives

## BORNIT® Alu-Tape



Self-adhesive bitumen sealing and repair tape for reliable sealing and repair work on gutters, eaves, wall connections etc., one-sided aluminum coating, UV-resistant, high adhesive strength


System products:  
BORNIT® Spray Adhesive  
BORNIT® MultiClean Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner



Type	Content	Colour	sufficient for
75 mm	10 m	aluminium	10 m
100 mm	10 m	aluminium	10 m
150 mm	10 m	aluminium	10 m

Order-No.	EAN-Code	Palletisation
6800000369	4 017228 00242 2	4 rolls per box
6800000370	4 017228 00436 5	3 rolls per box
6800000371	4 017228 00437 2	2 rolls per box

## BORNIT® Trapezium Tape



Highly flexible, meltable elastomer bitumen tape for safe and easy joint sealing and valley formation in civil engineering and support surfaces of precast concrete parts

System products:  
BORNIT® Bitumen Primer  
BORNIT® Bitumen Primer Spray  
BORNIT® Basement Primer  
BORNIT® MultiClean Spray



Type	Content	Colour	sufficient for
18x46 mm	25 m	black	approx. 25 m

Order-No.	EAN-Code	Palletisation
6900002710	4 017228 00057 2	24 box

## BORNIT® Spray Adhesive



Solvent-based special primer and assembly adhesive in one, for surface preparation when processing BORNIT® Alu Tape, quick-drying, sprayable


System products:  
BORNIT® Alu Tape



Type	Content	Colour	sufficient for
	400 ml	light-beige	approx. 6 m²

Order-No.	EAN-Code	Palletisation
6800000823	4 017228 00227 9	12 cans per box

## BORNIT® Triangle Tape



Highly flexible, meltable elastomer bitumen tape for safe and easy joint sealing and right angle corners in civil engineering

System products:  
BORNIT® Bitumen Primer Spray  
BORNIT® Profi 1C Express  
BORNIT® 2C Flex Bitumen Thick Coating  
BORNIT® MultiClean Spray



Type	Content	Colour	sufficient for
18x35 mm	25 m	black	approx. 25 m

Order-No.	EAN-Code	Palletisation
6900002711	4 017228 00056 5	24 box

## BORNIT® Bitumen



Bituminous, hot-processable roof and waterproofing adhesive, without fillers, softening point above +100 ° C, meltable

System products:  
BORNIT® Bitumen Primer  
BORNIT® MultiClean Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner



Type	Content	Colour	sufficient for
100/25	30 kg	black	approx. 23 m²

Order-No.	EAN-Code	Palletisation
6900002247	4 017228 00373 3	36 bag

## BORNIT® Roof Primer 220



Solvent-free primer for the roof coating BORNIT® Roof Paint 230

System products:  
BORNIT® Roof Paint 230



Type	Content	Colour	sufficient for
	10 ltr.	bluish-transparent	approx. 50.0 m²

Order-No.	EAN-Code	Palletisation
6800000413	4 017228 00489 1	40 bucket



# Roof

Primer, coatings, filler compounds, adhesives



## BORNIT® Roof Paint 230

Solvent-free, colored and weather-resistant acrylic-based roof paint

System products:  
BORNIT® Roof Primer 220



Type	Content	Colour	sufficient for
10 kg	brick-red		approx. 16.6 m <sup>2</sup>
10 kg	anthracite		approx. 16.6 m <sup>2</sup>
	further colours on request		

Order-No.	EAN-Code	Palletisation
6800000414	4 017228 00501 0	30 bucket
6800000415	4 017228 00513 3	30 bucket



## BORNIT® Sheet Metal Adhesive

Permanently plastic adhesive and sealing compound for the simple bonding of window sill and wall coverings, for bonding and sealing metal profiles and metal sheets, can be processed cold, can be troweled

System products:  
BORNIT® Bitumen Primer  
BORNIT® MultiClean Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner



Type	Content	Colour	sufficient for
5 kg	black		approx. 2.5 m <sup>2</sup>
10 kg	black		approx. 5 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6800000417	4 017228 00877 6	60 bucket
6800000418	4 017228 00878 3	45 bucket



## BORNIT® MultiClean

Highly effective, plant-based cleaning spray for the rapid, thorough removal of dirt in the form of tar, bitumen and asphalt.

System products:  
all bitumen-based BORNIT® products



Type	Content	Colour	sufficient for
10 ltr.	transparent		dep. on degree of contamination

Order-No.	EAN-Code	Palletisation
6700000032	4 017228 00068 8	20 canister



## BORNIT® MultiClean Spray

Highly effective, plant-based cleaning spray for the rapid, thorough removal of dirt in the form of tar, bitumen and asphalt.

System products:  
all bitumen-based BORNIT® products



Type	Content	Colour	sufficient for
	600 ml	transparent	dep. on degree of contamination

Order-No.	EAN-Code	Palletisation
6800000350	4 017228 00066 4	12 cans per box



## Graco® GH 5040

Gasoline-powered hydraulic high-pressure spraying device, no additional compressor required, powerful Honda engine with 13.2 HP, max. 345 bar, large action radius thanks to hose lengths of up to 130 m - thus flexible work in the excavation without moving the spraying device, spraying also from IBC tank pallets or from the BORNIT® BituBox possible.



Type	Content	Colour
	1 piece	blue

Order-No.	EAN-Code	Palletisation
		1

Processable BORNIT® Products:

BORNIT® SM Primer  
BORNIT® Bitumen Primer  
BORNIT® Roof Varnish  
BORNIT® Dachbit  
BORNIT® Flexbit  
BORNIT® Grundbit  
BORNIT® Speedbit Primer



## Graco® Dutymax EH 300 / GH 300

Optionally electrically or petrol-powered hydraulic high-pressure spraying device; high-performance motors (EH: 7.5 HP / GH: 9.0 HP); no additional compressor required; connection of long hoses possible up to 60 m - thus flexible working in the construction pit without relocation of the spraying device; spraying also possible from IBC tank pallets or from the BORNIT® BituBox.



Type	Content	Colour
	1 piece	blue

Order-No.	EAN-Code	Palletisation
		1

Processable BORNIT® Products:

BORNIT® SM Primer  
BORNIT® Bitumen Primer  
BORNIT® Roof Varnish  
BORNIT® Dachbit  
BORNIT® Flexbit  
BORNIT® Grundbit  
BORNIT® Speedbit Primer

Advice hotline +49 375 2795 - 123 - Our application technology department will be happy to advise you!



# Wall

Primers, coatings, thick coatings, sealing slurries



## BORNIT® Bitumen Primer

Solvent-based bitumen primer for the pretreatment of bituminous and mineral substrates such as concrete and masonry surfaces, before laying bitumen welding membranes, quick-drying, brush- and sprayable

System products:  
BORNIT® Roof Varnish  
BORNIT® Bitumen Adhesive  
BORNIT® Bitumen Mastic  
BORNIT® Bitumen Coating



Type	Content	Colour	sufficient for
	5 ltr.	black	approx. 25 m <sup>2</sup>
	10 ltr.	black	approx. 50 m <sup>2</sup>
	25 ltr.	black	approx. 125 m <sup>2</sup>
	200 ltr.	black	approx. 1000 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900002635	4 017228 00350 4	75 bucket
6900002634	4 017228 00351 1	45 bucket
6900002633	4 017228 00352 8	18 bucket
6900002632	4 017228 00353 5	2 barrel



## BORNIT® Speedbit Primer

Solvent-free, quick-drying elastomer bitumen primer for laying bitumen welding membranes indoors and outdoors, can be rolled, brushed or sprayed on

System products:  
BORNIT® MultiClean Spray  
BORNIT® Bitumen Cleaner  
Bitumen roof sheetings



Type	Content	Colour	sufficient for
	10 ltr.	black	approx. 50 m <sup>2</sup>
	25 ltr.	black	approx. 125 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900004117	4 017228 00541 6	44 bucket
6900004118	4 017228 00542 3	18 bucket



## BORNIT® Bitumen Primer Spray

Solvent-containing bitumen primer for easy priming of smaller bituminous and mineral substrates like concrete, asphalt and masonry surfaces, prior to laying bituminous welded sheeting, processing of solvent-containing bitumen coatings as well as road repair materials, fast-drying

System products:  
BORNIT® Coldmix Asphalt (bag)  
BORNIT® Coldmix Asphalt (bucket)  
BORNIT® Reaktive Asphalt  
BORNIT® Crack Tape



Type	Content	Colour	sufficient for
	600 ml	black	approx. 3 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900002553	4 017228 00347 4	12 cans per box



## BORNIT® Grundbit

Solvent-free bitumen primer for the pretreatment of bituminous and mineral substrates such as concrete and masonry surfaces, before laying bitumen welding membranes and for bitumen emulsion coatings, can be rolled, brushed or sprayed on

System products:  
BORNIT® Dachbit  
BORNIT® Flexbit  
BORNIT® Unibit  
Bitumen roof sheetings



Type	Content	Colour	sufficient for
	5 ltr.	black	approx. 25 m <sup>2</sup>
	10 ltr.	black	approx. 50 m <sup>2</sup>
	25 ltr.	black	approx. 125 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900002527	4 017228 00292 7	60 bucket
6900002529	4 017228 00293 4	44 bucket
6900002666	4 017228 00294 1	18 bucket



## BORNIT® Bitumen Coating

Solvent-based bitumen coating to protect concrete, plaster and masonry against soil moisture, can be brushed and sprayed on

System products:  
BORNIT® Bitumen Primer  
BORNIT® MultiClean Spray  
BORNIT® Bitumen Cleaner



Type	Content	Colour	sufficient for
	5 ltr.	black	approx. 12.5 m <sup>2</sup>
	10 ltr.	black	approx. 25 m <sup>2</sup>
	25 ltr.	black	approx. 62.5 m <sup>2</sup>
	200 ltr.	black	approx. 500 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900002625	4 017228 00397 9	75 bucket
6900002624	4 017228 00398 6	45 bucket
6900002623	4 017228 00399 3	18 bucket
6900002622	4 017228 00400 6	2 barrel



## BORNIT® Unibit

Solvent-free bitumen coating to protect concrete, plaster and masonry against soil moisture, brush- and sprayable

System products:  
BORNIT® Grundbit  
BORNIT® Glass Fabric 58  
BORNIT® BORNithene Plus  
BORNIT® MultiClean Spray



Type	Content	Colour	sufficient for
	5 ltr.	black	approx. 16.6 m <sup>2</sup>
	10 ltr.	black	approx. 33 m <sup>2</sup>
	25 ltr.	black	approx. 83 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900002662	4 017228 00280 4	60 bucket
6900002531	4 017228 00288 0	44 bucket
6900002661	4 017228 00284 2	18 bucket



# Wall

Primers, coatings, thick coatings, sealing slurries



## BORNIT® Flexbit

Solvent-free, crack-bridging bitumen elastic coating for the protection of roof coverings against the effects of the weather, moisture protection for components in contact with the ground and for intermediate sealing on horizontal surfaces, UV-resistant, brush- and sprayable



Type	Content	Colour	sufficient for
	5 ltr.	black	approx. 10 m <sup>2</sup>
	10 ltr.	black	approx. 20 m <sup>2</sup>
	25 ltr.	black	approx. 50 m <sup>2</sup>

## Greenline

System products:  
BORNIT® Grundbit  
BORNIT® Glass Fabric 58  
BORNIT® MultiClean Spray  
BORNIT® Bitumen Cleaner



Order-No.	EAN-Code	Palletisation
6900002660	4 017228 00281 1	60 bucket
6900002534	4 017228 00289 7	44 bucket
6900002659	4 017228 00285 9	18 bucket



## BORNIT® 2C Flex Bitumen Thick Coating

2-component, polystyrene-filled bituminous thick coating for the secure waterproofing of structures according to DIN 18533 W1-E, W2.1-E, W3-E, W4-E and for the adhesion of perimeter insulation boards in the area in contact with the soil, PMBC according to EN 15814, with general building authority test certificate according to PG ÜBB, trowelable and sprayable

Type	Content	Colour	sufficient for
	30 ltr.	black	approx. 5.4 - 7.1 m <sup>2</sup>

System products:  
BORNIT® Basement Primer  
BORNIT® Triangle Tape  
BORNIT® Slurry SF  
BORNIT® Glass Fabric 165



Order-No.	EAN-Code	Palletisation
6900002539	4 017228 00442 6	18 bucket



## BORNIT® Basement Primer

Solvent-free polymer bitumen primer for the pretreatment of mineral substrates such as concrete and masonry surfaces, thin liquid, quick-drying, brush- and sprayable



Type	Content	Colour	sufficient for
	5 ltr.	black	approx. 25 m <sup>2</sup>
	10 ltr.	black	approx. 50 m <sup>2</sup>
	20 ltr.	black	approx. 100 m <sup>2</sup>

System products:  
BORNIT® 1C Bitumen Thick Coating  
BORNIT® Profi 1C Express  
BORNIT® 2C Bitumen Thick Coating  
BORNIT® 2C Flex Bit. Thick Coating



Order-No.	EAN-Code	Palletisation
6900002657	4 017228 00443 3	60 canister
6900002656	4 017228 00444 0	60 canister
6900002655	4 017228 00395 5	24 canister



## Collomix® Hand Mixer

Powerful and powerful professional 2-speed agitator; particularly suitable for stirring in all 2-component BORNIT® bitumen thick coatings in connection with an anchor stirrer; optimal ergonomics through upright working position and handle shape; electronic speed regulation; ideal mixing volume up to 65 liters; HEXAFIX® quick change coupling or M-14 holder.

Type	Content	Colour	sufficient for
Xo 4	1 piece	blue-green	up to 60 liters mixed quantity

System products:  
BORNIT® Anchor Stirrer



Order-No.	EAN-Code	Palletisation
on request	4 01024 25118 3	



## BORNIT® 1C Bitumen Thick Coating

1-component, polystyrene-filled bitumen thick coating for the reliable sealing of structures according to DIN 18533 W1-E, W4-E and for gluing perimeter insulation panels in areas in contact with the ground, PMBC according to EN 15814, can be troweled and sprayed-on



Type	Content	Colour	sufficient for
	12 ltr.	black	approx. 2.7 m <sup>2</sup>
	32 ltr.	black	approx. 7.4 m <sup>2</sup>

System products:  
BORNIT® Basement Primer  
BORNIT® Triangle Tape  
BORNIT® Slurry SF  
BORNIT® Glass Fabric 165



Order-No.	EAN-Code	Palletisation
6900002648	4 017228 00407 5	44 bucket
6900002647	4 017228 00408 2	18 bucket



## BORNIT® Anchor Stirrer

Specially shaped mixing paddle for bubble-free mixing of multi-component thick bitumen coatings or mineral waterproofing slurries, ideal for the Xo 4 hand mixer

Type	Content	Colour	sufficient for
AR170 HF	1 piece	green	

System products:  
BORNIT® 2C Bitumen Thick Coating  
BORNIT® 2C Flex Bit. Thick Coating  
BORNIT® Profi Hybrid 2C  
BORNIT® Mineral-Flex 2K



Order-No.	EAN-Code	Palletisation
6800000520	4 017228 00849 3	



# Wall

Primers, coatings, thick coatings, sealing slurries

## BORNIT® Profi 1C Express


1-component, polystyrene-filled bitumen thick coating for the secure waterproofing of structures according to DIN 18533 W1-E, W2.1-E, W3-E, W4-E and for the adhesion of perimeter insulation boards in areas in contact with the soil, PMBC according to EN 15814, quick-drying, can be troweled and sprayed-on, radon-proof

System products:  
BORNIT® Basement Primer  
BORNIT® Triangle Tape  
BORNIT® Slurry SF  
BORNIT® Glass Fabric 165



Type	Content	Colour	sufficient for
	32 ltr.	black	approx. 6.4 - 9.1 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900002651	4 017228 00496 9	18 bucket



## BORNIT® Profi Hybrid 2C

2-component, flexible reactive sealant for the secure sealing of structures according to DIN 18533 W1-E, W2.1-E, W3-E, W4-E, can be used in the plinth area and for bonding insulation boards, according to EN 15814, quick-drying, trowel- and sprayable, radon-tight

System products:  
BORNIT® Stick Emulsion  
BORNIT® Sealing Mortar  
BORNIT® Slurry SF  
BORNIT® Glass Fabric 165



Type	Content	Colour	sufficient for
	24 kg	anthracite	approx. 5.3 - 6.8 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900002658	4 017228 00836 3	18 bucket



## BORNIT® Mineral Flex 2C

2-component, bitumen-free, mineral, flexible polymer-modified thick coating (FPD) for the secure sealing of buildings, for the bonding of perimeter insulation boards, quickly rainproof, waterproof after 24 hours, crack-bridging, UV-resistant, plasterable, trowel- and sprayable, radon-proof

System products:  
BORNIT® Basic Primer  
BORNIT® Sealing Mortar  
BORNIT® Slurry SF  
BORNIT® Glass Fabric 165



Type	Content	Colour	sufficient for
	25 kg	dark grey	approx. 5.2 - 10.4 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6800000947	4 017228 00943 8	18 bucket



## BORNIT® Stick Emulsion

Solvent-free dispersion for the modification of cement-based mortars, improves adhesion and elasticises, primer for BORNIT® Profi Hybrid 2C (diluted 1 : 1 with water)

System products:  
BORNIT® Profi Hybrid 2C  
BORNIT® Slurry SF  
BORNIT® Sealing Mortar



Type	Content	Colour	sufficient for
	1 kg	white	approx. 5.0 m <sup>2</sup>
	10 kg	white	approx. 50.0 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6700000107	4 017228 00274 3	
6800000356	4 017228 00458 7	60 canister



## BORNIT® BORNithene Plus

Cold self-adhesive polymer bitumen sheeting for waterproofing buildings according to DIN 18533 against soil moisture and non-pressing water as well as against splash and capillary water (W1-E and W4-E), immediately waterproof, tear-resistant, crack-bridging

System products:  
BORNIT® Hot Compound Primer  
BORNIT® Hot Compound Primer Spray  
BORNIT® Triangle Tape  
BORNIT® Trapezium Tape



Type	Content	Colour	sufficient for
	15 m <sup>2</sup>	black	approx. 13.8 m <sup>2</sup> with an 8 cm overlap

Order-No.	EAN-Code	Palletisation
6800000518	4 017228 00248 4	15 roll



## BORNIT® Triangle Tape


Highly flexible, meltable elastomer bitumen tape for safe and easy joint sealing and right angle corners in civil engineering

System products:  
BORNIT® Bitumen Primer  
BORNIT® Bitumen Primer Spray  
BORNIT® Basement Primer  
BORNIT® Trapezium Tape



Type	Content	Colour	sufficient for
18x35 mm	25 m	black	approx. 25 m

Order-No.	EAN-Code	Palletisation
6900002711	4 017228 00056 5	24 box





# Wall

Primers, coatings, thick coatings, sealing slurries

## BORNIT® Glass Fabric 165

Reinforcement core for waterproofing compliant with DIN 18533 especially suitable for all BORNIT® Bituminous Thick Coatings (PMBC)

System products:  
BORNIT® 1C Bitumen Thick Coating  
BORNIT® 2C Bitumen Thick Coating  
BORNIT® 2C Flex Bit. Thick Coating  
BORNIT® Profidicht 1K Fix



Type	Content	Colour	sufficient for
	50 m	white	approx. 45 - 50 m²

Order-No.	EAN-Code	Palletisation
6800000481	4 017228 00416 7	33 roll

## BORNIT® Basic Primer

Solvent-free primer, as basic protection for the rear moisture protection system in the concave molding, strengthening the building material, against mortar-decomposing salts and efflorescence

System products:  
BORNIT® Triangle Tape  
BORNIT® 1C Bitumen Thick Coating  
BORNIT® 2C Bitumen Thick Coating  
BORNIT® 2C Flex Bit. Thick Coating



Type	Content	Colour	sufficient for
	10 kg	transparent	approx. 96 - 100 m²

Order-No.	EAN-Code	Palletisation
6900002784	4 017228 00020 6	60 canister

## BORNIT® EasyPipe

Safe pipe sealing system for use in the foundation and roof area, with little preparatory work and easy handling - maximum safety

System products:  
BORNIT® 1C Bitumen Thick Coating  
BORNIT® 2C Bitumen Thick Coating  
BORNIT® 2C Flex Bit. Thick Coating  
BORNIT® Profidicht 1K Fix



Type	Content	Colour	sufficient for
8-25 mm	1 piece	transparent	1 pipe aperture
26-44 mm	1 piece	transparent	1 pipe aperture
45-63 mm	1 piece	transparent	1 pipe aperture
64-86 mm	1 piece	transparent	1 pipe aperture
87-110 mm	1 piece	transparent	1 pipe aperture
111-125 mm	1 piece	transparent	1 pipe aperture
135-160 mm	1 piece	transparent	1 pipe aperture
EasyPipe Adhesive	1 piece	grey	1 EasyPipe

Order-No.	EAN-Code	Palletisation
6800000594	4 017228 00072 5	1 per box
6800000595	4 017228 00073 2	1 per box
6800000596	4 017228 00074 9	1 per box
6800000597	4 017228 00075 6	1 per box
6800000598	4 017228 00076 3	1 per box
6800000599	4 017228 00077 0	1 per box
6800000600	4 017228 00078 7	1 per box
6800000530	4 017228 00079 4	12 per box

## BORNIT® Slurry SF

1-component, mineral, rigid sealing slurry for surface sealing in new and old buildings as well as water tanks

System products:  
BORNIT® Basic Primer  
BORNIT® Stick Emulsion  
BORNIT® Sealing Mortar



Type	Content	Colour	sufficient for
	25 kg	grey	approx. 6.25 m²

Order-No.	EAN-Code	Palletisation
6800000361	4 017228 00457 0	40 bag

## BORNIT® Joint Fabric Tape

Flexible sealing tape with rubber coating, for sealing of joints and connections, total width 240 mm, rubberized width 150 mm

System products:  
BORNIT® 1C Bitumen Thick Coating  
BORNIT® 2C Bitumen Thick Coating  
BORNIT® 2C Flex Bit. Thick Coating  
BORNIT® Profidicht 1K Fix



Type	Content	Colour	sufficient for
	150 mm 30 m	white-grey-white	approx. 30 m of expansion joint

Order-No.	EAN-Code	Palletisation
6800000798	4 017228 00917 9	

## BORNIT® Slurry EL

2-component, crack-bridging, white, mineral sealing slurry for sealing mineral components, can be brushed and troweled

System products:  
BORNIT® Basic Primer  
BORNIT® Glass Fabric 165



Type	Content	Colour	sufficient for
	33 kg	grey/white	approx. 8.9 m²

Order-No.	EAN-Code	Palletisation
6900002694	4 017228 00459 4	40+40 bag + canister



# W all

Primers, coatings, thick coatings, sealing slurries



## BORNIT® Sealing Mortar

Ready-mixed mortar for the production of wall / floor connection grooves in basement construction, water-repellent wall and joint mortar, for the creation of barrier plasters, after curing water-repellent and frost-resistant

System products:  
BORNIT® Stick Emulsion  
BORNIT® Slurry SF



Type	Content	Colour	sufficient for
	25 kg	grey	approx. 16 - 25 m² at 1 mm layer thickness

Order-No.	EAN-Code	Palletisation
6800000358	4 017228 00460 0	40 bag



## BORNIT® Anti Sulphate

Solvent-free deep primer based on polymer and silicate, for the renovation of masonry against salts and efflorescence, has a solidifying and impregnating effect

System products:  
BORNIT® Slurry SF



Type	Content	Colour	sufficient for
	1 kg	transparent	approx. 7.69 bis 10.0 m²
	10 kg	transparent	approx. 12.5 - 20.0 m²

Order-No.	EAN-Code	Palletisation
6900002779	4 017228 00478 5	
6800000410	4 017228 00462 4	60 canister



## BORNIT® Injection Cream Plus

Solvent-free, highly concentrated injection agent for pressureless, subsequent injection against capillary rising moisture, applicable for moisture penetration up to 95 %

System products:  
BORNIT® Anti Sulphate  
BORNIT® Sealing Mortar



Type	Content	Colour	sufficient for
	5 kg	white-yellowish	approx. 2.9 linear metre per m² of wall cross-section

Order-No.	EAN-Code	Palletisation
6800000587	4 017228 00880 6	60 bucket



## BORNIT® Injektil 100

Solvent-free injection agent, against capillary rising wall moisture of up to max. 65% and 0.7 m wall thickness, Use by means of pressureless injection, but also pressure injection possible

System products:  
BORNIT® Anti Sulphate  
BORNIT® Empty cartridge with spout  
BORNIT® Filling Sticks



Type	Content	Colour	sufficient for
	1 ltr.	transparent	0.05 m² of masonry cross-section
	10 ltr.	transparent	0.5 m² of masonry cross-section
	20 ltr.	transparent	1 m² of masonry cross-section

Order-No.	EAN-Code	Palletisation
6900002689	4 017228 00403 7	20 per box
6900002688	4 017228 00405 1	60 canister
6900002538	4 017228 00406 8	24 canister



## BORNIT® Injektil Super

Solvent-free, hydrophobic injection agent for the renovation and material consolidation of masonry and concrete walls, forms a chemical horizontal barrier against rising moisture, self-dosing when processed with capillary sticks

System products:  
BORNIT® Anti Sulphate  
BORNIT® Empty cartridge with spout  
BORNIT® Filling Sticks



Type	Content	Colour	sufficient for
	550 g	orange-transparent	approx. 0.04 m²
	10 kg	orange-transparent	approx. 0.67 m²
	20 kg	orange-transparent	approx. 1.3 m²

Order-No.	EAN-Code	Palletisation
6900002693	4 017228 00447 1	36 bottles per box
6900002692	4 017228 00446 4	60 canister
6900002691	4 017228 00463 1	24 canister



## BORNIT® Empty cartridge with spout

Plastic bottle with spout; capacity: 500 ml

System products:  
BORNIT® Injektil Super  
BORNIT® Injektil 100



Type	Content	Colour	sufficient for
	500 ml	transparent	depending on the application

Order-No.	EAN-Code	Palletisation
6190000519	4 017228 00481 5	36 bottles per box



## BORNIT® Filling Sticks

Cellulose sticks for homogeneous, loss-free distribution of injection fluids

System products:  
BORNIT® Injektil Super  
BORNIT® Empty cartridge with spout



Type	Content	Colour	sufficient for
	50 piece	white	approx. 45 cm drill hole

Order-No.	EAN-Code	Palletisation
6800000365	4 017228 00474 7	



# Wall

Primers, coatings, thick coatings, sealing slurries



## BORNIT® Corrosion Preventer

Solvent-based bitumen protective coating against metal corrosion, reliably protects metal against rust as well as against diluted, non-oxidizing acids, smoke gases and vapors, chemical-resistant

System products:  
BORNIT® Bitumen Primer  
BORNIT® MultiClean Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner



Type	Content	Colour	sufficient for
	10 ltr.	black	approx. 25 m <sup>2</sup>
	25 ltr.	black	approx. 62.5 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900002627	4 017228 00465 5	45 bucket
6900002626	4 017228 00466 2	18 bucket



## BORNIT® Silo Coating

Solvent-based, acid-resistant bitumen coating to protect concrete, masonry, plaster, wood and metal against aggressive waste water, alkalis, organic acids and salts, can be brushed and sprayed-on

System products:  
BORNIT® Silo Primer  
BORNIT® MultiClean Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner



Type	Content	Colour	sufficient for
	10 ltr.	black	approx. 25 m <sup>2</sup>
	25 ltr.	black	approx. 62.5 m <sup>2</sup>
	200 ltr.	black	approx. 500 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900002642	4 017228 00410 5	45 bucket
6900002641	4 017228 00411 2	18 bucket
6900002640	4 017228 00412 9	4 barrel



## BORNIT® Siloflex

Solvent-free bitumen coating for coatings on JGS systems as a tested alternative to synthetic resin seals, with general building authority approval from DiBt, UV-resistant, brush- and sprayable

System products:  
BORNIT® Siloflex Primer  
BORNIT® MultiClean Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner



Type	Content	Colour	sufficient for
	25 kg	black	approx. 50 - 62.5 m <sup>2</sup>
	180 kg	black	approx. 360 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900004796	4 017228 00310 8	18 bucket
6900004797	4 017228 00311 5	2 barrel



## BORNIT® Bitumen Cleaner

Bitumen remover for cleaning bitumen-contaminated surfaces and tools

System products:  
all bitumen-based BORNIT® products



Type	Content	Colour	sufficient for
	1 ltr.	transparent	dep. on degree of contamination
	10 ltr.	transparent	dep. on degree of contamination

Order-No.	EAN-Code	Palletisation
6900002608	4 017228 00417 4	12 cans per box
6900002609	4 017228 00429 7	50 canister



## BORNIT® Silo Primer

Solvent-based bitumen primer for the pretreatment of concrete, plaster or wall surfaces, brush- and sprayable, tested according to AIB

System products:  
BORNIT® Bitumen Primer  
BORNIT® MultiClean Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner



Type	Content	Colour	sufficient for
	10 ltr.	black	approx. 50 m <sup>2</sup>
	25 ltr.	black	approx. 125 m <sup>2</sup>
	200 ltr.	black	approx. 1000 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900002638	4 017228 00418 1	45 bucket
6900002637	4 017228 00419 8	18 bucket
6900002636	4 017228 00420 4	4 barrel



## BORNIT® MultiClean


Highly effective, plant-based cleaning spray for the rapid, thorough removal of dirt in the form of tar, bitumen and asphalt.

System products:  
all bitumen-based BORNIT® products



Type	Content	Colour	sufficient for
	10 ltr.	transparent	dep. on degree of contamination

Order-No.	EAN-Code	Palletisation
6700000032	4 017228 00068 8	20 canister



# W all

Processing tools for a quick and optimal result



## Graco® GH 5040

Gasoline-powered hydraulic high-pressure spraying device, no additional compressor required, powerful Honda engine with 13.2 HP, max. 345 bar, large action radius thanks to hose lengths of up to 130 m - thus flexible work in the excavation without moving the spraying device, spraying also from IBC tank pallets or from the BORNIT® BituBox possible.



Type	Content	Colour	Order-No.	EAN-Code	Palletisation
	1 piece	blue			1

Processable BORNIT® Products:

BORNIT® Basement Primer  
BORNIT® Profi 1C S  
BORNIT® 1C Bitumen Thick Coating  
BORNIT® Profi 1C Express  
BORNIT® 2C Flex Bitumen Thick Coating  
BORNIT® Profi Hybrid 2C  
BORNIT® Flexbit  
BORNIT® Grundbit  
BORNIT® Speedbit Primer  
BORNIT® Silo Primer  
BORNIT® Silo Coating



## Graco® Mark X Max

Electrically operated hydraulic high-pressure sprayer, no additional compressor required, powerful motor with 4.0 hp, max. 230 bar, large operating radius thanks to hose lengths of up to 60 m - thus flexible working in the construction pit without moving the sprayer, spraying also possible from IBC tank pallets.



Type	Content	Colour	Order-No.	EAN-Code	Palletisation
	1 piece	blue			1

Processable BORNIT® Products:

BORNIT® Basement Primer  
BORNIT® Grundbit  
BORNIT® Unibit



## Graco® Dutymax EH 300 / GH 300

Optionally electrically or petrol-powered hydraulic high-pressure spraying device; high-performance motors (EH: 7.5 HP / GH: 9.0 HP); no additional compressor required; connection of long hoses possible up to 60 m - thus flexible working in the construction pit without relocation of the spraying device; spraying also possible from IBC tank pallets or from the BORNIT® BituBox.



Type	Content	Colour	Order-No.	EAN-Code	Palletisation
	1 piece	blue			1

Processable BORNIT® Products:

BORNIT® Basement Primer  
BORNIT® Profi 1C S  
BORNIT® 1C Bitumen Thick Coating  
BORNIT® Profi 1C Express  
BORNIT® 2C Flex Bitumen Thick Coating  
BORNIT® Profi Hybrid 2C  
BORNIT® Flexbit  
BORNIT® Grundbit  
BORNIT® Speedbit Primer  
BORNIT® Silo Primer  
BORNIT® Silo Coating



## Inomat® inoBEAM M8

Universal and handy 230 V feed pump for liquid and pasty materials, easy operation, quick cleaning and maintenance, stepless quantity regulation, safe to run dry, removable material container, connection socket for remote control cable, can be combined with large containers. Material conveyance is based on the flexing principle - flexible rubber washer pushes the conveyed material through the pump housing into the material hose, which results in less frictional heat and the material is conveyed very gently.




Type	Content	Colour	Order-No.	EAN-Code	Palletisation
	1 piece	green	6800000577		1

Processable BORNIT® Products:

BORNIT® Basement Primer  
BORNIT® Profi 1C S  
BORNIT® 1C Bitumen Thick Coating  
BORNIT® Profi 1C Express  
BORNIT® 2C Flex Bitumen Thick Coating  
BORNIT® Profi Hybrid 2C  
BORNIT® Mineral Flex 2C

Advice hotline +49 375 2795 - 123 - Our application technology department will be happy to advise you!



# Wall

Primers, coatings, thick coatings, sealing slurries

Sealing with BORNIT® Basement Coating System from the negative side

## BORNIT® Basement Coating System, inside

This product system consists of three complementary products which seal masonry against pressurized water from inside. The effectiveness is immediately visible even for flowing water. The seal is made against water pressure from the negative side.



### BORNIT® Slurry (SM1)

Mineral sealing slurry, quick-setting, high resistance to strong water pressure, can be brushed on

System products:  
BORNIT® Water Stop (SM2)  
BORNIT® Solidificator (SM3)  
BORNIT® Basement Coating System, inside  
BORNIT® Sealing Mortar



Type	Content	Colour	sufficient for
	15 kg	grey	approx. 6 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6800000363	4 017228 00434 1	36 bucket



### BORNIT® Water Stop (SM2)

Highly reactive powder with an extremely short solidification time (a few seconds), for sealing flow points

System products:  
BORNIT® Sealing Mortar  
BORNIT® Slurry (SM1)  
BORNIT® Solidificator (SM3)  
BORNIT® Basement Coating System, inside



Type	Content	Colour	sufficient for
	15 kg	grey	approx. 10 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6800000362	4 017228 00432 7	36 bucket



### BORNIT® Solidificator (SM3)


Water-thin liquid to consolidate the subsoil, reacts to form a water-insoluble compound, spreadable

System products:  
BORNIT® Slurry (SM1)  
BORNIT® Water Stop (SM2)  
BORNIT® Basement Coating System, inside  
BORNIT® Profi Hybrid 2C



Type	Content	Colour	sufficient for
	12 kg	bluish	approx. 24 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6800000364	4 017228 00433 4	60 canister



① reinforced waterproof concrete

② BORNIT® G200 DD

③ BORNIT® V60 S4 + AL

④ BORNIT® G200 DD

⑤ despite horizontal barrier, water penetrating from the outside through defective sealing


⑥ BORNIT® Slurry

⑦ BORNIT® Water Stop (into the still fresh, wet slurry)

⑧ BORNIT® Solidificator (apply into Items 6+7 without wait)

⑨ BORNIT® Slurry - 1st layer (apply onto Items 6+7+8 without wait)

⑩ BORNIT® Slurry - 2nd layer (spread after 30 min.)



# Road

Hot and cold sealing compounds, joint tapes, bituminous emulsions



## BORNIT® Hot Compound Primer

Quick-drying, solvent-based, plastic-modified primer for substrate treatment in road and bridge construction, can be brushed and sprayed-on

System products:  
BORNIT® Hot Sealing TL  
BORNIT® Bitumen Joint Sealant 2C  
BORNIT® Crack Tape  
BORNIT® Joint Tape



Type	Content	Colour	sufficient for
10 ltr.	transparent		approx. 50 m <sup>2</sup>
30 ltr.	transparent		approx. 150 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6800000431	4 017228 00700 7	30 canister
6800000429	4 017228 00701 4	12 canister



## BORNIT® Joint Tape CSA

Polymer-bitumen joint tape for the production of connections and seams in road construction - especially for repair work, can be laid quickly and without flame by one person, cold self-adhesive, meltable

System products:  
BORNIT® Hot Compound Primer Spray  
BORNIT® MultiClean  
BORNIT® Joint Tape  
BORNIT® Joint Tape 7 CSA



Type	Content	Colour	sufficient for
30x8	73 m	black	approx. 73 m
30x10	63 m	black	approx. 63 m
40x10	40 m	black	approx. 40 m

Order-No.	EAN-Code	Palletisation
6900002705	4 017228 00713 7	24 box
6900002707	4 017228 00736 6	24 box
6900002708	4 017228 00715 1	24 box

## BORNIT® Hot Compound Primer Spray

Polymer primer for substrate preparation in road and bridge construction for hot casting compounds and melting strips, quick-drying, sprayable

System products:  
BORNIT® Hot Sealing TL  
BORNIT® Bitumen Joint Sealant 2C  
BORNIT® Crack Tape  
BORNIT® Joint Tape



Type	Content	Colour	sufficient for
600 ml	transparent		approx. 3 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6700000091	4 017228 00716 8	6 pieces per box



## BORNIT® Joint Tape 7 CSA


Profiled-shape polymer-bitumen tape with defined fitting predrusion for making joint and seam connections in road construction according to regulation TL Fug-StB 15 - especially for repair work, cold self-adhesive, weldable

System products:  
BORNIT® Hot Compound Primer Spray  
BORNIT® MultiClean  
BORNIT® Joint Tape  
BORNIT® Joint Tape CSA



Type	Content	Colour	sufficient for
30	15 m	black	approx. 15 m

Order-No.	EAN-Code	Palletisation
6900004092	4 017228 00728 1	36 box



## BORNIT® Joint Tape

Highly elastic, meltable polymer-bitumen joint tape for the production of connections and seam connections in road construction - especially for repair work

System products:  
BORNIT® Hot Compound Primer Spray  
BORNIT® MultiClean  
BORNIT® Joint Tape CSA  
BORNIT® Joint Tape 7 CSA



Type	Content	Colour	sufficient for
30x10	63 m	black	approx. 63 m
30x8	73 m	black	approx. 73 m
35x10	48 m	black	approx. 48 m
35x8	63 m	black	approx. 63 m
40x10	40 m	black	approx. 40 m
40x8	48 m	black	approx. 48 m
50x10	31 m	black	approx. 31 m

Order-No.	EAN-Code	Palletisation
6900002700	4 017228 00731 1	24 box
6900002697	4 017228 00728 1	24 box
6900002701	4 017228 00732 8	24 box
6900002698	4 017228 00729 8	24 box
6900002702	4 017228 00733 5	24 box
6900002699	4 017228 00730 4	24 box
6900002704	4 017228 00735 9	24 box



## BORNIT® Round Cord


Heat-resistant, red-proof PE round cord, for backfilling joints when installing BORNIT® hot or cold casting compounds, is characterized by high adaptability and elasticity in the joint

System products:  
BORNIT® Hot Sealing TL  
BORNIT® Hot Sealing PS  
BORNIT® Cold Sealing Compound  
BORNIT® Cold Joint Sealant



Type	Content	Colour	sufficient for
10 mm	50 m	white	50 m
10 mm	1700 m	white	1700 m
13 mm	50 m	white	50 m
13 mm	1100 m	white	1100 m
15 mm	50 m	white	50 m
15 mm	780 m	white	780 m
19 mm	40 m	white	40 m
19 mm	500 m	white	500 m
25 mm	25 m	white	25 m
25 mm	280 m	white	280 m
32 mm	20 m	white	20 m
32 mm	190 m	white	190 m

Order-No.	EAN-Code	Palletisation
6700000039	4 017228 00843 1	
6700000033	4 017228 00837 0	
6700000041	4 017228 00249 1	
6700000034	4 017228 00838 7	
6700000043	4 017228 00250 7	
6700000035	4 017228 00839 4	
6700000103	4 017228 00873 8	
6700000105	4 017228 00874 5	
6700000045	4 017228 00871 4	
6700000037	4 017228 00841 7	
6700000102	4 017228 00876 9	
6700000104	4 017228 00875 2	



# Road

Hot and cold sealing compounds, joint tapes, bituminous emulsions

## BORNIT® Hot Sealing TL




Polymer-bitumen grouting compound for sealing concrete and asphalt joints in roadways as well as concrete components in civil engineering, according to ZTV Fug-StB 15 and DIN EN 14188-1 (CE)

System products:  
BORNIT® Hot Compound Primer Spray  
BORNIT® MultiClean  
BORNIT® Sealant Heater  
BORNIT® Pouring Can



Type	Content	Colour	sufficient for
10 kg	black		approx. 9.1 ltr. of joint content
25 kg	black		approx. 22.7 ltr. of joint content
30 kg	black		approx. 27.3 ltr. of joint content

Order-No.	EAN-Code	Palletisation
6800000334	4 017228 00704 5	80 box
6800000335	4 017228 00705 2	32 box
6800000424	4 017228 00718 2	11 bucket



## BORNIT® Hot Sealing PS

Bitumen-based hot casting compound for sealing and closing all kinds of pavement joints

System products:  
BORNIT® Hot Compound Primer Spray  
BORNIT® MultiClean  
BORNIT® Sealant Heater  
BORNIT® Pouring Can



Type	Content	Colour	sufficient for
15 kg	black		approx. 10.0 ltr. of joint content
30 kg	black		approx. 20.0 ltr. of joint content

Order-No.	EAN-Code	Palletisation
6800000422	4 017228 00702 1	64 box
6800000421	4 017228 00703 8	36 box

## BORNIT® Hot Sealing Rail



Polymer bitumen potting compound for potting and sealing rail joints in the road area, reduces vibrations, quality according to ZTV Fug-StB 15

System products:  
BORNIT® Hot Compound Primer Spray  
BORNIT® MultiClean  
BORNIT® Sealant Heater  
BORNIT® Pouring Can



Type	Content	Colour	sufficient for
12 kg	black		approx. 9.2 ltr. of joint content
27 kg	black		approx. 20.8 ltr. of joint content

Order-No.	EAN-Code	Palletisation
6800000875	4 017228 00927 8	64 box
6800000874	4 017228 00928 5	36 box



## BORNIT® Mastic Asphalt

Hot-processed repair compound for closing potholes and frost damages, suitable for roads of all construction classes, immediately passable after cooling Grain size 0 - 2 mm for layer thicknesses of 5 - 15 mm (Mastic Asphalt 20), Grain size 0 - 5 mm for layer thicknesses of 10 - 30 mm (Mastic Asphalt 50)

System products:  
BORNIT® Hot Compound Primer Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner



Type	Content	Colour	sufficient for
20	25 kg	black	approx. 1 m² at 1 cm layer thickness
50	25 kg	black	approx. 1 m² at 1 cm layer thickness

Order-No.	EAN-Code	Palletisation
6800000453	4 017228 00828 8	40 box
6800000454	4 017228 00827 1	40 box

## BORNIT® Hot Sealing N1



Polymer-bitumen grouting compound for sealing concrete and asphalt joints that are subject to high movement absorption, according to ZTV Fug-StB 15 and DIN EN 14188-1 (joint sealant type N1)

System products:  
BORNIT® Hot Compound Primer Spray  
BORNIT® MultiClean  
BORNIT® Sealant Heater  
BORNIT® Pouring Can



Type	Content	Colour	sufficient for
10 kg	black		approx. 10.0 ltr. of joint content
22 kg	black		approx. 22.0 ltr. of joint content

Order-No.	EAN-Code	Palletisation
6800000766	4 017228 00752 6	80 box
6800000767	4 017228 00666 6	80 box



## BORNIT® Joint & Crack Widener


The Joint & Crack Widener is used to widen hairline cracks in asphalt and concrete surfaces

System products:  
BORNIT® MultiClean  
BORNIT® Hot Sealing TL  
BORNIT® Hot Sealing N1



Type	Content	Colour	sufficient for
1 piece	red		

Order-No.	EAN-Code	Palletisation
		1 piece



# Road

Hot and cold sealing compounds, joint tapes, bituminous emulsions



## BORNIT® Hot-Air Lance

Robust hot air lance in lightweight construction, gas-fired RR heating unit

System products:  
BORNIT® MultiClean  
BORNIT® Hot Sealing TL  
BORNIT® Hot Sealing NI  
BORNIT® Hot Sealing Rail



Type	Content	Colour	sufficient for
	1 piece	black	

Order-No.	EAN-Code	Palletisation
6800000932		1 piece



## BORNIT® Bitumen Joint Sealant 2C

Solvent-free, 2-component, bituminous joint sealing compound for sealing cracks, seams, joints in asphalt and concrete surfaces, also for bonding marker buttons, permanently elastic, heat and cold resistant

System products:  
BORNIT® Hot Compound Primer Spray  
BORNIT® Bitumen Joint Sealant 2C  
Mixing nozzle  
BORNIT® Profi Cartridge Gun  
BORNIT® Round Cord



Type	Content	Colour	sufficient for
	360 ml	black	approx. 14 m (at 5 x 5 mm)

Order-No.	EAN-Code	Palletisation
6800000345	4 017228 00257 6	12 piece / box



## BORNIT® Sealant Heater

The Sealant Heater is used to melt and pour BORNIT® hot-applied sealants into joints and cracks in asphalt, concrete and paved surfaces. Capacity: 50 litres Larger-capacity heaters are available on request

System products:  
BORNIT® MultiClean  
BORNIT® Hot Sealing TL  
BORNIT® Hot Sealing NI  
BORNIT® Hot Sealing Rail



Type	Content	Colour	sufficient for
Heater	1 piece	black	50 ltr.
Slider	1 piece	black	

Order-No.	EAN-Code	Palletisation
6800000584		1 piece
		1 piece



## BORNIT® Bitumen Joint Sealant 2C mixing nozzle

Plastic mixing nozzle for 2-component Bitumen Joint Sealant 2C crack repair compound, can be used with several cartridges

System products:  
BORNIT® Hot Compound Primer Spray  
BORNIT® Bitumen Joint Sealant 2C  
BORNIT® Profi Cartridge Gun  
BORNIT® Round Cord



Type	Content	Colour	sufficient for
	1 piece	transparent	

Order-No.	EAN-Code	Palletisation
6800000774	4 017228 00109 8	1 piece



## BORNIT® Pouring Can

Pouring cans with spout for the simple, accurate pouring of all hot-applied BORNIT® sealants. Content: 3.5, 12 or 20 liter

System products:  
BORNIT® MultiClean  
BORNIT® Hot Sealing TL  
BORNIT® Hot Sealing NI  
BORNIT® Hot Sealing Rail



Type	Content	Colour	sufficient for
3,5 ltr.	1 piece	black	approx. 3.5 ltr.
12 ltr.	1 piece	black	approx. 12 ltr.
20 ltr.	1 piece	black	approx. 20 ltr.

Order-No.	EAN-Code	Palletisation
6800000531	4 017228 00098 5	1 piece
6800000548	4 017228 00099 2	1 piece
6800000177	4 017228 00106 7	1 piece



## BORNIT® Profi Cartridge Gun


Highly robust, specially designed cartridge gun for processing the two-component bitumen repair compound BORNIT® Bitumen Joint Sealant 2C

System products:  
BORNIT® Hot Compound Primer Spray  
BORNIT® Bitumen Joint Sealant 2C  
BORNIT® Bitumen Joint Sealant 2C  
Mixing nozzle  
BORNIT® Round Cord



Type	Content	Colour	sufficient for
	1 piece	black	

Order-No.	EAN-Code	Palletisation
6800000560	4 017228 00848 6	1 piece



# Road

Hot and cold sealing compounds, joint tapes, bituminous emulsions



## BORNIT® Asphalt Primer

2-component adhesion promoter based on epoxy resin for polysulphide sealants for cut asphalt joints or non-absorbent substrates or metallic substrates

System products:  
BORNIT® PS Cleaner  
BORNIT® Cold Sealing Compound  
BORNIT® Cold Joint Sealant  
BORNIT® Round Cord



Type	Content	Colour	sufficient for
	1 ltr.	transparent	approx. 50 - 100 m joint

Order-No.	EAN-Code	Palletisation
6800000506	4 017228 00015 2	10 can



## BORNIT® Cold Joint Sealant

2-component polysulphide filler, for sealing vertical or inclined joints in traffic areas made of concrete and cut asphalt, permanently elastic and stable

System products:  
BORNIT® Asphalt Primer  
BORNIT® Concrete Primer  
BORNIT® PS-Cleaner  
BORNIT® Round Cord



Type	Content	Colour	sufficient for
	2,5 ltr.	grey	approx. 2.5 ltr. of joint content
	4 ltr.	grey	approx. 2.5 ltr. of joint content
	2,5 ltr.	black	approx. 2.5 ltr. of joint content
	4 ltr.	black	approx. 2.5 ltr. of joint content

Order-No.	EAN-Code	Palletisation
6800000501	4 017228 00012 1	120 can
6800000502	4 017228 00007 7	72 can
6800000503	4 017228 00033 6	120 can
6800000504	4 017228 00034 3	72 can



## BORNIT® Concrete Primer

2-component adhesion promoter based on epoxy resin for polysulphide sealants for cut concrete joints or absorbent substrates

System products:  
BORNIT® PS Cleaner  
BORNIT® Cold Sealing Compound  
BORNIT® Cold Joint Sealant  
BORNIT® Round Cord



Type	Content	Colour	sufficient for
	1 ltr.	transparent	approx. 50.0 - 100 m joint

Order-No.	EAN-Code	Palletisation
6800000505	4 017228 00014 5	10 can



## BORNIT® PS Cleaner

Ketone-containing solvent for cleaning not yet cured polysulphide products, as e.g. BORNIT® Cold Sealing Compound and BORNIT® Cold Joint Sealant

System products:  
BORNIT® Cold Sealing Compound  
BORNIT® Cold Joint Sealant



Type	Content	Colour	sufficient for
	400 ml	transparent	

Order-No.	EAN-Code	Palletisation
6800000512	4 017228 00008 4	single /spray can



## BORNIT® Cold Sealing Compound

2-component polysulphide joint sealant, for permanently elastic sealing of horizontal concrete and asphalt joints, expansion up to 25 % of the joint width, pourable, self-leveling

System products:  
BORNIT® PS Cleaner  
BORNIT® Asphalt Primer  
BORNIT® Concrete Primer  
BORNIT® Round Cord



Type	Content	Colour	sufficient for
	2,5 ltr.	black	depending on joint dimension
	4 ltr.	black	depending on joint dimension
	10 ltr.	black	depending on joint dimension
	2,5 ltr.	grey	depending on joint dimension
	4 ltr.	grey	depending on joint dimension
	10 ltr.	grey	depending on joint dimension

Order-No.	EAN-Code	Palletisation
6800000494	4 017228 00036 7	120 can
6800000496	4 017228 00026 8	72 can
6800000497	4 017228 00029 9	30 bucket
6800000498	4 017228 00030 5	120 can
6800000499	4 017228 00032 9	72 can
6800000500	4 017228 00031 2	30 bucket



## BORNIT® Bitumen Cleaner


Bitumen remover for cleaning bitumen-contaminated surfaces and tools

System products:



Type	Content	Colour	sufficient for
	1 ltr.	transparent	
	10 ltr.	transparent	

Order-No.	EAN-Code	Palletisation
6900002608	4 017228 00417 4	12 can /box
6900002609	4 017228 00429 7	50 canister



# Road

Hot and cold sealing compounds, joint tapes, bituminous emulsions

## BORNIT® Crack Flex



Solvent-free, highly flexible bitumen compound with special fillers for repairing cracks in road surfaces, machine processing with Flexomat 3.1 and crack module, accelerated drying using the SpeedUp component

System products:  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
BORNIT® SpeedUp  
BORNIT® Flexomat 3.1



Type	Content	Colour	sufficient for
	12 kg	black	approx. 60 linear metre
	30 kg	black	approx. 150 linear metre

Order-No.	EAN-Code	Palletisation
6900002671	4 017228 00681 9	44 bucket
6900002670	4 017228 00680 2	18 bucket

## BORNIT® Hand Applicator



Applicator with integral 2 mm slit, application width over crack approx. 45 mm, for application of BORNIT® Crack Flex

System products:  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
BORNIT® Crack Flex



Type	Content	Colour	sufficient for
Handle	1 piece	red	
Long handle	1 piece	red	

Order-No.	EAN-Code	Palletisation
6800000448	4 017228 00070 1	1 piece
6800000449	4 017228 00071 8	1 piece

## BORNIT® SpeedUp



Reaction component: - with BORNIT® Crack Flex - crack areas can be driven over after a few minutes, - with BORNIT® Profi 1C S - accelerated drying

System products:  
BORNIT® Flexomat 3.1  
BORNIT® Crack Module SpeedUp  
BORNIT® Crack Flex  
BORNIT® Profi 1C S



Type	Content	Colour	sufficient for
	22 kg	transparent	approx. 1375 linear metre

Order-No.	EAN-Code	Palletisation
6900003791	4 017228 00081 7	24 canister

## BORNIT® Streufix 2.0



Further developed spreader cart for even chipping of cracks repaired with BORNIT® Crack Flex or small surfaces treated with road construction emulsions. Spreading width approx. 120 mm, capacity approx. 50 liters. Infinitely variable vibration function ensures even grit application. Vertical spreading prevents any mole hills. Amounts spread can be regulated on the cart. The recommend chips are dry 1/3 double-crushed chips

System products:  
BORNIT® Crack Flex  
BORNIT® Flexomat 3.1  
BORNIT® Crack Module SpeedUp  
1/3 BORNIT® High-quality chippings



Type	Content	Colour	sufficient for
	1 piece	red	

Order-No.	EAN-Code	Palletisation
6800000818		1 piece

## BORNIT® Crack Module SpeedUp



Add-on module for the BORNIT® Flexomat 3.1; used for the rapid, clean, cold application of BORNIT® Crack Flex and BORNIT® SpeedUp as part of the repair or closure of cracks in asphalt road surfaces

System products:  
BORNIT® MultiClean  
BORNIT® Crack Flex  
BORNIT® SpeedUp  
BORNIT® Streufix 2.0



Type	Content	Colour	sufficient for
	1 piece	transparent	

Order-No.	EAN-Code	Palletisation
6800000702	4 017228 00097 8	1 piece

## BORNIT® Crack Tape



Flexible polymer bitumen masking tape for the quick and easy repair of cracks and seams in asphalt surfaces, can be built over with asphalt

System products:  
BORNIT® Hot Compound Primer Spray  
BORNIT® MultiClean  
BORNIT® Crack Tape CSA



Type	Content	Colour	sufficient for
40x3	44 m	black	approx. 44 m

Order-No.	EAN-Code	Palletisation
6900002716	4 017228 00739 7	48 box



# Road

Hot and cold sealing compounds, joint tapes, bituminous emulsions

## BORNIT® Crack Tape CSA



Flexible polymer bitumen masking tape for the quick and easy repair of cracks and seams in asphalt surfaces, can be processed without burning, can be built over with asphalt, cold self-adhesive

System products:  
BORNIT® Hot Compound Primer Spray  
BORNIT® MultiClean  
BORNIT® Crack Tape



Type	Content	Colour	sufficient for
40x3	44 m	black	approx. 44 m

Order-No.	EAN-Code	Palletisation
6900002720	4 017228 00690 1	48 box

## BORNIT® Flexomat 3.1



Basic unit for the modular add-on systems BORNIT® Edge Module, BORNIT® Joint Module and BORNIT® Crack Module SpeedUp for processing of the renovation products BORNIT® Joint Flex, BORNIT® Crack Flex and BORNIT® Edge Flex

System products:  
BORNIT® Joint Flex  
BORNIT® Crack Flex  
BORNIT® Edge Flex  
BORNIT® SpeedUp



Type	Content	Colour	sufficient for
1 piece		red	

Order-No.	EAN-Code	Palletisation
6800000508	4 017228 00090 9	1 piece



## BORNIT® Joint Module



## BORNIT® Edge Module



## BORNIT® Crack Module SpeedUp



## BORNIT® Edge Flex



Solvent-free, flexible bitumen compound for sealing the higher road edge on asphalt pavements, machine processing with Flexomat 3.1 and edge module

System products:  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
BORNIT® Flexomat 3.1  
BORNIT® Edge Module



Type	Content	Colour	sufficient for
	30 kg	black	approx. 75 linear metres with 10 cm working width

Order-No.	EAN-Code	Palletisation
6900002673	4 017228 00255 2	18 bucket

## BORNIT® Edge Module



Add-on module for the BORNIT® Flexomat 3.1; used to seal the edges of load-bearing, binder and surface layers with BORNIT® Edge Flex

System products:  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
BORNIT® Flexomat 3.1  
BORNIT® Edge Flex



Type	Content	Colour	sufficient for
1 piece		black	

Order-No.	EAN-Code	Palletisation
6800000514	4 017228 00093 0	1 piece

## BORNIT® Edge Sealant Hot



Bitumen compound to be processed hot, for sealing edges in asphalt road construction according to TL Sbit-StB 15, processing temperature +150 °C to +170 °C, sprayable (at least 4 mm nozzle)

System products:  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
BORNIT® Sealant Heater  
BORNIT® Pouring Can



Type	Content	Colour	sufficient for
25 kg		black	approx. 62.5 linear metre

Order-No.	EAN-Code	Palletisation
6800000724	4 017228 00751 9	24 box

## BORNIT® Joint Flex



Solvent-free, thixotropic (high viscosity) and to -5 °C frostresistant bituminous compound for making flexible and permanent seams when installing asphalt mix in tapes (compliant with ZTV Asphalt StB07), machine pre-treatment of the center seam flanks when paving hot mix with BORNIT® Flexomat 3.1 and Joint Module

System products:  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
BORNIT® Flexomat 3.1  
BORNIT® Joint Module



Type	Content	Colour	sufficient for
	25 ltr.	black	approx. 123 m with 4 cm top layer

Order-No.	EAN-Code	Palletisation
6900002530	4 017228 00339 9	18 bucket



# Road

Hot and cold sealing compounds, joint tapes, bituminous emulsions

## BORNIT® Joint Module



Add-on module for the BORNIT® Flexomat 3.1; used for the rapid, clean application of BORNIT® Joint Flex to central seams during the strip-by-strip construction of rolled asphalt surfaces

System products:  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
BORNIT® Flexomat 3.1  
BORNIT® Joint Flex



Type	Content	Colour	sufficient for
1 piece	black		

Order-No.	EAN-Code	Palletisation
6800000515	4 017228 00091 6	1 piece

## BORNIT® Bituminous Emulsion C60B4-REP



Solvent-free, unstable, cationic bitumen emulsion with a binding content of approx. 60 %, for surface treatments and repair patches with standardized chippings for sealing asphalt roads, quality according to TL BE-StB 15

System products:  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner



Type	Content	Colour	sufficient for
25 kg	black		approx. 11.3 - 17.8 m <sup>2</sup>
190 kg	black		approx. 86.4 - 135.7 m <sup>2</sup>
1000 kg	black		approx. 454.5 - 714.3 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6800000683	4 017228 00768 7	24 canister
6800000605	4 017228 00740 3	2 barrel
6800000634	4 017228 00695 6	1 IBC tank pallet

## BORNIT® Asphalt Adhesive R2 C40BF5-S



Cationic bitumen emulsion, binder content approx. 40 %, for pre-spraying soiled and aged asphalt surfaces, pre-treatment before application of mix or cation-active bitumen emulsions, quality according to TL BE-StB 15

System products:  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
BORNIT® Asphalt Adhesive R2 C40BF5-S  
BORNIT® Asphalt Adhesive Sprayer



Type	Content	Colour	sufficient for
25 kg	black		approx. 55.6 - 125.0 m <sup>2</sup>
190 kg	black		approx. 422.2 - 950.0 m <sup>2</sup>
1000 kg	black		approx. 2222.2 - 5000.0 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6800001137	4 017228 00947 6	16 canister
6800000606	4 017228 00712 0	2 barrel
6800000680		1 IBC tank pallet

## BORNIT® Asphalt Adhesive Sprayer



Handy spraying device for precise and energy-saving distribution of BORNIT® Asphalt Adhesive C40BF5-S on all kinds of small construction sites

System products:  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
BORNIT® Asphalt Adhesive R2 C40BF5-S  
BORNIT® Asphalt Adhesive-C40BF5-S



Type	Content	Colour	sufficient for
18 ltr.	light-grey		up to 90 m <sup>2</sup> with one filling

Order-No.	EAN-Code	Palletisation
6800000935	4 017228 00887 5	1 piece

## BORNIT® Valve for Asphalt Adhesive Sprayer



Valve for Asphalt Adhesive Sprayer

System products:  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
BORNIT® Asphalt Adhesive R2 C40BF5-S  
BORNIT® Asphalt Adhesive Sprayer



Type	Content	Colour	sufficient for
car	1 piece	brass	
truck	1 piece	brass, red, blue	

Order-No.	EAN-Code	Palletisation
6800001004	4 017228 00107 4	1 piece
6800000934	4 017228 00108 1	1 piece

Note: For the return of rented containers which are not empty (e.g. vats, tank pallets) we charge for disposal 800.00 €/t.

[www.bornit.com](http://www.bornit.com)

All the data in the current sales catalog are based on the knowledge available at the time of publication. Current information can be found in the German individual specification sheets, safety data sheets and transport regulations which can be ordered for free from BORNIT® or be downloaded at our German website [www.bornit.de/de](http://www.bornit.de/de).  
\*Up-to-date information online - scan QR code with your smartphone to receive up-to-date information! Mobile-specific software required - only the connection costs of your provider arise.

**BORNIT®**  
— ROCK SOLID CONNECTIONS —



# Road

Hot and cold sealing compounds, joint tapes, bituminous emulsions



## BORNIT® Bituminous Emulsion C60BP4-S

Solvent-free, unstable, extra polymer-modified, cationic bitumen emulsion with a binding content of approx. 60 %, for pre-spraying dirty and aged asphalt surfaces or for new paving, quality according to TL BE - StB 15 category C60BP4-S

System products:  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner



Type	Content	Colour	sufficient for	Order-No.	EAN-Code	Palletisation
	25 kg	black	approx. 50.0 - 166.7 m <sup>2</sup>	6800001146	4 017228 00939 1	24 canister
	190 kg	black	approx. 380.0 - 1266.7 m <sup>2</sup>	6800000604	4 017228 00741 0	2 barrel
	1000 kg	black	approx. 2000 - 6666.7 m <sup>2</sup>	6800000772	4 017228 00860 8	1 IBC tank pallet



## BORNIT® Bitumen Primer

Solvent-based bitumen primer for the pretreatment of bituminous and mineral substrates such as concrete and masonry surfaces, before laying bitumen welding membranes, quick-drying, brush- and sprayable

System products:  
BORNIT® MultiClean  
BORNIT® Reactive Asphalt  
BORNIT® Asphalt Fix  
BORNIT® Coldmix Asphalt (bucket)



Type	Content	Colour	sufficient for	Order-No.	EAN-Code	Palletisation
	5 ltr.	black	approx. 25 m <sup>2</sup>	6900002635	4 017228 00350 4	75 bucket
	10 ltr.	black	approx. 50 m <sup>2</sup>	6900002634	4 017228 00351 1	45 bucket
	25 ltr.	black	approx. 125 m <sup>2</sup>	6900002633	4 017228 00352 8	18 bucket
	200 ltr.	black	approx. 1000 m <sup>2</sup>	6900002632	4 017228 00353 5	2 barrel



## BORNIT® Bitumen Primer Spray

Solvent-containing bitumen primer for easy priming of smaller bituminous and mineral substrates like concrete, asphalt and masonry surfaces, prior to laying bituminous welded sheeting, processing of solvent-containing bitumen coatings as well as road repair materials, fast-drying

System products:  
BORNIT® MultiClean  
BORNIT® Reactive Asphalt  
BORNIT® Asphalt Fix  
BORNIT® Coldmix Asphalt (bucket)



Type	Content	Colour	sufficient for	Order-No.	EAN-Code	Palletisation
	600 ml	black	approx. 3 m <sup>2</sup>	6900002553	4 017228 00347 4	12 piece / box



## BORNIT® Reactive Asphalt

Solvent-free cold mix quick-hardening with water for repair and maintenance of pavements and roads of all load classes, immediately traversable after compacting, also usable below 0 °C – cold workable Grain size 0 to 2 mm / 0 to 4 mm / 0 to 8 mm

System products:  
BORNIT® Bitumen Primer Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
BORNIT® Asphalt Fix



Type	Content	Colour	sufficient for	Order-No.	EAN-Code	Palletisation
20	25 kg	black	approx. 1 m <sup>2</sup>	6800000937	4 017228 00937 7	32 bucket
40	25 kg	black	approx. 1 m <sup>2</sup>	6800000456	4 017228 00829 5	32 bucket
80	25 kg	black	approx. 1 m <sup>2</sup>	6800000936	4 017228 00938 4	32 bucket



## BORNIT® Asphalt Repair Mortar

Multi-component asphalt mortar, for fast sealing of cracks and unevenness, adjustment of inlets, manhole covers and transitions, layer thicknesses 5 - 20 mm (RE 30) or 10 - 30 mm (RE 50), fast-setting, cold-installation Grain size 0 to 3 mm (RE 30) / 0 to 5 mm (RE 50)

System products:  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner



Type	Content	Colour	sufficient for	Order-No.	EAN-Code	Palletisation
30	18 kg	black	approx. 0.9 m <sup>2</sup>	6700000137	4 017228 00905 6	24 bucket
50	18 kg	black	approx. 0.9 m <sup>2</sup>	6700000138	4 017228 00906 3	24 bucket



## BORNIT® Asphalt Fix

Easy to process, fast curing cold mix for the repair of asphalt and concrete surfaces. Grain size 0 to 5 mm

System products:  
BORNIT® Bitumen Primer Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
Hot mix asphalt




Type	Content	Colour	sufficient for	Order-No.	EAN-Code	Palletisation
	25 kg	black	approx. 1.0 m <sup>2</sup> per cm layer thickness	6800000451	4 017228 00688 8	24 bucket

Note: For the return of rented containers which are not empty (e.g. vats, tank pallets) we charge for disposal 800.00 €/t.

www.bornit.com

All the data in the current sales catalog are based on the knowledge available at the time of publication. Current information can be found in the German individual specification sheets, safety data sheets and transport regulations which can be ordered for free from BORNIT® or be downloaded at our German website [www.bornit.de/de](http://www.bornit.de/de).

\*Up-to-date information online - scan QR code with your smartphone to receive up-to-date information! Mobile-specific software required - only the connection costs of your provider arise.



# Road

Hot and cold sealing compounds, joint tapes, bituminous emulsions



## BORNIT® Coldmix Asphalt (bucket)

Solvent-free cold mix for the quick removal of potholes, frost cracks and other road damage, compaction with plate compactors or hand rammers and rolling traffic is essential. Grain size 0 to 5 mm

System products:  
BORNIT® Bitumen Primer Spray  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
BORNIT® Pounder



Type	Content	Colour	sufficient for
	25 kg	black	approx. 1 m <sup>2</sup> per cm layer thickness

Order-No.	EAN-Code	Palletisation
6800000439	4 017228 00725 0	24 bucket



## BORNIT® Pounder

Shock-absorbing special hand tamper with strong impact for black ceiling installation, paving and slab laying, concrete work, easy to use, precise to guide, does not tilt. Rubber buffers cushions harmful impacts and thus effectively protect the wrist. Handle tube made of precision steel tubing. Ideal for paving BORNIT® Reactive Asphalt, BORNIT® Asphalt Fix, BORNIT® Coldmix Asphalt (bag) and BORNIT® Coldmix Asphalt (bucket). Base plate: 18 x 18 cm, height: 116 cm, weight: 7.2 kg

System products:  
BORNIT® MultiClean  
BORNIT® Asphalt Fix  
BORNIT® Coldmix Asphalt (bag)  
BORNIT® Coldmix Asphalt (bucket)



Type	Content	Colour	sufficient for
	1 piece	red/black	

Order-No.	EAN-Code	Palletisation
6800000444	4 017228 00699 4	1 piece



## BORNIT® Coldmix Asphalt (bag)

Solvent-free asphalt mix for easy and quick elimination of potholes, frost buckling and other road damages, compaction by vibratory plate resp. pounder and moving traffic, ready to use, cold workable

System products:  
BORNIT® Bitumen Primer Spray  
BORNIT® MultiClean  
BORNIT® Pounder  
BORNIT® Asphalt Fix



Type	Content	Colour	sufficient for
	25 kg	black	approx. 1 m <sup>2</sup> per cm layer thickness

Order-No.	EAN-Code	Palletisation
6800000440	4 017228 00709 0	40 bag



## BORNIT® Asphalt Pore Sealer

Solvent-free, ready-to-use bitumen slurry for sealing open-pored asphalt surfaces such as roadways, squares, sidewalks and bike paths, etc., tested according to TL-Sbit. Only pore closure, no layer thickness build-up!

System products:  
BORNIT® Grundbit  
BORNIT® MultiClean  
BORNIT® Rubber Scraper  
BORNIT® High-quality chippings



Type	Content	Colour	sufficient for
	30 kg	black	approx. 37.5 m <sup>2</sup>

Order-No.	EAN-Code	Palletisation
6900002681	4 017228 00710 6	18 bucket



## BORNIT® RoadStixx

Thermoplastic that can be installed hot (with gas burner), for repairing cracks and small potholes (up to Ø 20 cm, H45 mm) in asphalt and concrete, can also be used in frosty conditions

System products:  
BORNIT® Bitumen Primer Spray  
BORNIT® MultiClean



Type	Content	Colour	sufficient for
	12 kg	black	approx. 2.4 m <sup>2</sup> per cm layer thickness

Order-No.	EAN-Code	Palletisation
6800001015	4 017228 01009 0	66 bag



## BORNIT® Rubber Scraper


Extremely robust rubber scraper, ideally suited for processing BORNIT® Asphalt Pore Sealer, solvent-resistant

System products:  
BORNIT® MultiClean  
BORNIT® Bitumen Cleaner  
BORNIT® Asphalt Pore Sealer



Type	Content	Colour	sufficient for
Scraper	1 piece		
Lip	1 piece		

Order-No.	EAN-Code	Palletisation
6800000537		1 piece
6800000593		1 piece



# Road

Hot and cold sealing compounds, joint tapes, bituminous emulsions



## BORNIT® MultiClean

Highly effective, plant-based cleaning spray for the rapid, thorough removal of dirt in the form of tar, bitumen and asphalt

System products:  
all bitumen-based BORNIT® products



Type	Content	Colour	sufficient for
	10 ltr.	transparent	dep. on degree of contamination

Order-No.	EAN-Code	Palletisation
6700000032	4 017228 00068 8	20 canister



## BORNIT® MultiClean Spray

Highly effective, plant-based cleaning spray for the rapid, thorough removal of dirt in the form of tar, bitumen and asphalt

System products:  
all bitumen-based BORNIT® products




Type	Content	Colour	sufficient for
	600 ml	transparent	dep. on degree of contamination

Order-No.	EAN-Code	Palletisation
6800000350	4 017228 00066 4	12 piece / box



# BORNIT®



— ROCK SOLID CONNECTIONS

Who wants  
to have  
standard?



Your individual  
**Road Marking®**  
made of thermoplastic!

www.bornit.com

48

All the data in the current sales catalog are based on the knowledge available at the time of publication. Current information can be found in the German individual specification sheets, safety data sheets and transport regulations which can be ordered for free from BORNIT® or be downloaded at our German website [www.bornit.de/de](http://www.bornit.de/de).  
\*Up-to-date information online - scan QR code with your smartphone to receive up-to-date information! Mobile-specific software required - only the connection costs of your provider arise.

BORNIT-Werk Aschenborn GmbH

+49 375 27 95 - 0 | [strassenbau@bornit.com](mailto:strassenbau@bornit.com)



www.bornit.com



# Road

Hot and cold sealing compounds, joint tapes, bituminous emulsions

Size in mm

VE

Size in mm

VE

## BORNIT® Road Markings



Thermoplastic markings, e.g. traffic signs, lines, directional arrows, symbols, letters, numbers, logos, etc.

Easy to use: clean substrate, apply motif, melt with burner; can be driven on after 10-20 minutes!

Special colours available based on RAL Classic and RAL Design System. Various motifs and dimensions available on request!

Prefabricated thermoplastic markings will be part of the future thanks to their environmental friendliness and quick and easy handling.



## Elektric car

Pictogram (RMS)\*  
RAL 9016 - traffic white



## Kids

Pictogram (RMS)\*  
RAL 9016 - traffic white

525 X 1000

5

## Marking lines



RAL 9016 - traffic white

50 X 1000

60

100 X 1000

30

120 X 1000

25

150 X 1000

20

250 X 1000

10

300 X 1000

10

## Lines in rolls



white

50 X 5000

12

100 X 5000

6

120 X 5000

6

150 X 5000

4

## Marking lines



(RAL 1023 / RAL 9017)

100 X 1000

30

250 X 1000

10

## Straight arrow



RAL 9016 - traffic white

1000

5

2500

5

5000

2



## Triangular traffic signs according to german traffic regulations

Example:  
VZ 101, VZ 101-11, VZ 131, VZ 133, VZ 136,  
VZ 138, VZ205, ...

1000 X 1000

1

1200 X 2400

1

1500 X 3600

1

2000 X 4000

1



VZ 101



VZ 101-11



VZ 133



VZ 131



VZ 136



VZ 138



VZ 205



## Round and oval traffic signs according to german traffic regulations

Example:  
VZ 224, VZ 239, VZ 225, VZ 267, VZ 283, ...

Ø 500

1

Ø 600

1

Ø 750

1

Ø 1000

1

Ø 1500

1

Ø 2000

1

Ø 3000

1

1000 X 2000

1

2000 X 3000

1

2000 X 4000

1



VZ 255



VZ 224



VZ 267



VZ 237



VZ 240



VZ 283-50



# Greenline

Solvent-free - the better solution!



Greenline



## BORNIT® Speedbit Primer

Solvent-free, quick-drying elastomer bitumen primer for laying bitumen welding membranes indoors and outdoors, can be rolled, brushed or sprayed-on

Type	Content	Colour	sufficient for
	10 ltr.	black	approx. 50 m <sup>2</sup>
	25 ltr.	black	approx. 125 m <sup>2</sup>

System products:  
BORNIT® MultiClean Spray  
BORNIT® Bitumen Cleaner  
Bitumen roof sheetings

Order-No.	EAN-Code	Palletisation
6900004117	4 017228 00541 6	44 bucket
6900004118	4 017228 00542 3	18 bucket

## BORNIT® Flexbit

Solvent-free, crack-bridging bitumen elastic coating for the protection of roof coverings against the effects of the weather, moisture protection for components in contact with the ground and for intermediate sealing on horizontal surfaces, UV-resistant, brush- and sprayable

Type	Content	Colour	sufficient for
	5 ltr.	black	approx. 10 m <sup>2</sup>
	10 ltr.	black	approx. 20 m <sup>2</sup>
	25 ltr.	black	approx. 50 m <sup>2</sup>



Greenline



System products:  
BORNIT® Grundbit  
BORNIT® Glass Fabric 58  
BORNIT® MultiClean Spray  
BORNIT® Bitumen Cleaner

Order-No.	EAN-Code	Palletisation
6900002660	4 017228 00281 1	60 bucket
6900002534	4 017228 00289 7	44 bucket
6900002659	4 017228 00285 9	18 bucket

Greenline



## BORNIT® Grundbit

Solvent-free bitumen primer for the pretreatment of bituminous and mineral substrates such as concrete and masonry surfaces, before laying bitumen welding membranes and for bitumen emulsion coatings, can be rolled, brushed or sprayed-on

Type	Content	Colour	sufficient for
	5 ltr.	black	approx. 25 m <sup>2</sup>
	10 ltr.	black	approx. 50 m <sup>2</sup>
	25 ltr.	black	approx. 125 m <sup>2</sup>

System products:  
BORNIT® Dachbit  
BORNIT® Flexbit  
BORNIT® Unibit  
Bitumen roof sheetings

Order-No.	EAN-Code	Palletisation
6900002527	4 017228 00292 7	60 bucket
6900002529	4 017228 00293 4	44 bucket
6900002666	4 017228 00294 1	18 bucket

## BORNIT® Unibit

Solvent-free bitumen coating to protect concrete, plaster and masonry against soil moisture, brush- and sprayable

Type	Content	Colour	sufficient for
	5 ltr.	black	approx. 16.6 m <sup>2</sup>
	10 ltr.	black	approx. 33 m <sup>2</sup>
	25 ltr.	black	approx. 83 m <sup>2</sup>



Greenline



System products:  
BORNIT® Grundbit  
BORNIT® Glass Fabric 58  
BORNIT® BORNithene Plus  
BORNIT® MultiClean Spray

Order-No.	EAN-Code	Palletisation
6900002662	4 017228 00280 4	60 bucket
6900002531	4 017228 00288 0	44 bucket
6900002661	4 017228 00284 2	18 bucket

Greenline



## BORNIT® Dachbit

Solvent-free bitumen top coat for the protection and maintenance of bituminous and mineral roof coverings, UV-resistant, brush- and sprayable

Type	Content	Colour	sufficient for
	5 ltr.	black	12.5 m <sup>2</sup>
	10 ltr.	black	25.0 m <sup>2</sup>
	25 ltr.	black	62.5 m <sup>2</sup>

System products:  
BORNIT® Grundbit  
BORNIT® Glass Fabric 58  
BORNIT® MultiClean Spray  
BORNIT® Bitumen Cleaner

Order-No.	EAN-Code	Palletisation
6900002665	4 017228 00279 8	60 bucket
6900002664	4 017228 00287 3	44 bucket
6900002663	4 017228 00283 5	18 bucket



# Product Overview

All BORNIT® products

#	Product name	Package	Consumption	Order-No.	EAN-Code	Delivery form	Recommended storage
A	BORNIT® 1C Bitumen Thick Coating	12 liter	approx. 4.3 liter/m <sup>2</sup>	69000002648	4 017228 004075	44 bucket	C&D, SF
	BORNIT® 1C Bitumen Thick Coating	32 liter	approx. 4.3 liter/m <sup>2</sup>	69000002647	4 017228 004082	18 bucket	C&D, SF
	BORNIT® 2C Flex Bitumen Thick Coating	30 liter	approx. 4.2 – 5.6 liter/m <sup>2</sup>	69000002539	4 017228 004426	18 bucket	C&D, SF
	BORNIT® 5M-Primer	10 liter	approx. 0.2 liter/m <sup>2</sup>	69000004355	4 017228 005898	45 bucket	CCS
	BORNIT® 5M-Primer	25 liter	approx. 0.2 liter/m <sup>2</sup>	69000004356	4 017228 005447	18 bucket	CCS
	BORNIT® Adhesive Filler	310 ml	approx. 12 m <sup>3</sup> /box per joint of 5 x 5 mm	68000001095	4 017228 003160	20/box-72 box/Pal.	CCS
	BORNIT® Alu-Tape 75 aluminium	10 m roll		6800000369	4 017228 002422	4 rolls/box	C&D
	BORNIT® Alu-Tape 100 aluminium	10 m roll		6800000370	4 017228 004365	3 rolls/box	C&D
	BORNIT® Alu-Tape 150 aluminium	10 m roll		6800000371	4 017228 004372	2 rolls/box	C&D
	BORNIT® Anchor stirrer			6800000520	4 017228 001050	-	
B	BORNIT® Anti Sulphate	1 kg	approx. 100 – 130 g/m <sup>2</sup>	69000002779	4 017228 004785	-	SF
	BORNIT® Anti Sulphate	10 kg	approx. 100 – 130 g/m <sup>2</sup>	68000000410	4 017228 004624	60 bucket	SF
	BORNIT® Asphalt Adhesive R2 C40BF5-S	25 kg		68000001137	4 017228 009476	16 bucket	SF
	BORNIT® Asphalt Adhesive R2 C40BF5-S	190 kg		68000000606	4 017228 007120	2 barrels	SF
	BORNIT® Asphalt Adhesive R2 C40BF5-S	1000 kg		68000000680	-	-	SF
	BORNIT® Asphalt Adhesive Sprayer			68000000935	4 017228 001036	-	
	BORNIT® Asphalt Adhesive Sprayer - car adapter			68000001004	4 017228 001074	-	
	BORNIT® Asphalt Adhesive Sprayer - truck adapter			68000000934	4 017228 001081	-	
	BORNIT® Asphalt-Fix	25 kg	approx. 25 kg/m <sup>2</sup> per cm layer thickn.	68000000451	4 017228 006888	24 bucket	C&D
	BORNIT® Asphalt Pore Sealer	30 kg	approx. 0.8 kg/m <sup>2</sup>	69000002681	4 017228 007106	18 bucket	SF
C	BORNIT® Asphalt Primer	1 liter	approx. 0.02 – 0.04 l per linear meter of joint	68000000506	4 017228 000152	-	CCS
	BORNIT® Asphalt Repair Mortar RE 30	18 kg	approx. 20 kg/m <sup>2</sup> per cm layer thickn.	67000000137	4 017228 009056	24 bucket	SF
	BORNIT® Asphalt Repair Mortar RE 50	18 kg	approx. 20 kg/m <sup>2</sup> per cm layer thickn.	67000000138	4 017228 009063	24 bucket	SF
	BORNIT® Basement Primer	5 liter	approx. 0.2 liter/m <sup>2</sup>	69000002657	4 017228 004433	60 canister	C&D, SF
	BORNIT® Basement Primer	10 liter	approx. 0.2 liter/m <sup>2</sup>	69000002656	4 017228 004440	60 canister	C&D, SF
	BORNIT® Basement Primer	20 liter	approx. 0.2 liter/m <sup>2</sup>	69000002655	4 017228 003955	24 canister	C&D, SF
	BORNIT® Basic Primer	10 kg	approx. 100 – 130 g/m <sup>2</sup>	69000002784	4 017228 000206	60 bucket	SF
	BORNIT® Bitumen 100/25	30 kg	approx. 1.3 kg/m <sup>2</sup>	69000002247	4 017228 003733	36 bags	C&D
	BORNIT® Bitumen Adhesive	5 liter	approx. 0.8 liter/m <sup>2</sup>	69000002613	4 017228 003689	75 bucket	CCS
	BORNIT® Bitumen Adhesive	10 liter	approx. 0.8 liter/m <sup>2</sup>	69000002535	4 017228 003696	45 bucket	CCS
D	BORNIT® Bitumen Adhesive	25 liter	approx. 0.8 liter/m <sup>2</sup>	69000002612	4 017228 003702	18 bucket	CCS
	BORNIT® Bitumen Cleaner	1 liter		69000002608	4 017228 004174	12 bucket/box	CCS
	BORNIT® Bitumen Cleaner	10 liter		69000002609	4 017228 004297	50 bucket	CCS
	BORNIT® Bitumen Coating	5 liter	approx. 0.4 liter/m <sup>2</sup>	69000002625	4 017228 003979	75 bucket	CCS
	BORNIT® Bitumen Coating	10 liter	approx. 0.4 liter/m <sup>2</sup>	69000002624	4 017228 003986	45 bucket	CCS
	BORNIT® Bitumen Coating	25 liter	approx. 0.4 liter/m <sup>2</sup>	69000002623	4 017228 003993	18 bucket	CCS
	BORNIT® Bitumen Coating	200 liter	approx. 0.4 liter/m <sup>2</sup>	69000002622	4 017228 004006	2 barrels	CCS
	BORNIT® Bituminous emulsion C60B4-REP	25 kg		68000000683	4 017228 007687	24 canister	SF
	BORNIT® Bituminous emulsion C60B4-REP	190 kg		68000000605	4 017228 007403	2 barrels	SF
	BORNIT® Bituminous emulsion C60B4-REP	1000 kg		68000000634	4 017228 006956	-	SF
E	BORNIT® Bituminous emulsion C60BP4-S	25 kg		68000001146	4 017228 009391	24 canister	SF
	BORNIT® Bituminous emulsion C60BP4-S	190 kg		68000000604	4 017228 007410	2 barrels	SF
	BORNIT® Bituminous emulsion C60BP4-S	1000 kg		68000000772	4 017228 008608	-	SF
	BORNIT® Bitumen Joint Sealant 2C	360 ml	depending on joint dimension	68000000345	4 017228 002576	12/box	SF
	BORNIT® Bitumen Joint Sealant 2C - replacement mixing nozzle			68000000774	4 017228 001098	1 piece	
	BORNIT® Bitumen Mastic	1 kg	approx. 1.2kg/m <sup>2</sup> per mm layer thickn.	68000000347	4 017228 003795	18 cans/ box	CCS
	BORNIT® Bitumen Mastic	2.5 kg	approx. 1.2kg/m <sup>2</sup> per mm layer thickn.	68000000340	4 017228 003641	99 bucket	CCS
	BORNIT® Bitumen Mastic	6 kg	approx. 1.2kg/m <sup>2</sup> per mm layer thickn.	68000000339	4 017228 003658	75 bucket	CCS
	BORNIT® Bitumen Mastic	12 kg	approx. 1.2kg/m <sup>2</sup> per mm layer thickn.	68000000338	4 017228 003665	45 bucket	CCS
	BORNIT® Bitumen Primer	5 liter	approx. 0.2 liter/m <sup>2</sup>	69000002635	4 017228 003504	75 bucket	CCS
F	BORNIT® Bitumen Primer	10 liter	approx. 0.2 liter/m <sup>2</sup>	69000002634	4 017228 003511	45 bucket	CCS
	BORNIT® Bitumen Primer	25 liter	approx. 0.2 liter/m <sup>2</sup>	69000002633	4 017228 003528	18 bucket	CCS
	BORNIT® Bitumen Primer	200 liter	approx. 0.2 liter/m <sup>2</sup>	69000002632	4 017228 003535	2 barrels	CCS
	BORNIT® Bitumen Primer Spray	600 ml Spray	can contents enough for approx. 3m <sup>2</sup>	69000002553	4 017228 003474	12/box-70 box/Pal.	CCS
	BORNIT® BORNithene Plus	15 m <sup>2</sup>	1.08 m <sup>2</sup> /m <sup>2</sup>	68000000518	4 017228 002484	15 rolls	C&D
	BORNIT® Cold Joint Sealant grey	2.5 liter	depending on joint dimension	68000000501	4 017228 000121	-	
	BORNIT® Cold Joint Sealant grey	4.0 liter	depending on joint dimension	68000000502	4 017228 000077	-	
	BORNIT® Cold Joint Sealant black	2.5 liter	depending on joint dimension	68000000503	4 017228 000336	-	
	BORNIT® Cold Joint Sealant black	4.0 liter	depending on joint dimension	68000000504	4 017228 000343	-	
	BORNIT® Coldmix Asphalt (bag)	25 kg	approx. 25 kg/m <sup>2</sup> per cm layer thickn.	68000000440	4 017228 007090	40 bags	C&D
G	BORNIT® Coldmix Asphalt (bucket)	25 kg	approx. 25 kg/m <sup>2</sup> per cm layer thickn.	68000000439	4 017228 007250	24 bucket	C&D
	BORNIT® Cold Sealing Compound grey	2.5 liter	depending on joint dimension	68000000498	4 017228 000305	-	
	BORNIT® Cold Sealing Compound grey	4.0 liter	depending on joint dimension	68000000499	4 017228 000329	-	
	BORNIT® Cold Sealing Compound grey	10.0 liter	depending on joint dimension	68000000500	4 017228 000312	-	
	BORNIT® Cold Sealing Compound black	2.5 liter	depending on joint dimension	68000000494	4 017228 000367	-	
	BORNIT® Cold Sealing Compound black	4.0 liter	depending on joint dimension	68000000496	4 017228 000268	-	
	BORNIT® Cold Sealing Compound black	10.0 liter	depending on joint dimension	68000000497	4 017228 000299	-	
	BORNIT® Concrete Primer	1 liter	approx. 0.01 – 0.02 l per linear meter of joint	68000000505	4 017228 000145	-	CCS
	BORNIT® Corrosion Preventer	10 liter	approx. 0.4 l/m <sup>2</sup> at 1 time	69000002627	4 017228 004655	45 bucket	CCS
	BORNIT® Corrosion Preventer	25 liter	approx. 0.4 l/m <sup>2</sup> at 1 time	69000002626	4 017228 004662	18 bucket	CCS
H	BORNIT® Crack Flex	12 kg	depending on load condition	69000002671	4 017228 006819	44 bucket	C&D, SF
	BORNIT® Crack Flex	30 kg	depending on load condition	69000002670	4 017228 006802	18 bucket	C&D, SF
	BORNIT® Crack Module SpeedUp			68000000702	4 017228 000978	1	
	BORNIT® Crack Tape 40 x 3 mm	44 m/box		69000002716	4 017228 007397	48 box	C&D
	BORNIT® Crack Tape CSA 40 x 3 mm	44 m/box		69000002720	4 017228 006901	48 box	C&D
	BORNIT® Dachbit	5 liter	approx. 0.4 liter/m <sup>2</sup>	69000002665	4 017228 002798	60 bucket	SF
	BORNIT® Dachbit	10 liter	approx. 0.4 liter/m <sup>2</sup>	69000002664	4 017228 002873	44 bucket	SF
	BORNIT® Dachbit	25 liter	approx. 0.4 liter/m <sup>2</sup>	69000002663	4 017228 002835	18 bucket	SF
	BORNIT® EasyPipe transparent	Ø 8-25 mm		68000000594	4 017228 000725	-	
	BORNIT® EasyPipe transparent	Ø 26-44 mm		68000000595	4 017228 000732	-	
I	BORNIT® EasyPipe transparent	Ø 45-63 mm		68000000596	4 017228 000749	-	
	BORNIT® EasyPipe transparent	Ø 64-86 mm		68000000597	4 017228 000756	-	
	BORNIT® EasyPipe transparent	Ø 87-110 mm		68000000598	4 017228 000763	-	
	BORNIT® EasyPipe transparent	Ø 111-125 mm		68000000599	4 017228 000770	-	
	BORNIT® EasyPipe transparent	Ø 135-160 mm		68000000600	4 017228 000787	-	
	BORNIT® EasyPipe transparent						
	BORNIT® EasyPipe transparent						
	BORNIT® EasyPipe transparent						
	BORNIT® EasyPipe transparent						
	BORNIT® EasyPipe transparent						
	BORNIT® EasyPipe transparent						

F	BORNIT® EasyPipe Adhesive	310 ml cartridge	68000000530	4 017228 000794	-		
	BORNIT® Edge Sealant Hot	25 kg	min. 0.4 kg/m (spraying width of 10 cm)	68000000724	24 box	C&D, SF	
	BORNIT® Edge Flex	30 kg	min. 0.4 kg/m (spraying width of 10 cm)	69000002673	18 bucket	C&D, SF	
	BORNIT® Edge Module			68000000514	1		
	BORNIT® Filling Stick	45 cm	per hole one stick	68000000365	50 pieces/ Bund	C&D	
	BORNIT® Flexomat 3.1			68000000508	1		
G	BORNIT® Flexbit	5 liter	approx. 0.5 liter/m² per layer - 2times	69000002660	60 bucket	SF	
	BORNIT® Flexbit	10 liter	approx. 0.5 liter/m² per layer - 2times	69000002534	44 bucket	SF	
	BORNIT® Flexbit	25 liter	approx. 0.5 liter/m² per layer - 2times	69000002659	18 bucket	SF	
	BORNIT® Glass Fabric 58	50 m-roll, 100 cm wide	1.1 m²/m²	68000000591	33 rolls		
	BORNIT® Glass Fabric 165	50 m-roll, 100 cm wide	1.1 m²/m²	68000000481	33 rolls		
	BORNIT® Grundbit	5 liter	approx. 0.2 liter/m²	69000002527	60 bucket	SF	
H	BORNIT® Grundbit	10 liter	approx. 0.2 liter/m²	69000002529	44 bucket	SF	
	BORNIT® Grundbit	25 liter	approx. 0.2 liter/m²	69000002666	18 bucket	SF	
	BORNIT® Hand applicator handle			68000000448	-		
	BORNIT® Hand applicator Long handle			68000000449	-		
	Collomix® Hand Mixer			-	4 011024 251183	-	
	BORNIT® Hot-Air Lance			68000000932	-	-	
I	BORNIT® Hot Compound Primer	10 liter	approx. 0.2 liter/m²	68000000431	30 bucket	CCS	
	BORNIT® Hot Compound Primer	30 liter	approx. 0.2 liter/m²	68000000429	12 bucket	CCS	
	BORNIT® Hot Compound Primer Spray	600 ml	approx. 0.2 liter/m²	67000000091	6 spray cans/ box	CCS	
	BORNIT® Hot Sealing N1	10 kg	approx. 1.0 kg/liter joint capacity	68000000766	80 box	C&D	
	BORNIT® Hot Sealing N1	22 kg	approx. 1.0 kg/liter joint capacity	68000000767	32 box	C&D	
	BORNIT® Hot Sealing PS	15 kg	approx. 1.5 kg/liter joint capacity	68000000422	64 box	C&D	
	BORNIT® Hot Sealing PS	30 kg	approx. 1.5 kg/liter joint capacity	68000000421	36 box	C&D	
	BORNIT® Hot Sealing Rail	12 kg	approx. 1.3 kg/liter joint capacity	68000000875	64 box	C&D	
	BORNIT® Hot Sealing Rail	27 kg	approx. 1.3 kg/liter joint capacity	68000000874	36 box	C&D	
	BORNIT® Hot Sealing TL	10 kg	approx. 1.1 kg/liter joint capacity	68000000334	80 box	C&D	
	BORNIT® Hot Sealing TL	25 kg	approx. 1.1 kg/liter joint capacity	68000000335	32 box	C&D	
	BORNIT® Hot Sealing TL	30 kg	approx. 1.1 kg/liter joint capacity	68000000424	11 bucket	C&D	
	BORNIT® Injektit 100	1 liter	approx. 20 liter/m² masonry cross-sect.	69000002689	20 pieces/ box	SF	
	BORNIT® Injektit 100	10 liter	approx. 20 liter/m² masonry cross-sect.	69000002688	60 bucket	SF	
	BORNIT® Injektit 100	20 liter	approx. 20 liter/m² masonry cross-sect.	69000002538	24 bucket	SF	
	BORNIT® Injektit Super	550 g	approx. 15 kg/m² masonry cross-sect.	69000002693	35 pieces/ box	C&D, SF	
	BORNIT® Injektit Super	10 kg	approx. 15 kg/m² masonry cross-sect.	69000002692	60 bucket	C&D, SF	
	BORNIT® Injektit Super	20 kg	approx. 15 kg/m² masonry cross-sect.	69000002691	24 bucket	C&D, SF	
J	BORNIT® Injektit Super - empty container (incl. spout & cap)	500 ml		61900000519	4 017228 004815	-	
	BORNIT® Injection Cream Plus	5 liter	approx. 1.5 kg/rm/m²	68000000587	4 017228 008806	SF	
	BORNIT® Joint & Crack Widener			-	-	-	
	BORNIT® Joint Fabric Tape 150 mm DIN	30 m		68000000798	4 017228 009179	-	
	BORNIT® Joint Flex	25 liter	50g /cm /m (ZTV Asphalt)	69000002530	4 017228 003399	18 bucket	
	BORNIT® Joint Module			68000000515	4 017228 000916	1	
M	BORNIT® Joint Tape 7 CSA 30	15 m/box		69000004092	4 017228 008899	36 box	
	BORNIT® Joint Tape 30 x 10 mm	63 m/box		69000002700	4 017228 007311	24 box	
	BORNIT® Joint Tape 30 x 8 mm	73 m/box		69000002697	4 017228 007281	24 box	
	BORNIT® Joint Tape 35 x 10 mm	48 m/box		69000002701	4 017228 007328	24 box	
	BORNIT® Joint Tape 35 x 8 mm	63 m/box		69000002698	4 017228 007298	24 box	
	BORNIT® Joint Tape 40 x 10 mm	40 m/box		69000002702	4 017228 007335	24 box	
	BORNIT® Joint Tape 40 x 8 mm	48 m/box		69000002699	4 017228 007304	24 box	
	BORNIT® Joint Tape 50 x 10 mm	31 m/box		69000002704	4 017228 007359	24 box	
	BORNIT® Joint Tape CSA 30 x 8 mm	73 m/box		69000002705	4 017228 007137	24 box	
	BORNIT® Joint Tape CSA 30 x 10 mm	63 m/box		69000002707	4 017228 007366	24 box	
	BORNIT® Joint Tape CSA 40 x 10 mm	40 m/box		69000002708	4 017228 007151	24 box	
	BORNIT® Mastic Asphalt 20	25 kg	approx. 25 kg/m² per cm layer thickn.	68000000453	4 017228 008288	40 box	
	BORNIT® Mastic Asphalt 50	25 kg	approx. 25 kg/m² per cm layer thickn.	68000000454	4 017228 008271	40 box	
	BORNIT® Mineral Flex 2C	25 kg	approx. 2.4 - 4.8 kg/m²	68000000947	4 017228 009438	18 buckets	
	BORNIT® MultiClean Spray	600 ml spray	depending on load condition	68000000350	4 017228 000664	12 pieces/box	
	BORNIT® MultiClean	10 liter	depending on load condition	67000000032	4 017228 000688	20 canister	
	P	BORNIT® Pounder	18 x 18 cm; 7,2 kg		68000000444	4 017228 006994	-
		BORNIT® Pouring Can	3,5 liter		68000000531	4 017228 000985	-
BORNIT® Pouring Can		12 liter		68000000548	4 017228 000992	-	
BORNIT® Pouring Can		20 liter		68000000177	4 017228 001067	-	
BORNIT® Profi cartridge gun (for BORNIT® Bitumen Joint Sealant 2C)				68000000560	4 017228 008486	-	
BORNIT® Profi 1C Express		32 liter	approx. 3.5 - 5.0 liter/m²	69000002651	4 017228 004969	18 bucket	
R	BORNIT® Profi Hybrid 2C	24 kg	approx. 3.5 - 4.5 kg/m²	69000002658	4 017228 008363	18 bucket	
	BORNIT® PS-Cleaner	400 ml spray	depending on joint dimension	68000000512	4 017228 000084	-	
	BORNIT® Reactive Asphalt 20	25 kg	approx. 25 kg/m² per cm layer thickn.	68000000937	4 017228 009377	32 bucket	
	BORNIT® Reactive Asphalt 40	25 kg	approx. 25 kg/m² per cm layer thickn.	68000000456	4 017228 008295	32 bucket	
	BORNIT® Reactive Asphalt 80	25 kg	approx. 25 kg/m² per cm layer thickn.	68000000936	4 017228 009384	32 bucket	
	BORNIT® RoadStixx	12 kg	approx. 5 kg/m² per cm layer thickn.	68000001015	4 017228 010090	66 bags	
	BORNIT® Roof Paint 230 anthracite	10 kg	approx. 0.30 kg/m² - 2 times necessary!	68000000415	4 017228 005133	30 bucket	
	BORNIT® Roof Paint 230 brick red	10 kg	approx. 0.30 kg/m² - 2 times necessary!	68000000414	4 017228 005010	30 bucket	
	BORNIT® Roof Primer 220	10 liter	approx. 0.2 liter/m²	68000000413	4 017228 004891	40 bucket	
	BORNIT® Roof Varnish	5 liter	approx. 0.4 liter/m² - 2x recommended!	69000002631	4 017228 003542	75 bucket	
	BORNIT® Roof Varnish	10 liter	approx. 0.4 liter/m² - 2x recommended!	69000002533	4 017228 003559	45 bucket	
	BORNIT® Roof Varnish	25 liter	approx. 0.4 liter/m² - 2x recommended!	69000002630	4 017228 003566	18 bucket	
	BORNIT® Roof Varnish	200 liter	approx. 0.4 liter/m² - 2x recommended!	69000002629	4 017228 003573	2 barrels	
	BORNIT® Round Cord 10 mm	50 m/box		67000000039	4 017228 008431	-	
	BORNIT® Round Cord 10 mm	1700 m		67000000033	4 017228 008370	-	
	BORNIT® Round Cord 13 mm	50 m/box		67000000041	4 017228 002491	-	
	BORNIT® Round Cord 13 mm	1100 m		67000000034	4 017228 008387	-	
	S	BORNIT® Round Cord 15 mm	50 m/box		67000000043	4 017228 002507	-
BORNIT® Round Cord 15 mm		780 m		67000000035	4 017228 008394	-	
BORNIT® Round Cord 19 mm		40 m/box		67000000103	4 017228 008738	-	
BORNIT® Round Cord 19 mm		500 m		67000000105	4 017228 008745	-	
BORNIT® Round Cord 25 mm		25 m/box		67000000045	4 017228 008714	-	
BORNIT® Round Cord 25 mm		280 m		67000000037	4 017228 008417	-	
BORNIT® Round Cord 32 mm		20 m/box		67000000102	4 017228 008769	-	
BORNIT® Round Cord 32 mm		190 m		67000000104	4 017228 008752	-	
BORNIT® Rubber Scraper				68000000537	4 017228 000503	-	
BORNIT® Rubber Scraper (Replacement blade)				68000000593	4 017228 000510	-	
BORNIT® Sealant Heater				-	-	-	
BORNIT® Sealing Mortar		25 kg	approx. 1 - 1.5 kg/m² per mm layer thickn.	68000000358	4 017228 004600	40 bags	
BORNIT® Sheet Metal Adhesive		5 kg	approx. 2 kg/m²	68000000417	4 017228 008776	60 bucket	
BORNIT® Sheet Metal Adhesive		10 kg	approx. 2 kg/m²	68000000418	4 017228 008783	45 bucket	
BORNIT® Silo Coating		10 liter	approx. 0.4 liter/m²	69000002642	4 017228 004105	45 bucket	
BORNIT® Silo Coating		25 liter	approx. 0.4 liter/m²	69000002641	4 017228 004112	18 bucket	
BORNIT® Silo Coating		200 liter	approx. 0.4 liter/m²	69000002640	4 017228 004129	2 barrels	
BORNIT® Silo Primer		10 liter	approx. 0.2 liter/m²	69000002638	4 017228 004181	45 bucket	
BORNIT® Silo Primer	25 liter	approx. 0.2 liter/m²	69000002637	4 017228 004198	18 bucket		
BORNIT® Silo Primer	200 liter	approx. 0.2 liter/m²	69000002636	4 017228 004204	2 barrels		
BORNIT® Slurry EL	25kg powder + 8kg liquid	approx. 3.6 kg/m²	69000002694	4 017228 004594	40 bags/ bucket		
BORNIT® Slurry SF	25 kg	approx. 1.5 - 3 kg/m²	68000000361	4 017228 004570	40 bags		
BORNIT® Slurry SB1 (system-module 1)	15 kg	approx. 2.5 kg/m²	68000000363	4 017228 004341	36 bucket		
BORNIT® Solidificator SB3 (system-module 3)	12 kg	approx. 0.5 kg/m²	68000000364	4 017228 004334	60 bucket		
BORNIT® Speedbit-Primer	10 liter	approx. 0.2 liter/m²	69000004117	4 017228 005416	44 bucket		



# Product Overview

All BORNIT® products

S	BORNIT® Speedbit-Primer	25 liter	approx. 0.2 liter/m²	6900004118	4 017228 005423	18 bucket	SF
	BORNIT®-SpeedUp	22 kg	approx. 0.016 kg/m	6900003791	4 017228 000817	24 canister	
	BORNIT® Spray Adhesive	400 ml	approx. 6.0 m²	6800000823	4 017228 002279	12 pieces/ box	C&D
	BORNIT® Stick Emulsion	1 kg	depending on load condition	6700000107	4 017228 002743	-	C&D, SF
	BORNIT® Stick Emulsion	10 kg	depending on load condition	6800000356	4 017228 004587	60 bucket	C&D, SF
T	BORNIT® Streufix 2.0			6800000818	-	-	
	BORNIT® Trapezium Tape	25 m		6900002710	4 017228 000572	24 box	C&D
	BORNIT® Triangle Tape	25 m		69000002711	4 017228 000565	24 box	C&D
U	BORNIT® Unibit	5 liter	approx. 0.3 liter/m²	6900002662	4 017228 002804	60 bucket	C&D, SF
	BORNIT® Unibit	10 liter	approx. 0.3 liter/m²	6900002531	4 017228 002880	44 bucket	C&D, SF
	BORNIT® Unibit	25 liter	approx. 0.3 liter/m²	6900002661	4 017228 002842	18 bucket	C&D, SF
W	BORNIT® Water Stop SB2 (system-module 2)	15 kg	approx. 1.5 kg/m²	6800000362	4 017228 004327	36 bucket	C&D, SF

Data status: 19/03/2024



# Info-Point

General terms and conditions

- 1. Applicability of the terms**
  - 1.1. These General Terms and Conditions (GTC) shall exclusively apply to business relationships with entrepreneurs in terms of § 14 BGB (German Civil Code), corporate bodies under public law and separate estates under public law. They shall not apply to contracts with consumers in terms of § 13 BGB.
  - 1.2. Our deliveries and services – including consulting – shall be undertaken, unless otherwise agreed, exclusively based on these GTC. These shall also always apply to our future deliveries and services to the customer.
  - 1.3. We disallow opposing terms or terms of the customer deviating from our GTC, unless we expressly consented to their applicability. Our GTC shall also apply, if we, aware of opposing terms or terms of the customer deviating from our GTC, undertake the delivery or service, resp., without reservation.
- 2. Offer and conclusion of contract**
  - 2.1. Our offers shall be – unless expressly agreed otherwise – non-binding. Contracts as well as their amendments and additions shall only be deemed concluded, when our written confirmation is present or when our delivery/service was rendered without reservation.
  - 2.2. Information on our products and services on the internet, in brochures or price lists shall not represent an offer binding us.
- 3. Prices**
  - 3.1. The prices agreed shall apply. Furthermore, calculation shall be undertaken according to our price lists respectively valid on the date of delivery/service. The basis for our prices shall be the price-determining factors given upon conclusion of the contract (e.g., wage agreements, raw materials or energy costs, costs for auxiliary and operating materials). In case of an increase in the price-determining factors, which cannot be compensated with cost savings, we reserve a respective price adjustment for deliveries, which shall be undertaken 2 months after the conclusion of contract, at the earliest. The amount of the price adjustment must be justified by the change in the price-determining factors and must be indicated to the customer within a reasonable period of time. If fixed prices were agreed, this shall only apply, if the changes occurred unforeseeable for us after conclusion of contract.
  - 3.2. All prices shall be understood plus the respectively valid value-added tax and, unless agreed otherwise, ex works.
  - 3.3. If delivery free domicile or on site was agreed, then the price shall include delivery in vehicles of our choice as well as unloading in one place only. We shall be entitled to pass on increases in freight costs to the customer. The delivery of reduced quantities, the use of temperature-controlled or other special vehicles or the unloading of partial quantities in various places, resp., shall require a separate contractual agreement and must be additionally compensated by the customer. Costs for waiting/unloading times of max. 60 minutes shall be included in the agreed price. For idle times exceeding this, the customer will be charged separately.
  - 3.4. Should delivery be undertaken on pallets, then the customer shall be obliged to hand over empty pallets of the same quantity, type, and quality in exchangeable condition to the deliverer of the goods. The handing-over of pallets must be acknowledged by the deliverer on the delivery documents. The customer shall be charged for pallets not exchanged.
- 4. Determination of weights and quantities**
  - 4.1. We shall invoice on the basis of the weight determined at our supply plant.
  - 4.2. Upon sale by number of items, cubic metres, square metres or linear metres, the quantity determined upon loading shall be deemed decisive for invoicing.
- 5. Delivery / Service / Passage of risk**
  - 5.1. Our delivery shall, unless agreed otherwise, always be undertaken ex supply plant/warehouse. The risk shall pass to the customer as soon as the delivery is handed over to the person executing the transport. If the shipment becomes impossible or delayed through no fault on our part, then the risk shall pass to the customer with the notification of readiness for shipment.
  - 5.2. Upon delivery free domicile/on site, the unloading place must be well reachable for the vehicles. If access to the unloading place should be impossible or unacceptable for whichever reasons, then unloading shall be undertaken in that place, up to which the vehicle can get unhindered.
  - 5.3. Returnable containers and returnable packaging must be sent back to us by the customer completely empty and carriage paid within 60 days. Loss and damages shall be paid by the customer. Returnable containers/packaging must not be used of other purposes or for filling with other products. They shall be exclusively intended for the transport of our delivered goods. Labelling must not be removed.
- 6. Payment**
  - 6.1. Payments shall become due immediately upon delivery/a service being rendered. The customer shall fall into arrears, if he/she does not pay within 30 days after the due date and invoicing (decisive shall be the date of invoice). Should we arrange an advance on current account at an interest rate, which is higher than the interest on arrears resulting according to the provisions of the BGB, then we shall be entitled to calculate the interest rate corresponding to the interest on current account.
  - 6.2. Cheques shall only be accepted following special agreement and on account of payment, calculating all collection expenses and discount charges as well as other resulting fees.
  - 6.3. Should costs and interests have arisen already, then we shall be entitled to allocate the payment first to the costs, then to the interests, and last to the main service. We shall be entitled, despite provisions of the customer to the contrary, to first allocate payments to his/her older debts.
  - 6.4. In case of cheques, payment shall only be deemed undertaken, once the cheque is cashed or the bill is honoured, resp., and there is no chargeback by the redeeming bank.
  - 6.5. In case of delayed payment of the customer, or should we become aware of other circumstances, which raise doubt on the creditworthiness of the customer, we can revoke allowed times for payment or deferments at any time. In addition, we can declare any further demands from our business relationship with the customer due immediately. Circumstances, which raise doubt on the creditworthiness of the customer, shall include, e.g., protested direct debts, non-redemption or chargeback of a cheque, pursuing of extrajudicial conciliation proceedings, cessation of payment, filing for insolvency against the assets of the customer or justified indications for over-indebtedness or impending insolvency of the customer.
  - 6.6. Under the pre-requisites of Clause 6.5, we shall also be entitled to hinge any deliveries/services to the customer on advance payments and/or the provision of securities and/or to cease the fulfilment of all existing delivery/service obligations – also such one, for which there is no delayed payment – for the time being. Furthermore, we shall be entitled to demand compensation and/or to withdraw from contracts for deliveries/services to the customer following expiry of a reasonable extension without any result.
  - 6.7. Rights of set-off and retention of the customer shall only be admissible with own legally established, acknowledged, or undisputed claims.
- 7. Times of delivery and service / Material returns**
  - 7.1. The dates and deadlines stated by us shall be non-binding.
  - 7.2. Only 24 hours after exceeding of a non-binding date of delivery/service or a non-binding delivery/service deadline, the customer may request us in writing to deliver/render a service within an appropriate period of time. With this reminder, we shall enter into default.
  - 7.3. In case of default, the customer shall only be entitled to withdrawal, when he/she sets a reasonable grace period in writing, indicating, that he/she would reject acceptance of the subject matter of the contract after expiry of the deadline and the deadline expired without success. The withdrawal must be in writing.
  - 7.4. We shall not be responsible for delays in delivery and service due to force majeure and due to events, which make it significantly more difficult or impossible for us to undertake the delivery/service – these shall also include subsequently occurred difficulties in materials procurement, operational disturbances, strike, lockout, lack of raw materials or energy, lack of personnel, lack of means of transport, official orders, etc., also if they occur at our subcontractors or their subcontractors, also in case of bindingly agreed deadlines and dates. In case of delays in terms of Para. 1, we shall be entitled to postpone the delivery or service, resp., by the duration of the hindrance, plus a reasonable lead time, or to completely or partially withdraw from the contract for the part not undertaken yet. Should the hindrance last longer than 10 days, then the customer shall be entitled to withdraw from the contract according to Clause 7.3 with regard to the part not fulfilled yet.
  - 7.5. Claims for damages of the customer shall be determined according to Clause 9 of these GTC in conjunction with the legal provisions.
  - 7.6. We shall be entitled to partial deliveries and partial services anytime.
  - 7.7. The return of defect-free goods delivered by us shall be excluded. Should we, by way of exception, agree

- 8. Quality / Rights in case of defects**
  - 8.1. The quality of our goods corresponds with the information given in our German-language technical datasheets valid at the time of contract conclusion and retrievable under [www.bornit.de/de](http://www.bornit.de/de). The information shall be deemed approximate and shall always serve as a yardstick for the determination, whether the subject matter of the contract is free from defects, wherein tolerance regulations included in the sets of rules must be applied. It is known to the customer that the goods sold by us have different shelf lives and areas of application. The risk of suitability and application shall be exclusively incumbent on the customer.
  - 8.2. The customer must immediately notify us about defects in writing, indicating the order and batch numbers. The same shall apply to other complaints of whichever kind. The customer must immediately inform us about intended sampling at the construction site and give us the opportunity to participate in time.
  - 8.3. In case of defective delivery, we shall provide replacement and compensate reasonable expenses required for the purpose of supplementary performance (including removal and installation costs) pursuant to the legal provisions, if and as far as the damage was not caused by other circumstances (e.g., errors in installation and/or planning).
  - 8.4. The legal deadlines shall apply to the assertion of claims for defects. Should the term of liability for defects of the customer in the relationship to his/her client, however, end earlier than the legal deadline valid for our contractual relationship to the customer, then our liability for defects shall end 1 month after expiry of the deadline valid in the relationship of the customer to his/her client. The deadlines shall start with the respective date of delivery/service.
  - 8.5. Technical specifications and standards applicable abroad, which deviate from our technical datasheets or safety datasheets, resp., shall only be deemed agreed in the relationship between the customer and us, when this was agreed in writing between the customer and us. Should such an agreement not be present, then we shall not be liable for the goods delivered complying with these specifications/standards. Should there, nevertheless, be third-party claims because of the quality of our goods against us – no matter for which legal reason –, then the seller shall be obliged to completely indemnify us from these, unless the claims are due to the fact that the goods do not comply with the quality contractually agreed between the buyer and us.
- 9. Liability / Damages**
  - 9.1. In case of claims for damages of the customer according to the Product Liability Act, according to Art. 82 DSGVO, for injury to life, body, or health, for fraudulent concealment of defects or for assumption of a guarantee for the quality of the item delivered, we shall be liable according to the legal provisions. In case of infringement of essential contractual obligations, we shall be liable for intent and gross negligence according to the legal provisions. Apart from that – as far as the claims for damages of the customer do not fall under Paras. 1 and 2 – our liability shall be limited to the contract-typical damage foreseeable upon conclusion of contract.
  - 9.2. As far as nothing else results from Clause 9.1, the liability for consequential damages shall be excluded.
- 10. Comprehensive reservation of title**
  - 10.1. The goods delivered by us (reserved goods) shall remain our property until fulfilment of any and all claims we are entitled to from the business relationship towards the customer. The customer shall be entitled to process and sell the reserved goods in proper business transactions. It is not a proper business transaction, if, in case of sales of the customer or in case of his/her other orders or actions in favour of third parties, the assignability of his/her claims to third parties is excluded. Pledges or assignments as security of the reserved goods shall be inadmissible.
  - 10.2. Processing or transformation shall always be undertaken for us as the manufacturer, however, without obligation for us. The processed goods shall likewise be deemed reserved goods. In case of connection or mixing of the reserved goods with other mobile objects, to the effect that they become essential components of a uniform object, we shall become co-owners in this object; our share shall be determined by the value ratio of the objects at the time of connection or mixing. If, however, the reserved goods have to be considered as the main object, then we shall obtain sole ownership. In case of connection of the reserved goods with a structure, a claim of the customer for the grant of a recordable security interest of the building contractor in the building plot of his/her order to the amount of the part, which corresponds to the value of the reserved goods, shall be assigned to us.
  - 10.3. Claims resulting from the resale/further processing or another legal reason with regard to the reserved goods shall already be assigned to us by the customer as a security to the amount of the purchase price of the reserved goods. The customer shall be authorised to collect these claims for us. The authorisation to collect shall become ineffective, should the customer not properly fulfil his/her payment obligations towards us. In this case, we shall be entitled to disclose the assignments to the third-party debtors.
  - 10.4. In case of deliveries in construction projects, for which, in the relationship between the customer and the client, partial assignment is only allowed after previous consent of the client, this, however, is not present, or partial assignment is excluded in general, the following shall apply deviating from Clause 10.3: the assignment, regardless of the amount of the purchase price of the reserved goods, shall refer to the entire claims the customer is entitled to from the construction project, for the fulfilment of which the customer disposed of the reserved goods. Payments of the third-party debtor to us shall be immediately transferred to the customer, as soon as our claim to payment of the purchase price as well as possible accessory claims were paid.
  - 10.5. Should the value of the securities granted to us exceed our claims by at least 50 %, then we shall, at the customer's demand and at our discretion, release securities we are entitled to to the extent as they exceed the value of 110 % of our claims.
  - 10.6. The customer shall be obliged to provide us, immediately and at his/her cost, with the information required for the assertion of our claims and other claims, and to hand over the documents of proof, as far as they are in his/her possession. The obligation shall correspondingly exist in case of a foreclosure on objects, claims and other rights to assets belonging to us. The customer must immediately inform us about the foreclosure. Additionally, he/she will point out our rights to the attaching creditor in writing. Beside the above obligations to provide information and present documents of proof, the customer shall be obliged to indicate the assignment to the third-party debtors together with us in writing.
- 11. Group invoicing clause**

We shall be entitled to offset all claims – no matter which kind – with any and all claims of the customer, which he/she shall be entitled to from us and from companies associated with us in terms of the Companies Act, also in case of various due dates of the claims, as far as it is known to the customer that the respective company is an associated company.
- 12. Other provisions**
  - 12.1. Information about personal data processed by us within the scope of contract performance can be retrieved from our data protection notice.
  - 12.2. As far as legally admissible, all legal disputes directly or indirectly resulting from the contractual relationship shall be brought before the court, which is competent for our registered office. We shall also be entitled to take legal action at the registered office of the customer.
  - 12.3. The laws of the Federal Republic of Germany shall apply to these terms and conditions and the entire legal relationship between us and the customer, excluding the UN Convention on Contracts for the International Sale of Goods.
  - 12.4. Should a provision in these terms and conditions or a provision within the scope of other agreements be or become ineffective, then this shall not affect the effectiveness of all other provisions or agreements.

Last updated: March 2021  
Information on the settlement of consumer disputes according to § 36 VSBG (Consumer Dispute Settlement Act):  
We do not participate in dispute settlement proceedings before a consumer arbitration board in terms of the Consumer Dispute Settlement Act and are also not obliged to do so.

SF  
C&D  
CCS

Store safe from frost!  
Store cool and dry!  
Caution – combustible solvent!

[www.bornit.com](http://www.bornit.com)

56

All the data in the current sales catalog are based on the knowledge available at the time of publication. Current information can be found in the German individual specification sheets, safety data sheets and transport regulations which can be ordered for free from BORNIT® or be downloaded at our German website [www.bornit.de/de](http://www.bornit.de/de).  
\*Up-to-date information online - scan QR code with your smartphone to receive up-to-date information! Mobile-specific software required - only the connection costs of your provider arise.

**BORNIT®**  
— ROCK SOLID CONNECTIONS —


57

All the data are based on the knowledge available at the time of publication. The current version of our General terms and conditions can be found on our German homepage [www.bornit.de/de](http://www.bornit.de/de).


# Notes



A large grid of small squares, resembling graph paper, covering the majority of the page area below the red line.



# BORNIT®



copyright © BORNIT® 2024\_02 [EN]

— ROCK SOLID CONNECTIONS



Your dealer:

## BORNIT-Werk Aschenborn GmbH

Your partner for building and road construction products!  
Reichenbacher Straße 117 | 08056 Zwickau | Germany

Phone: +49 375 27 95 - 0  
Fax: +49 375 27 95 - 150  
E-Mail: [info@bornit.com](mailto:info@bornit.com)  
Web: [www.bornit.com](http://www.bornit.com)



[www.bornit.com](http://www.bornit.com)

