





Professional 20 Building Products

A strong range for strong pros!

Roof, Wall & Road









o www.bornit.com





ROCK SOLID CONNECTIONS

A company rich in traditions, BORNIT-Werk Aschenborn GmbH has unerringly continued on its course of business expansion. Today, the Zwickau based company is present with a complete sales program of chemical construction products for the protection and repair of foundations, facades and roofs, as well as a complete program of road construction products. The company was a successor to the Zwickauer Dachpappen- und Asphaltfabrik (founded in 1868 by Alwin Aschenborn), and has now developed in the family's fifth generation into a medium size industrial company.

After state takeover in 1972 and renaming as the VEB Bitumen-Chemie Zwickau, BORNIT® was one of the first businesses to be reprivatized in 1990. Thanks to extensive investments in new production systems and logistics BORNIT® has become a manufacturer of the latest in chemical construction products. The extensive quality program is largely the result of our own research and development work. A Europe wide sales network forms the basis of competent applications advice and reliable service. One of the most important goals of BORNIT® is to be a reliable partner to its national and international customers. The most convenient geographical location, in the middle of Europe, assures short delivery times, closeness to customers and competent technical advice on site.

Tradition means commitment - since 1868 the brand BORNIT® has stood for the production and sale of chemical construction products of high quality made to protect buildings. This is a tradition which commits us to infusing the market with new ideas based on our own research and development. BORNIT® products are easy to apply in compliance with ecological standards and modern environmental protection.

The BORNIT® program for professionals comprises system solutions for protecting and repairing foundations, facades and roofs, as well as for the new construction and maintenance of road surfaces. A further line offered by BORNIT® comprises tools which permit a more efficient application of the products.

General information on the BORNIT® professional program

Since the working conditions on construction sites and the areas where the products are applied vary considerably we can only give guidelines of a general nature here. These reflect the latest information available.

The statements about quantities required are estimates and depend on the quality of the individual structure, the substrate etc. Test surfaces must be prepared on site to determine the precise quantities needed. In the course of improving our products we reserve the right to modify specifications.

All the data in the current sales catalog are based on the knowledge available at the time of publication. Current information can be found in the German individual specification sheets, safety data sheets and transport regulations which can be ordered for free from BORNIT® or be downloaded at our German website www.bornit.de/de. We reserve the right to modify the packaging so that the product pictures cannot be construed as the basis of a legal claim at the time of delivery. Minor deviations in Colour related to the raw materials may occur from one batch to another. That is why if you have ordered Coloured products you should use the same batch number.

BORNIT®-Products in alphabetical order




Roof

5M-Primer6
Adhesive Filler9
Alu-Tape10
Bitumen 100/2510
Bitumen Adhesive9
Bitumen Mastic9
Bitumen Primer5
Bitumen Primer Spray5
Dachbit8
Flexbit8
Glass Fabric 588
Grundbit7
MultiClean12
MultiClean Spray13
Roof Paint 23012
Roof Primer 22011
Roof Varnish7
Sheet Metal Adhesive12
Speedbit-Primer7
Spray Adhesive10
Trapezium Tape11



Triangle Tape


Wall



Slurry SM1 (system-module 1)30
Slurry SF22
Solidificator SM3 (system-module 3)30
Speedbit Primer15
Stick Emulsion19
Triangle Tape20
Unibit15
Water Stop SM2 (system-module 2)30
Adapter for Asphalt Adhesive Sprayer45



Road





Greenline

BORNIT®	Dachbit	54
BORNIT®	Flexbit	54
BORNIT®	Grundbit	54
BORNIT®	Siloflex	.5!
	Siloflex Primer	
BORNIT®	Speedbit Primer	54
	Unibit	



Info

Store index:



Protect against frost!



Store away from clamminess!



Store away from heat











Primer, coatings, filler compounds, adhesives

sufficient for

approx. 50 m²

approx. 125 m²

sufficient for

sufficient for

approx. 25 m² approx. 50 m²

approx. 125 m²

approx. 1000 m²



airless airless

BORNIT® 5M Primer

Content Colour

black


10 ltr.

25 ltr.

Solvent-based, extremely quick-drying, brushable and sprayable bitumen primer based on bitumen. BORNIT® 5M Primer is used when short drying times are required in order to achieve rapid work progress

System products: BORNIT® MultiClean Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner









BORNIT® Roof Varnish

Type

Solvent-based bitumen top coat for the first coat as well as renovation and maintenance of bituminous and mineral roof coverings, UVresistant, brush- and sprayable

System products: BORNIT® MultiClean Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner



Content	Colour	sufficient for	Order-No. EAN-Code Palletisat	ation
5 ltr.	black	approx. 12.5 m ²	6900002631 4 017228 00354 2 75 bucket	et
10 ltr.	black	approx. 25.0 m ²	6900002533 4 017228 00355 9 45 bucket	et
25 ltr.	black	approx. 62.5 m ²	6900002630 4 017228 00356 6 18 bucket	ŧ
200 ltr.	black	approx. 500 m ²	6900002629 4 017228 00357 3 4 barrel	



BORNIT® Bitumen Primer Spray

Solvent-containing bitumen primer for easy priming of smaller bituminous and mineral substrates like concrete, asphalt and masonry surfaces, prior to laying bituminous welded sheeting, processing of solvent-containing bitumen coatings as well as road repair materials, fast-drying

System products: BORNIT® Coldmix Asphalt (bag) BORNIT® Coldmix Asphalt BORNIT® Reactive Asphal BORNIT® Crack Tape



	ldmix Asphalt (buck active Asphalt ack Tape	et))	BODNIT
Order-No.	EAN-Code	Palletisation		
6900002553	4 017228 00347 4	12 cans per box		







BORNIT® Speedbit Primer

Content Coloui

black

10 ltr.

25 ltr.

Solvent-free, quick-drying elastomer bitumen primer for laying bitumen welding membranes indoors and outdoors, can be rolled, brushed or sprayed

1	System products:
r	BORNIT® MultiClean Spray
	BORNIT® MultiClean
	BORNIT® Bitumen Cleaner
	Bitumen roof sheetings

Greenline



Order-No.	EAN-Code	Palletisation
6900004117	4 017228 00541 6	44 bucket
690000/118	4 017228 00542 3	18 hucket



BORNIT® Bitumen Primer

Content Colour

black

black

25 ltr.

200 ltr.

Content Colour

600 ml black

Solvent-based bitumen primer for the pretreatment of bituminous and mineral substrates such as concrete and masonry surfaces, before laying bitumen welding membranes, quick-drying, brush- and sprayable

System products: BORNIT® Roof Varnish BORNIT® Bitumen Adhesive BORNIT® Bitumen Mastic BORNIT® Bitumen Coating

Order-No. EAN-Code

6900002635 4 017228 00350 4

6900002633 4 017228 00352 8 18 bucket

6900002632 4 017228 00353 5 2 barrel

6900002634 4 017228 00351 1









BORNIT® Grundbit

Solvent-free mineral subst bitumen weld be rolled, brus

bitumen primer for the pretreatment of bituminous and	System produc
strates such as concrete and masonry surfaces, before laying	BORNIT® Dach
lding membranes and for bitumen emulsion coatings, can	BORNIT® Flexb
ushed or sprayed	BORNIT® Unib
	Bitumen roof s

sufficient for

approx. 50 m²


approx. 125 m²

Туре	Content	Colour	sufficient for
	5 ltr.	black	approx. 25 m ²
	10 ltr.	black	approx. 50 m ²
	25 ltr.	black	approx. 125 m²



chbit xbit





















Primer, coatings, filler compounds, adhesives







Content

5 ltr.

10 ltr.

25 ltr.

Solvent-free bitumen top coat for the protection and maintenance of bituminous and mineral roof coverings, UV-resistant, brush- and sprayable

System products: BORNIT® Grundbit BORNIT® Glass Fabric 58 BORNIT® MultiClean Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner

Greenline





Colour	sufficient for	Order-No.	EAN-Code	Palletisation
black	approx. 12.5 m²	6900002665	4 017228 00279 8	60 bucket
black	approx. 25.0 m ²	6900002664	4 017228 00287 3	44 bucket
black	approx. 62.5 m ²	6900002663	4 017228 00283 5	18 bucket



BORNIT® Bitumen Mastic

Solvent-based, fiber-reinforced bitumen leveling compound for repairing imperfections on roof coverings made from bitumen roofing membranes and for sealing fillet connections on chimneys and wall transitions, UV-resistant, bridging cracks, can be filled with a spatula

System products: BORNIT® Bitumen Primer BORNIT® Bitumen Primer Spray BORNIT® MultiClean Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner



Palletisation

18 cans per box

99 bucket

75 bucket

45 bucket

Conte	nt Colour	sufficient for	Order-No. EAN-Code
1 kg	black	approx. 0.8 m ²	6800000347 4 017228 00379 5
2,5 kg	black	approx. 2 m²	6800000340 4 017228 00364 1
6 kg	black	approx. 5 m ²	6800000339 4 017228 00365 8
12 kg	black	approx. 10 m ²	6800000338 4 017228 00366 5







Solvent-free, crack-bridging bitumen elastic coating for the protection of roof coverings against the effects of the weather, moisture protection for components in contact with the ground and for intermediate sealing on horizontal surfaces, UV-resistant, brush- and sprayable





System products: BORNIT® Grundbit BORNIT® Glass Fabric 58 BORNIT® MultiClean Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner



Order-No.	EAN-Code	Palletisation
6900002660	4 017228 00281 1	60 bucket
6900002534	4 017228 00289 7	44 bucket
6900002659	4 017228 00285 9	18 bucket



BORNIT® Adhesive Filler

Type

Solvent-based bitumen filler, for small seals of cracks and holes, for gluing bitumen sheeting, crack-bridging, UV-resistant

System products: BORNIT® Bitumen Primer BORNIT® Bitumen Primer Spray BORNIT® MultiClean Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner



Туре	Content Colour		sufficient for
	310 ml	black	approx. 12 m

Order-No. EAN-Code 6800001095 4 017228 00316 0 20 pieces per box



BORNIT® Glass Fabric 58

Reinforcement core for roof coatings with BORNIT® Dachbit or BORNIT® Flexbit

System products: BORNIT® Dachbit BORNIT® Flexbit





BORNIT[®] Bitumen Adhesive

Solvent-based bitumen adhesive for bonding sheet-like roof coverings (except bitumen welding strips) and other roofing materials with roof pitches of up to 12.5%, can be brushed on

5	System products:
f	BORNIT® Bitumen Primer
	BORNIT® MultiClean Spray
	BORNIT® MultiClean
	BORNIT® Bitumen Cleaner
	Bitumen roof sheetings



T ype	Conten	t Colour	sufficient for
	5 ltr.	black	approx. 6.25 m²
	10 ltr.	black	approx. 12.5 m ²
	25 ltr.	black	approx. 18.75 m ²

Order-No.	EAN-Code	Palletisati
6900002613	4 017228 00368 9	75 bucket
6900002535	4 017228 00369 6	45 bucket
6900002612	4 017228 00370 2	18 bucket



Туре	Content	Colour	sufficient for
	50 m	white	approx. 45 - 50 m ²









Primer, coatings, filler compounds, adhesives



BORNIT® Alu-Tape

Self-adhesive bitumen sealing and repair tape for reliable sealing and repair work on gutters, eaves, wall connections etc., one-sided aluminum coating, UV-resistant, high adhesive strength

System products: BORNIT® Spray Adhesive BORNIT® MultiClean Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner



	Content	Colour	sufficient for	Order-No.	EAN-Code	P alletisation
1	10 m	aluminium	10 m	6800000369	4 017228 00242 2	4 rolls per box
n	10 m	aluminium	10 m	6800000370	4 017228 00436 5	3 rolls per box
n	10 m	aluminium	10 m	6800000371	4 017228 00437 2	2 rolls per box







BORNIT® Trapezium Tape

black

Highly flexible, meltable elastomer bitumen tape for safe and easy joint sealing and valley formation in civil engineering and support surfaces of precast concrete parts

sufficient for

sufficient for

approx. 25 m

approx. 25 m

System products: BORNIT® Bitumen Primer BORNIT® Bitumen Primer Spray BORNIT® Basement Primer BORNIT® MultiClean Spray



1

Order-No.	EAN-Code	Palletisatio 4 6 1

6900002710 4 017228 00057 2 24 box



BORNIT® Spray Adhesive

Content Colour

400 ml light-beige

Solvent-based special primer and assembly adhesive in one, for surface preparation when processing BORNIT® Alu Tape, quick-drying, sprayable

sufficient for

approx. 6 m²

System products: BORNIT® Alu Tape

Order-No. EAN-Code

6800000823 4 017228 00227 9 12 cans per box



Palletisation







BORNIT® Triangle Tape

Type Content Colour

black

18x35 mm 25 m

Highly flexible, meltable elastomer bitumen tape for safe and easy joint sealing and right angle corners in civil engineering


System products: BORNIT® Bitumen Primer Spray BORNIT® Profi 1C Express BORNIT® 2C Flex Bitumen Thick Coating



BORNIT® MultiClean Spray Order-No. EAN-Code

6900002711 4 017228 00056

	Palletisation	
5	24 box	



BORNIT® Bitumen

Bituminous, hot-processable roof and waterproofing adhesive, without fillers, softening point above +100 ° C, meltable

System products: BORNIT® Bitumen Primer BORNIT® MultiClean Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner



Palletisation



	# root
	50.6

BORNIT® Roof Primer 220

Type

Solvent-free primer for the roof coating BORNIT® Roof Paint 230


System products: BORNIT® Roof Paint 230



Palletisation



Conten	t <mark>C</mark> olour	sufficient for	Order-No.
10 ltr.	bluisch-transparent	approx. 50.0 m ²	6800000413







EAN-Code

4 017228 00489 1 40 bucket



Primer, coatings, filler compounds, adhesives



BORNIT® Roof Paint 230

Solvent-free, colored and weather-resistant acrylic-based roof paint

System products: BORNIT® Roof Primer 220





ype	Content	Colour	sufficient for
	10 kg	brick-red	approx. 16.6 m ²
	10 kg	anthracite	approx. 16.6 m ²
		further colours on request	

Order-No.	EAN-Code	Palletisation
6800000414	4 017228 00501 0	30 bucket
6800000415	4 017228 00513 3	30 bucket



BORNIT® MultiClean Spray

Highly effective, plant-based cleaning spray for the rapid, thorough removal of dirt in the form of tar, bitumen and asphalt.

System products: all bitumen-based BORNIT® products



Туре	Content Colour	sufficient for	Order-No. EAN-Code Palletisation	
	600 ml transparent	dep. on degree of contamination	6800000350 4 017228 00066 4 12 cans per box	



Gasoline-powered hydraulic high-pressure spraying device, no additional compressor required, powerful Honda engine with 13.2 HP, max. 345 bar, large action radius thanks to hose lengths of up to 130 m - thus flexible work in the excavation without moving the spraying device, spraying also from IBC tank pallets or from the BORNIT® BituBox possible.





BORNIT[®] Sheet Metal Adhesive

BORNIT® MultiClean

Permanently plastic adhesive and sealing compound for the simple bonding of window sill and wall coverings, for bonding and sealing metal profiles and metal sheets, can be processed cold, can be troweled

Highly effective, plant-based cleaning spray for the rapid, thorough

removal of dirt in the form of tar, bitumen and asphalt.

System products: BORNIT® Bitumen Primer BORNIT® MultiClean Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner

System products:



Type	Content Colour		sufficient for	Order-No.	EAN Codo	Palletisation	
туре	Content	Coloui	Sufficient for	Order-No.	LAN-Code	Pulletisution	
	5 kg	black	approx. 2.5 m ²	6800000417	4 017228 00877 6	60 bucket	
	10 kg	black	approx. 5 m ²	6800000418	4 017228 00878 3	45 bucket	



è	Content Colour		. EAN-Code	Palletisation
	1 piece blue			1

Processable BORNIT® Products: BORNIT® 5M Primer BORNIT® Bitumen Primer BORNIT® Roof Varnish BORNIT® Dachbit BORNIT® Flexbit BORNIT® Grundbit BORNIT® Speedbit Primer



Graco[®] Dutymax EH 300 / GH 300

Optionally electrically or petrol-powered hydraulic high-pressure spraying device; high-performance motors (EH: 7.5 HP / GH: 9.0 HP); no additional compressor required; connection of long hoses possible up to 60 m – thus flexible working in the construction pit without relocation of the spraying device; spraying also possible from IBC tank pallets or from the BORNIT® BituBox.



Гуре	Content	Colour	Order-No.	EAN-Code	Palletisation
	1 piece	blue			1

Processable BORNIT® Products:

BORNIT® 5M Primer BORNIT® Bitumen Primer BORNIT® Roof Varnish BORNIT® Dachbit BORNIT® Flexbit BORNIT® Grundbit

BORNIT® Speedbit Primer

sufficient for Content Colour 10 ltr. transparent dep. on degree of contamination

Palletisation Order-No. EAN-Code 6700000032 4 017228 00068 8 20 canister

all bitumen-based BORNIT® products

Advice hotline +49 375 2795 - 123 - Our application technology department will be happy to advise you!





Vall



Primers, coatings, thick coatings, sealing slurries

sufficient for

approx. 25 m²

approx. 50 m²

approx, 125 m²

approx, 1000 m²







Content Colour

black

black

black

black

5 ltr.

10 ltr.


25 ltr.

200 ltr.

Solvent-based bitumen primer for the pretreatment of bituminous and mineral substrates such as concrete and masonry surfaces, before laying bitumen welding membranes, quick-drying, brush- and sprayable

System products: BORNIT® Roof Varnish BORNIT® Bitumen Adhesive BORNIT® Bitumen Mastic BORNIT® Bitumen Coating









BORNIT® Speedbit Primer

Content Colour

black

black

10 ltr.

25 ltr.

Solvent-free, quick-drying elastomer bitumen primer for laying bitumen welding membranes indoors and outdoors, can be rolled, brushed or sprayed on

sufficient for

approx. 50 m²

approx. 125 m²

System products: BORNIT® MultiClean Spray BORNIT® Bitumen Cleaner Bitumen roof sheetings

Greenline



Palle	etisation

Order-No.	EAN-Code	Palletisation		
6900004117	4 017228 00541 6	44 bucket		
6900004118	4 017228 00542 3	18 bucket		



BORNIT® Bitumen Primer Spray

Solvent-containing bitumen primer for easy priming of smaller bituminous and mineral substrates like concrete, asphalt and masonry

surfaces,	prior	to	laying	bitumin	ious v	velded	sheet	ing,	proce	essing	of
solvent-co		ning	bitum	en coat	ings a	s well	as roa	d re	pair n	nateria	ıls,
fast-drying	g										

/ре	Content	Colour	sufficient for
	600 ml	black	annroy 7 m²



Order-No	o. EAN-Code	Palletisation
690000255	3 4 017228 00347 4	12 cans per box






BORNIT® Grundbit

Solvent-free bitumen primer for the pretreatment of bituminous and mineral substrates such as concrete and masonry surfaces, before laying bitumen welding membranes and for bitumen emulsion coatings, can be rolled, brushed or sprayed on

•	Content	Colour	sufficient for	Order
	5 ltr.	black	approx. 25 m ²	69000
	10 ltr.	black	approx. 50 m ²	69000

approx. 125 m²



System products: BORNIT® Dachbit BORNIT® Flexbit BORNIT® Unibit Bitumen roof sheetings



Order-No.	EAN-Code	Palletisation
6900002527	4 017228 00292 7	60 bucket
6900002529	4 017228 00293 4	44 bucket
6900002666	4 017228 00294 1	18 bucket





BORNIT® Bitumen Coating

Content Colour

black

black

black

5 ltr.

10 ltr.

25 ltr.

200 ltr.

Solvent-based bitumen coating to protect concrete, plaster and masonry against soil moisture, can be brushed and sprayed on

BORNIT® Bitumen Primer BORNIT® MultiClean Spray BORNIT® Bitumen Cleaner



Order-No.	EAN-Code	Palletisation
6900002625	4 017228 00397 9	75 bucket
6900002624	4 017228 00398 6	45 bucket
6900002623	4 017228 00399 3	18 bucket
6900002622	4 017228 00400 6	2 barrel





BORNIT® Unibit

25 ltr.

black

Type

Solvent-free bitumen coating to protect concrete, plaster and masonry

System products: against soil moi

turners coulding to protect concrete, pluster and musorny	-)
pisture, brush- and sprayable	BORNIT® Grundbit
	BORNIT® Glass Fabric 5
	BORNIT® BORNIthene I
	BORNIT® MultiClean Sp


T ype	Conten	t Colour	sufficient for
	5 ltr.	black	approx. 16.6 m ²
	10 ltr.	black	approx. 33 m ²
	25 ltr.	black	approx. 83 m ²



Greenline











sufficient for

approx. 12.5 m²

approx. 25 m²

approx. 62.5 m²

approx. 500 m²





Primers, coatings, thick coatings, sealing slurries





BORNIT® Flexbit

Solvent-free, crack-bridging bitumen elastic coating for the protection of roof coverings against the effects of the weather, moisture protection for components in contact with the ground and for intermediate sealing



Greenline





/ре	Content	Colour	sufficient for
	5 ltr.	black	approx. 10 m²
	10 ltr.	black	approx. 20 m ²
	25 ltr.	black	approx. 50 m ²

on horizontal surfaces, UV-resistant, brush- and sprayable





BORNIT® 2C Bitumen Thick Coating

Content Colour

black

32 kg

2-component, fiber-reinforced bitumen thick coating for the secure sealing of structures according to DIN 18533 W1-E, W2.1-E, W3-E, W4-E and for gluing perimeter insulation panels in the area in contact with the ground, PMBC according to EN 15814, can be troweled and sprayed-on

sufficient for

sufficient for

approx. 4.6 - 6.6 m²

approx. 4.9 - 7.1 m²

System products:
BORNIT® Basement Primer
BORNIT® Triangle Tape
BORNIT® Slurry SF
BORNIT® Glass Fabric 165



BORNIT® GI	ass Fabric 165	
Order-No.	EAN-Code	Palletisation

6900002536 4 017228 00409 9 18 bucket









Solvent-free polymer bitumen primer for the pretreatment of mineral substrates such as concrete and masonry surfaces, thin liquid, quickdrying, brush- and sprayable

System products: BORNIT® 1C Bitumen Thick Coating BORNIT® Profi 1C Express BORNIT® 2C Bitumen Thick Coating BORNIT® 2C Flex Bit. Thick Coating













BORNIT® 2C Flex Bitumen Thick Coating

 $\hbox{2-component, polystyrene-filled bituminous thick coating for the secure}\\$ waterproofing of structures according to DIN 18533 W1-E, W2.1-E, W3-E, W4-E and for the adhesion of perimeter insulation boards in the area in contact with the soil, PMBC according to EN 15814, with general building authority test certificate according to PG ÜBB, trowelable and sprayable

System products: BORNIT® Basement Primer BORNIT® Triangle Tape BORNIT® Slurry SF BORNIT® Glass Fabric 165



Order-No.	EAN-Code	P alletisation
6900002539	4 017228 00442 6	18 bucket







BORNIT® 1C Bitumen Thick Coating

Content Colour

black

black

12 ltr.

32 ltr.

Order-No.	EAN-Code	P alletisation
6900002657	4 017228 00443 3	60 canister
6900002656	4 017228 00444 0	60 canister
6900002655	4 017228 00395 5	24 canister



Collomix® Hand Mixer

Content Colour

Powerful and powerful professional 2-speed agitator; particularly suitable for stirring in all 2-component BORNIT® bitumen thick coatings in connection with an anchor stirrer; optimal ergonomics through upright working position and handle shape; electronic speed regulation; ideal mixing volume up to 65 liters; HEXAFIX® quick change coupling or M-14 holder.

y	System products:
S	BORNIT® Anchor Stirrer



	Same and the
	388
cè	



1-component, polystyrene-filled bitumen thick coating for the reliable sealing of structures according to DIN 18533 W1-E, W4-E and for gluing perimeter insulation panels in areas in contact with the ground, PMBC according to EN 15814, can be troweled and sprayed-on

System products: BORNIT® Basement Primer BORNIT® Triangle Tape BORNIT® Slurry SF BORNIT® Glass Fabric 165





Order-No.	EAN-Code	Palletisation
6900002648	4 017228 00407 5	44 bucket
6900002647	4 017228 00408 2	18 bucket





Order-No. EAN-Code **Palletisation**





sufficient for

approx, 2.7 m²

approx. 6.4 - 7.1 m²



Vall

Primers, coatings, thick coatings, sealing slurries

sufficient for

sufficient for

sufficient for

approx. 2.0 - 2.5 m² approx. 5.3 - 6.8 m²

approx. 6.4 - 9.1 m²

BORNIT® Anchor Stirrer

Type Content Colour

AR170 HF 1 piece green

Specially shaped mixing paddle for bubble-free mixing of multicomponent thick bitumen coatings or mineral waterproofing slurries, ideal for the Xo 4 hand mixer

System products: BORNIT® 2C Bitumen Thick Coating BORNIT® 2C Flex Bit. Thick Coating BORNIT® Profi Hybrid 2C

6800000520 4 017228 00849 3



	EAN-Code	Palletisation				
BORNIT® Mineral-Flex 2K						
DOKINII ® FIG	JII I Iybiid 2C					



coating (FPD) for the secure sealing of buildings, for the bonding of perimeter insulation boards, quickly rainproof, waterproof after 24 hours, crack-bridging, UV-resistant, plasterable, trowel- and sprayable, radonproof

sufficient for

approx. 5.2 - 10.4 m²

2-component, bitumen-free, mineral, flexible polymer-modified thick

System products: BORNIT® Basic Primer BORNIT® Sealing Mortar BORNIT® Slurry SF BORNIT® Glass Fabric 165



Order-No.	EAN-Code	<u>Palletisation</u>
6800000947	4 017228 00943 8	18 bucket

TINGES

BORNIT® Profi 1C Express

Content Colour

1-component, polystyrene-filled bitumen thick coating for the secure waterproofing of structures according to DIN 18533 W1-E, W2.1-E, W3-E, W4-E and for the adhesion of perimeter insulation boards in areas in contact with the soil, PMBC according to EN 15814, quick-drying, can be troweled and sprayed-on, radon-proof















BORNIT® Repabit

Type

BORNIT® Stick Emulsion

Content Colour

25 kg dark grey

BORNIT® Mineral Flex 2C

Solvent-free dispersion for the modification of cement-based mortars, improves adhesion and elasticises, primer for BORNIT® Profi Hybrid 2C (diluted 1:1 with water)

System products: BORNIT® Profi Hybrid 2C BORNIT® Slurry SF BORNIT® Sealing Mortar



Content Colour	sufficient for	Order-No. EAN-Code Palletisation
1 kg white	approx. 5.0 m ²	6700000107 4 017228 00274 3
10 kg white	approx. 50.0 m ²	6800000356 4 017228 00458 7 60 canister



BORNIT® Profi Hybrid 2C

Content Colour

anthracite

9 kg

24 kg

2-component, flexible reactive sealant for the secure sealing of structures according to DIN 18533 W1-E, W2.1-E, W3-E, W4-E, can be used in the plinth area and for bonding insulation boards, according to EN 15814, quick-drying, trowel- and sprayable, radon-tight



6900002651 4 017228 00496 9 18 bucket



Order-No.	EAN-Code	Palletisation
6900004319	4 017228 00883 7	24 bucket
6900002658	4 017228 00836 3	18 hucket





Solvent-free, 2-component, fiber-reinforced bitumen repair compound for the production of coves in the roof and foundation area, sealing of pipe penetrations, watertight, bridging cracks, can be troweled

System products: BORNIT® Basement Primer BORNIT® Triangle Tape BORNIT® Slurry SF BORNIT® Glass Fabric 165

|--|

/pe	Content	t Colour	sufficient for	Order-No.	EAN-Code	Palletisation
	3 kg	black	approx. 4 - 6 kg/m ²	6900002667	4 017228 00494 5	60 bucket











Vall

Primers, coatings, thick coatings, sealing slurries

sufficient for

approx. 25 m

sufficient for

approx. 45 - 50 m²



BORNIT® BORNIthene Plus

Cold self-adhesive polymer bitumen sheeting for waterproofing buildings according to DIN 18533 against soil moisture and non-pressing water as well as against splash and capillary water (W1-E and W4-E), immediately waterproof, tear-resistant, crack-bridging

System products: BORNIT® Hot Compound Prime BORNIT® Hot Compound Primer Spray BORNIT® Triangle Tape BORNIT® Trapezium Tape



sufficient for	Order-No.	EAN-Code	P alletisation
approx. 13.8 m² with an 8 cm overlap	6800000518	4 017228 00248 4	15 roll



BORNIT® EasyPipe

Safe pipe sealing system for use in the foundation and roof area, with little preparatory work and easy handling - maximum safety

System products: BORNIT® 1C Bitumen Thick Coating BORNIT® 2C Bitumen Thick Coating BORNIT® 2C Flex Bit. Thick Coating BORNIT® Profidicht 1K Fix



6	NA.	
3		
_ <		

Type Conten	nt Colour	sufficient for	Order-No.	EAN-Code	Palletisation
8-25 mm 1 piece	transparent	1 pipe aperture	6800000594	4 017228 00072 5	1 per box
26-44 mm 1 piece	transparent	1 pipe aperture	6800000595	4 017228 00073 2	1 per box
45-63 mm 1 piece	transparent	1 pipe aperture	6800000596	4 017228 00074 9	1 per box
64-86 mm 1 piece	transparent	1 pipe aperture	6800000597	4 017228 00075 6	1 per box
87-110 mm 1 piece	transparent	1 pipe aperture	6800000598	4 017228 00076 3	1 per box
111-125 mm 1 piece	transparent	1 pipe aperture	6800000599	4 017228 00077 0	1 per box
135-160 mm 1 piece	transparent	1 pipe aperture	6800000600	4 017228 00078 7	1 per box
EasyPipe 1 piece	grey	1 EasyPipe	6800000530	4 017228 00079 4	12 per box







Type Content Colour

18x35 mm 25 m

Content Colour

black

15 m²

Highly flexible, meltable elastomer bitumen tape for safe and easy joint sealing and right angle corners in civil engineering

System products: BORNIT® Bitumen Primer BORNIT® Bitumen Primer Spray BORNIT® Basement Primer BORNIT® Trapezium Tape



Order-No.	EAN-Code	Palletisation
6900002711	4 017228 00056 5	24 box



BORNIT® Joint Fabric Tape

Adhesive

Flexible sealing tape with rubber coating, for sealing of joints and connections, total width 240 mm, rubberized width 150 mm

System products: BORNIT® 1C Bitumen Thick Coating BORNIT® 2C Bitumen Thick Coating BORNIT® 2C Flex Bit. Thick Coating BORNIT® Profidicht 1K Fix



our	sufficient for	Order-No.	EAN-Code	Palletisation
e-grey-white	approx. 30 m of expansion joint	6800000798	4 017228 00917 9	



BORNIT[®] Glass Fabric 165

Content Colour 50 m white

Reinforcement core for waterproofing compliant with DIN 18533 especially suitable for all BORNIT® Bituminous Thick Coatings (PMBC)

System products: BORNIT® 1C Bitumen Thick Coating BORNIT® 2C Bitumen Thick Coating BORNIT® 2C Flex Bit. Thick Coating BORNIT® Profidicht 1K Fix



Order-No.	EAN-Code	Palletisation
6800000481	4 017228 00416 7	33 roll





BORNIT® Basic Primer

Content Color 150 mm 30 m white

Solvent-free primer, as basic protection for the rear moisture protection system in the concave molding, strengthening the building material, against mortar-decomposing salts and efflorescence

BORNIT® Triangle Tape BORNIT® 1C Bitumen Thick Coating BORNIT® 2C Bitumen Thick Coating BORNIT® 2C Flex Bit. Thick Coating



onten	t Colour	sufficient for	Order-No.	EAN-Code	P alletisation
) kg	transparent	approx. 96 - 100 m²	6900002784	4 017228 00020 6	60 canister







Wall

Primers, coatings, thick coatings, sealing slurries





1-component, mineral, rigid sealing slurry for surface sealing in new and old buildings as well as water tanks

System products: BORNIT® Basic Primer BORNIT® Stick Emulsion BORNIT® Sealing Mortar





Туре	Content	Colour	sufficient for	Orde
	25 kg	grey	approx. 6.25 m ²	68000









BORNIT® Anti Sulphate

Content Colour

1 kg

10 kg

Solvent-free deep primer based on polymer and silicate, for the renovation of masonry against salts and efflorescence, has a solidifying and impregnating effect

sufficient for

approx. 7.69 bis 10.0 m²

approx. 12.5 - 20.0 m²

System products: BORNIT® Slurry SF



Order-No.	EAN-Code	Palletisation
6900002779	4 017228 00478 5	

6800000410 4 017228 00462 4 60 canister



BORNIT® Slurry EL

2-component, crack-bridging, white, mineral sealing slurry for sealing mineral components, can be brushed and troweled

BORNIT® Basic Primer BORNIT® Glass Fabric 165





Туре	Conten	t Colour	sufficient for	Order-No.	EAN-Code	Palletisation
	33 kg	grey/white	approx. 8.9 m ²	6900002694	4 017228 00459 4	40+40 bag + canister



BORNIT® Injection Cream Plus

transparent

transparent

Solvent-free, highly concentrated injection agent for pressureless, subsequent injection against capillary rising moisture, applicable for moisture penetration up to 95 %

System products: BORNIT® Anti Sulphate BORNIT® Sealing Mortar



Type	Conten	t <mark>C</mark> olour	sufficient for	Order-No.	EAN-Code	Palletisation
	5 kg	white-yellowish	approx. 2.9 linear metre per m²	6800000587	4 017228 00880 6	60 bucket
			of wall cross-section			



BORNIT® Sealing Mortar

Content Colour

25 kg

Ready-mixed mortar for the production of wall / floor connection grooves in basement construction, water-repellent wall and joint mortar, for the creation of barrier plasters, after curingwater-repellent and frost-resistant

System products: BORNIT® Stick Emulsion BORNIT® Slurry SF





Order-No.	EAN-Code	Palletisation
6800000358	4 017228 00460 0	40 bag



BORNIT® Injektil 100

Solvent-free injection agent, against capillary rising wall moisture of up to max. 65% and 0.7 m wall thickness, Use by means of pressureless injection, but also pressure injection possible

System products: BORNIT® Anti Sulphate BORNIT® Empty cartridge with spout BORNIT® Filling Sticks



ре	Content	Colour	sufficient for	Order-No.	EAN-Code	Palletisation
	1 ltr.	transparent	0.05 m² of masonry cross-section	6900002689	4 017228 00403 7	20 per box
	10 ltr.	transparent	0.5 m² of masonry cross-section	6900002688	4 017228 00405 1	60 canister
	20 ltr.	transparent	1 m ² of masonry cross-section	6900002538	4 017228 00406 8	24 canister





sufficient for

thickness

approx. 16 - 25 m² at 1 mm layer



Vall

Primers, coatings, thick coatings, sealing slurries

sufficient for

approx. 0.04 m²

approx, 0.67 m²

approx, 1,3 m²

sufficient for

sufficient for

approx. 45 cm drill hole

depending on the application



BORNIT® Injektil Super

Content Colour

550 g

10 kg

20 kg

Solvent-free, hydrophobic injection agent for the renovation and material consolidation of masonry and concrete walls, forms a chemical horizontal barrier against rising moisture, self-dosing when processed with capillary sticks

System products: BORNIT® Anti Sulphate BORNIT® Empty cartridge with spout BORNIT® Filling Sticks





Order-No.	EAN-Code	Palletisation
6900002693	4 017228 00447 1	36 bottles per box
6900002692	4 017228 00446 4	60 canister
6900002691	4 017228 00463 1	24 canister





Type

Type



BORNIT® Corrosion Preventer

Solvent-based bitumen protective coating against metal corrosion, reliably protects metal against rust as well as against diluted, nonoxidizing acids, smoke gases and vapors, chemical-resistant

System products: BORNIT® Bitumen Primer BORNIT® MultiClean Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner



Content Colour	sufficient for	Order-No.	EAN-Code	Palletisation P
10 ltr. black	approx. 25 m²	6900002627	4 017228 00465 5	45 bucket
25 ltr. black	approx. 62.5 m ²	6900002626	4 017228 00466 2	18 bucket



BORNIT® Empty cartridge with spout

orange-transparent

orange-transparent

orange-transparent

Plastic bottle with spout; capacity: 500 ml

System products: BORNIT® Injektil Super BORNIT® Injektil 100

Order-No. EAN-Code



Palletisation









BORNIT® Siloflex Primer

Solvent-free polymer bitumen primer for the preparation of the substrate for BORNIT® Siloflex on concrete and masonry surfaces, quick-drying, brush- and sprayable

System products: BORNIT® Siloflex BORNIT® MultiClean Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner



Content Colour	sufficient for	Order-No. EAN-Code	Palletisation
10 ltr. black	approx. 50 m ²	6900004842 4 017228 00312 2	60 canister
20 ltr. black	approx. 100 m ²	6900004841 4 017228 00313 9	24 canister



BORNIT® Filling Sticks

Content Colour

50 piece white

Content Colour

500 ml transparent

Cellulose sticks for homogeneous, loss-free distribution of injection fluids

System products: BORNIT® Injektil Super BORNIT® Empty cartridge with spout





Order-No.	EAN-Code	Palletisation
6800000365	4 017228 00474 7	

6190000519 4 017228 00481 5 36 bottles per box





BORNIT® Siloflex

Solvent-free bitumen coating for coatings on JGS systems as a tested alternative to synthetic resin seals, with general building authority approval from DiBt, UV-resistant, brush- and sprayable

System products: BORNIT® Siloflex Primer BORNIT® MultiClean Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner

Greenline



Content	Colour	sufficient for	Order-No.	EAN-Code	Palletisation
25 kg	black	approx. 50 - 62.5 m ²	6900004796	4 017228 00310 8	18 bucket
180 kg	black	approx. 360 m ²	6900004797	4 017228 00311 5	2 barrel







Wall

Primers, coatings, thick coatings, sealing slurries



BORNIT® Silo Primer

Solvent-based bitumen primer for the pretreatment of concrete, plaster or wall surfaces, brush- and sprayable, tested according to AIB

System products: BORNIT® Bitumen Primer BORNIT® MultiClean Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner



е	Content	Colour	sufficient for
	10 ltr.	black	approx. 50 m²
	25 ltr.	black	approx. 125 m²
	200 ltr.	black	approx, 1000 m ²



Greenline



BORNIT® MultiClean

Highly effective, plant-based cleaning spray for the rapid, thorough removal of dirt in the form of tar, bitumen and asphalt.

System products: all bitumen-based BORNIT® products



Content Colour		sufficient for	Order-No.	EAN-Code	P alletisation
10 ltr.	transparent	dep. on degree of contamination	6700000032	4 017228 00068 8	20 canister



BORNIT® Silo Coating

Solvent-based, acid-resistant bitumen coating to protect concrete, masonry, plaster, wood and metal against aggressive waste water, alkalis, organic acids and salts, can be brushed and sprayed-on

System products:
BORNIT® Silo Primer
BORNIT® MultiClean Spray
BORNIT® MultiClean
BORNIT® Bitumen Cleaner



уре	Content	Colour	sufficient for
	10 ltr.	black	approx. 25 m²
	25 ltr.	black	approx. 62.5 m ²
	200 ltr.	black	approx. 500 m ²

Order-No.	EAN-Code	Palletisation
6900002642	4 017228 00410 5	45 bucket
6900002641	4 017228 00411 2	18 bucket
cooooooc	(010000 00 (10 0	/ In a munit



BORNIT® MultiClean Spray

Type

Highly effective, plant-based cleaning spray for the rapid, thorough removal of dirt in the form of tar, bitumen and asphalt.

System products: all bitumen-based BORNIT® products



Content Colour	sufficient for	Order-No.	EAN-Code	Palletisation
600 ml transparent	dep. on degree of contamination	6800000350	4 017228 00066 4	12 cans per box



BORNIT® Bitumen Cleaner

Bitumen remover for cleaning bitumen-contaminated surfaces and tools

System products: all bitumen-based BORNIT® products





/pe	Content Colour		sufficient for	Order-No.	EAN-Code	<u>Palletisation</u>
	1 ltr.	transparent	dep. on degree of contamination	6900002608	4 017228 00417 4	12 cans per box
	10 ltr.	transparent	dep. on degree of contamination	6900002609	4 017228 00429 7	50 canister



Wall

Processing tools for a quick and optimal result



Graco® GH 5040

Gasoline-powered hydraulic high-pressure spraying device, no additional compressor required, powerful Honda engine with 13.2 HP, max. 345 bar, large action radius thanks to hose lengths of up to 130 m - thus flexible work in the excavation without moving the spraying device, spraying also from IBC tank pallets or from the BORNIT® BituBox possible.



/pe Content Colour Order-No. EAN-Code Palletisation

Processable BORNIT® Products:

BORNIT® Basement Primer

BORNIT® Profi 1C S

BORNIT® IC Bitumen Thick Coating

BORNIT® Profi 1C Express

BORNIT® 2C Flex Bitumen Thick Coating

BORNIT® Profi Hybrid 2C BORNIT® Flexbit

BORNIT® Grundbit BORNIT® Speedbit Primer

BORNIT® Silo Primer BORNIT® Silo Coating

BORNIT® Siloflex Primer



Graco[®] Dutymax EH 300 / GH 300

Optionally electrically or petrol-powered hydraulic high-pressure spraying device; high-performance motors (EH: 7.5 HP / GH: 9.0 HP); no additional compressor required; connection of long hoses possible up to 60 m – thus flexible working in the construction pit without relocation of the spraying device; spraying also possible from IBC tank pallets or from the BORNIT® BituBox.



Type Content Colour Order-No. EAN-Code Palletisation

Processable BORNIT® Products:

BORNIT® Basement Primer

BORNIT® Profi 1C S
BORNIT® 1C Bitumen Thick Coating

BORNIT® Profi 1C Express

BORNIT® 2C Flex Bitumen Thick Coating

BORNIT® Profi Hybrid 2C BORNIT® Flexbit

BORNIT® Grundbit

BORNIT® Speedbit Primer

BORNIT® Silo Primer

BORNIT® Silo Coating

BORNIT® Siloflex Primer



Graco® Mark X Max

Electrically operated hydraulic high-pressure sprayer, no additional compressor required, powerful motor with 4.0 hp, max. 230 bar, large operating radius thanks to hose lengths of up to 60 m - thus flexible working in the construction pit without moving the sprayer, spraying also possible from IBC tank pallets.

BORNIT® Grundbit

BORNIT® Siloflex Primer BORNIT® Unibit



Туре	Content	t Colour				Order-No.	EAN-Code	Palle	etisation
	1 piece	blue						1	
Drocess	ahla BOD	NIIT® Produc	rte: B	ODNIT® Racement	Drimer				

Inomat® inoBEAM M8

Universal and handy 230 V feed pump for liquid and pasty materials, easy operation, quick cleaning and maintenance, stepless quantity regulation, safe to run dry, removable material container, connection socket for remote control cable, can be combined with large containers. Material conveyance is based on the flexing principle - flexible rubber washer pushes the conveyed material through the pump housing into the material hose, which results in less frictional heat and the material is conveyed very gently.



Туре	Content Colour	Order-No. EAN-Code	Palletisation
	1 piece green	6800000577	1

Processable BORNIT® Products:

BORNIT® Basement Primer BORNIT® Profi 1C S

DORINIT® PIOITIC 3

BORNIT® 1C Bitumen Thick Coating

BORNIT® Profi 1C Express

BORNIT® 2C Flex Bitumen Thick Coating

BORNIT® Profi Hybrid 2C BORNIT® Mineral Flex 2C

BORNIT® Siloflex

BORNIT® Siloflex Primer

Advice hotline +49 375 2795 - 123 - Our application technology department will be happy to advise you!







Primers, coatings, thick coatings, sealing slurries

sufficient for

approx. 6 m²

Sealing with BORNIT® Basement Coating System from the negative side

BORNIT® Basement Coating System, inside

This product system consists of three complementary products which seal masonry against pressurized water from inside. The effectiveness is immediately visible even for flowing water. The seal is made against water pressure from the negative side.





BORNIT® Slurry (SM1)

Mineral sealing slurry, quick-setting, high resistance to strong water pressure, can be brushed on

System products: BORNIT® Water Stop (SM2) BORNIT® Solidificator (SM3) BORNIT® Basement Coating System,

BORNIT® Sealing Mortar



Palletisation



BORNIT® Water Stop (SM2)

Content Colour

15 kg

Highly reactive powder with an extremely short solidification time (a few seconds), for sealing flow points

System products:



Type	Conten	t Colour	sufficient for
	15 kg	grey	approx. 10 m ²





BORNIT® Solidificator (SM3)

Water-thin liquid to consolidate the subsoil, reacts to form a waterinsoluble compound, spreadable

System products: BORNIT® Slurry (SM1) BORNIT® Water Stop (SM2) BORNIT® Basement Coating System,

BORNIT® Profi Hybrid 2C



sufficient for Content Colour 12 kg bluish approx. 24 m²

Order-No. EAN-Code 6800000364 4 017228 00433 4











2 BORNIT® G200 DD 3 BORNIT® V60 S4 + AL

4 BORNIT® G200 DD (5) despite horizontal barrier, water penetrating (9) BORNIT® Slurry - 1st layer

from the outside trough defective sealing

6 BORNIT® Slurry

7 BORNIT® Water Stop (into the still fesh, wet slurry)

8 BORNIT® Solidificator (apply into Items 6+7 without wait)

(apply onto Items 6+7+8 without wait)

100 BORNIT® Slurry - 2nd layer (spread after 30 min.)









Hot and cold sealing compounds, joint tapes, bituminous emulsions



BORNIT® Hot Compound Primer

Quick-drying, solvent-based, plastic-modified primer for substrate treatment in road and bridge construction, can be brushed and sprayed-on

System products: BORNIT® Hot Sealing TL BORNIT® Bitumen Joint Sealant 2C BORNIT® Crack Tape BORNIT® Joint Tape



è	Content Colour		sufficient for	Order-No.	EAN-Code	Palletisati
	10 ltr.	transparent	approx. 50 m ²	6800000431	4 017228 00700 7	30 canister
	30 ltr.	transparent	approx. 150 m ²	6800000429	4 017228 00701 4	12 canister



BORNIT® Joint Tape CSA

Content Colour

black

black

black

BORNIT® Joint Tape 7 CSA

BORNIT® Round Cord

73 m

63 m

40 m

Type

30x8

30x10

40x10

weldable

Polymer-bitumen joint tape for the production of connections and seams in road construction - especially for repair work, can be laid quickly and without flame by one person, cold self-adhesive, meltable

Profiled-shape polymer-bitumen tape with defined fitting predrusion

for making joint and seam connections in road construction according

to regulation TL Fug-StB 15 – especially for repair work, cold self-adhesive,

sufficient for

approx. 73 m

approx. 63 m

approx, 40 m

System products: BORNIT® Hot Compound Primer Spray BORNIT® MultiClean BORNIT® Joint Tape BORNIT® Joint Tape 7 CSA





Order-No.	EAN-Code	P alletisation
6900002705	4 017228 00713 7	24 box
6900002707	4 017228 00736 6	24 box
6900002708	4 017228 00715 1	24 box



BORNIT[®] Hot Compound Primer Spray

Polymer primer for substrate preparation in road and bridge construction for hot casting compounds and melting strips, quick-drying, sprayable

System products: BORNIT® Hot Sealing TL BORNIT® Bitumen Joint Sealant 2C BORNIT® Crack Tape BORNIT® Joint Tape

6700000091 4 017228 00716 8 6 pieces per box

Order-No. EAN-Code



Palletisation



sufficient for Content Colour approx. 15 m 15 m





	V

Order-No.	EAN-Code	Palletisation
6900004092	4 017228 00728 1	36 box



BORNIT® Joint Tape

Content Colour

600 ml transparent

System products: BORNIT® Hot Compound Primer Spray 7 CSA







Heat-resistant, red-proof PE round cord, for backfilling joints when installing BORNIT® hot or cold casting compounds, is characterized by high adaptability and elasticity in the joint

System products: BORNIT® Hot Sealing TL BORNIT® Hot Sealing PS BORNIT® Cold Sealing Compound BORNIT® Cold Joint Sealant

BORNIT® Joint Tape CSA



Ç

T ype	Content	t Colour	sufficient for	Order-No.	EAN-Code	Palletisation
10 mm	50 m	white	50 m	6700000039	4 017228 00843 1	
10 mm	1700 m	white	1700 m	6700000033	4 017228 00837 0	
13 mm	50 m	white	50 m	6700000041	4 017228 00249 1	
13 mm	1100 m	white	1100 m	6700000034	4 017228 00838 7	
15 mm	50 m	white	50 m	6700000043	4 017228 00250 7	
15 mm	780 m	white	780 m	6700000035	4 017228 00839 4	
19 mm	40 m	white	40 m	6700000103	4 017228 00873 8	
19 mm	500 m	white	500 m	6700000105	4 017228 00874 5	
25 mm	25 m	white	25 m	6700000045	4 017228 00871 4	
25 mm	280 m	white	280 m	6700000037	4 017228 00841 7	
32 mm	20 m	white	20 m	6700000102	4 017228 00876 9	
32 mm	190 m	white	190 m	6700000104	4 017228 00875 2	





Highly elastic, meltable polymer-bitumen joint tape for the production	
of connections and seam connections in road construction - especially	
or repair work	

air work		BORNIT® Joint Tape 7 (
Content Colour	sufficient for	Order-No. EAN-Co

sufficient for

approx. 3 m²

T ype	Content	Colour	sufficient for
30x10	63 m	black	approx. 63 m
30x8	73 m	black	approx. 73 m
35x10	48 m	black	approx. 48 m
35x8	63 m	black	approx. 63 m
40x10	40 m	black	approx. 40 m
40x8	48 m	black	approx. 48 m
50x10	31 m	black	approx. 31 m

Order-No.	EAN-Code	Palletisation
6900002700	4 017228 00731 1	24 box
6900002697	4 017228 00728 1	24 box
6900002701	4 017228 00732 8	24 box
6900002698	4 017228 00729 8	24 box
6900002702	4 017228 00733 5	24 box
6900002699	4 017228 00730 4	24 box
6900002704	4 017228 00735 9	24 box





BORNIT® Hot Sealing TL

Content Colour

black

black

10 kg

25 kg

30 kg

Polymer-bitumen grouting compound for sealing concrete and asphalt joints in roadways as well as concrete components in civil engineering, according to ZTV Fug-StB 15 and DIN EN 14188-1 (CE)

System products: BORNIT® Hot Compound Primer Spray BORNIT® MultiClean BORNIT® Sealant Heater BORNIT® Pouring Can



Order-No.	EAN-Code	Palletisation
6800000334	4 017228 00704 5	80 box
6800000335	4 017228 00705 2	32 box

6800000424 4 017228 00718 2 11 bucket





BORNIT® Hot Sealing PS

Bitumen-based hot casting compound for sealing and closing all kinds of pavement joints

System products: BORNIT® Hot Compound Primer Spray BORNIT® MultiClean BORNIT® Sealant Heater BORNIT® Pouring Can



sufficient for	Order-No.	EAN-Code	P alletisation
approx. 10.0 ltr. of joint content	6800000422	4 017228 00702 1	64 box
approx. 20.0 ltr. of joint content	6800000421	4 017228 00703 8	36 box

BORNIT® Hot Sealing Rail

Polymer bitumen potting compound for potting and sealing rail joints in the road area, reduces vibrations, quality according to ZTV Fug-StB 15 $\,$

BORNIT® Hot Compound Primer Spray BORNIT® MultiClean BORNIT® Sealant Heater BORNIT® Pouring Can





Palletisation

pe	Content	Colour	sufficient for	Order-No.	EAN-Code	Palletis
	12 kg	black	approx. 9.2 ltr. of joint content	6800000875	4 017228 00927 8	64 box
	27 kg	black	approx. 20.8 ltr. of joint content	6800000874	4 017228 00928 5	36 box

sufficient for

approx. 9.1 ltr. of joint content

approx. 22.7 ltr. of joint content

approx. 27.3 ltr. of joint content



BORNIT® Mastic Asphalt

Content Colour

black

black

15 kg

30 kg

Hot-processed repair compound for closing potholes and frost damages, suitable for roads of all construction classesas, immediately passable after cooling Grain size 0 - 2 mm for layer thicknesses of 5 - 15 mm (Mastic Asphalt 20), Grain size 0 - 5 mm for layer thicknesses of 10 -30 mm (Mastic Asphalt 50)

BORNIT® Hot Compound Primer Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner



T ype	Conten	t Colour	sufficient for	Order-No.	EAN-Code	Palletisation
20	25 kg	black	approx. 1 m² at 1 cm layer thickness	6800000453	4 017228 00828 8	40 box
50	25 kg	black	approx. 1 m² at 1 cm layer thickness	6800000454	4 017228 00827 1	40 box

BORNIT® Hot Sealing N1

10 kg

22 kg

Polymer-bitumen grouting compound for sealing concrete and asphalt joints that are subject to high movement absorption, according to ZTV Fug-StB 15 and DIN EN 14188-1 (joint sealant type N1)

System products: BORNIT® Hot Compound Primer Spray BORNIT® MultiClean BORNIT® Sealant Heater BORNIT® Pouring Can



Order-No.	EAN-Code	Palletisation
6800000766	4 017228 00752 6	80 box
6800000767	4 017228 00666 6	80 box

BORNIT® Joint & Crack Widener

The Joint & Crack Widener is used to widen hairline cracks in asphalt and concrete surfaces

System products: BORNIT® MultiClean BORNIT® Hot Sealing TL BORNIT® Hot Sealing N1



уре	Content Colour	sufficient for	Order-No.	EAN-Code	Palletisation
	1 piece red				1 piece











BORNIT® Hot-Air Lance

Robust hot air lance in lightweight construction, gas-fired RR heating

System products: BORNIT® MultiClean BORNIT® Hot Sealing TL BORNIT® Hot Sealing N1 BORNIT® Hot Sealing Rail



Туре	Content	Colour	sufficient for	
	1 ninco	black		

Order-No. EAN-Code **P**alletisation 6800000932 1 piece



BORNIT® Bitumen Joint Sealant 2C

Solvent-free, 2-component, bituminous joint sealing compound for sealing cracks, seams, joints in asphalt and concrete surfaces, also for bonding marker buttons, permanently elastic, heat and cold resistant

sufficient for

approx. 14 m (at 5 x 5 mm)

System products: BORNIT® Hot Compound Primer Spray BORNIT® Bitumen Joint Sealant 2C Mixina nozzle

BORNIT® Profi Cartridge Gun BORNIT® Round Cord

Order-No. EAN-Code Palletisation 6800000345 4 017228 00257 6 12 piece / box





BORNIT® Sealant Heater

Content Colour

1 piece black

Heater

The Sealant Heater is used to melt and pour BORNIT® hot-applied sealants into joints and cracks in asphalt, concrete and paved surfaces. Capacity: 50 litres Larger-capacity heaters are available on request

sufficient for

50 ltr.

System products: BORNIT® MultiClean BORNIT® Hot Sealing TL BORNIT® Hot Sealing N1 BORNIT® Hot Sealing Rail



Order-No. EAN-Code	P alletisation
6800000584	1 piece
	1 piece



BORNIT® Bitumen Joint Sealant 2C mixing nozzle

Plastic mixing nozzle for 2-component Bitumen Joint Sealant 2C crack repair compound, can be used with several cartridges

BORNIT® Hot Compound Primer Spray BORNIT® Bitumen Joint Sealant 2C BORNIT® Profi Cartridge Gun BORNIT® Round Cord

Order-No. EAN-Code **P**alletisation

6800000774 4 017228 00109 8 1 piece



sufficient for Content Colour

1 piece transparent

Content Colour

360 ml black



BORNIT® Pouring Can

Pouring cans with spout for the simple, accurate pouring of all hotapplied BORNIT® sealants. Content: 3.5, 12 or 20 liter

System products: BORNIT® MultiClean BORNIT® Hot Sealing TL BORNIT® Hot Sealing N1 BORNIT® Hot Sealing Rail



T ype	Content	Colour	sufficient for	Order-No.	EAN-Code	Palletisa
3,5 ltr.	1 piece	black	approx. 3.5 ltr.	6800000531	4 017228 00098 5	1 piece
12 ltr.	1 piece	black	approx. 12 ltr.	6800000548	4 017228 00099 2	1 piece
20 ltr.	1 piece	black	approx. 20 ltr.	6800000177	4 017228 00106 7	1 piece



BORNIT® Profi Cartridge Gun


Highly robust, specially designed cartridge gun for processing the twocomponent bitumen repair compound BORNIT® Bitumen Joint Sealant

System products: BORNIT® Hot Compound Primer Spray BORNIT® Bitumen Joint Sealant 2C BORNIT® Bitumen Joint Sealant 2C Mixing nozzle

BORNIT® Round Cord

Palletisation





Order-No. EAN-Code

6800000560 4 017228 00848 6 1 piece







Koad

Hot and cold sealing compounds, joint tapes, bituminous emulsions



BORNIT® Asphalt Primer

Content Colour

2-component adhesion promoter based on epoxy resin for polysulphite sealants for cut asphalt joints or non-absorbent substrates or metallic substrates

System products: BORNIT® PS Cleaner BORNIT® Cold Sealing Compound BORNIT® Cold Joint Sealant BORNIT® Round Cord



sufficient for	Order-No.	EAN-Code	<u>P</u> alletisation
approx. 50 - 100 m joint	6800000506	4 017228 00015 2	10 can



BORNIT® Cold Joint Sealant

2-component polysulphide filler, for sealing vertical or inclined joints in traffic areas made of concrete and cut asphalt, permanently elastic and stable

System products: BORNIT® Asphalt Primer BORNIT® Concrete Primer BORNIT® PS-Cleaner BORNIT® Round Cord



Content	Colour	sufficient for	Order-No.	EAN-Code	Palletisation
2,5 ltr.	grey	approx. 2.5 ltr. of joint content	6800000501	4 017228 00012 1	120 can
4 ltr.	grey	approx. 2.5 ltr. of joint content	6800000502	4 017228 00007 7	72 can
2,5 ltr.	black	approx. 2.5 ltr. of joint content	6800000503	4 017228 00033 6	120 can
4 ltr.	black	approx. 2.5 ltr. of joint content	6800000504	4 017228 00034 3	72 can
	2,5 ltr. 4 ltr. 2,5 ltr.	4 ltr. grey 2,5 ltr. black	2,5 ltr. grey approx. 2.5 ltr. of joint content 4 ltr. grey approx. 2.5 ltr. of joint content 2,5 ltr. black approx. 2.5 ltr. of joint content	2,5 ltr. grey approx. 2.5 ltr. of joint content 6800000501 4 ltr. grey approx. 2.5 ltr. of joint content 6800000502 2,5 ltr. black approx. 2.5 ltr. of joint content 6800000503	2,5 ltr. grey approx. 2.5 ltr. of joint content 6800000501 4 017228 00012 1 4 ltr. grey approx. 2.5 ltr. of joint content 6800000502 4 017228 00007 7 2,5 ltr. black approx. 2.5 ltr. of joint content 6800000503 4 017228 00033 6



BORNIT® Concrete Primer

2-component adhesion promoter based on epoxy resin for polysulphite sealants for cut concrete joints or absorbent substrates

BORNIT ROPNIT BORNIT® Round Cord



products: ® PS Cleaner	
® Cold Sealing Compound	
® Cold Joint Sealant	
Pound Cord	

Туре	Conten	t Colour	sufficient for
	1 ltr.	transparent	approx. 50.0 - 100 m joint





BORNIT® PS Cleaner

Type

Ketone-containing solvent for cleaning not yet cured polysulphide products, as e.g. BORNIT® Cold Sealing Compound and BORNIT® Cold Joint Sealant

BORNIT® Cold Sealing Compound BORNIT® Cold Joint Sealant



е	Content Colour	sufficient for	Order-No.	EAN-Code	Palletisation
	400 ml transparent		6800000512	4 017228 00008 4	single /spray can



BORNIT® Cold Sealing Compound

black

black

black

10 ltr.

2-component polysulphide joint sealant, for permanently elastic sealing of horizontal concrete and asphalt joints, expansion up to 25 % of the joint width, pourable, self-leveling

sufficient for

depending on joint dimension

depending on joint dimension

depending on joint dimension depending on joint dimension

depending on joint dimension

depending on joint dimension

BOR BOR BOR

6800000498 4 017228 00030 5 120 can

6800000499 4 017228 00032 9 72 can

6800000500 4 017228 00031 2 30 bucket



BORNIT® Asphalt Primer BORNIT® Concrete Primer BORNIT® Round Cord			[E] 25-F-45
	Order-No.	EAN-Code	Palletisation
	6800000494	4 017228 00036 7	120 can
	6800000496	4 017228 00026 8	72 can
	6900000/07	/, 017229 00029 9	70 bucket




BORNIT® Bitumen Cleaner

Bitumen remover for cleaning bitumen-contaminated surfaces and System products: tools



ре	Content	Colour	sufficient for	Order-No.	EAN-Code	Palletisation
	1 ltr.	transparent		6900002608	4 017228 00417 4	12 can /box
	10 ltr	transparent		6000002600	/, 017229 00/29 7	50 capictor







BORNIT® Crack Flex

Solvent-free, highly flexible bitumen compound with special fillers for repairing cracks in road surfaces, machine processing with Flexomat 3.1 and crack module, accelerated drying using the SpeedUp component

System products: BORNIT® MultiClean BORNIT® Bitumen Cleaner BORNIT® SpeedUp BORNIT® Flexomat 3.1



2121040	Σ
3	

уре	Content	Colour	sufficient for
	12 kg	black	approx. 60 linear metre
	30 kg	black	approx. 150 linear metre

 Order-No.
 EAN-Code
 Palletisation

 6900002671
 4 017228 00681 9
 44 bucket

 6900002670
 4 017228 00680 2
 18 bucket



BORNIT® Hand Applicator

Applicator with integral 2 mm slit, application width over crack approx. 45 mm, for application of BORNIT® Crack Flex

System products: BORNIT® MultiClean BORNIT® Bitumen Cleaner BORNIT® Crack Flex



Туре	Content	Colour	sufficient for	Order-No.	EAN-Code	Palletisation
Handle	1 piece	red		6800000448	4 017228 00070 1	1 piece
ong handle	1 piece	red		6800000449	4 017228 00071 8	1 piece



TINGE

BORNIT® SpeedUp

Content Colour

Content Colour

1 piece transparent

22 kg transparent

Reaction component: - with BORNIT® Crack Flex - crack areas can be driven over after a few minutes, - with BORNIT® Profi 1C S - accelerated drying

sufficient for

sufficient for

approx. 1375 linear metre

System products:

BORNIT® Flexomat 3.1

BORNIT® Crack Module SpeedUp

BORNIT® Crack Flex

BORNIT® Profi 1C S



Order-No.	EAN-Code	Palletisation
6900003791	4 017228 00081 7	24 canister



BORNIT® Streufix 2.0

Further developed spreader cart for even chipping of cracks repaired with BORNIT® Crack Flex or small surfaces treated with road construction emulsions. Spreading width approx. 120 mm, capacity approx. 50 liters. Infinitely variable vibration function ensures even grit application. Vertical spreading prevents any mole hills. Amounts spread can be regulated on the cart. The recommend chips are dry 1/3 double-crushed chips

ре	Content Colour	sufficient for

System products:
BORNIT® Crack Flex
BORNIT® Flexomat 3.1
BORNIT® Crack Module SpeedUp
1/3 BORNIT® High-quality chippings

6800000818





BORNIT® Crack Module SpeedUp

Add-on module for the BORNIT® Flexomat 3.1; used for the rapid, clean, cold application of BORNIT® Crack Flex and BORNIT® SpeedUp as part of the repair or closure of cracks in asphalt road surfaces

System products:
BORNIT® MultiClean
BORNIT® Crack Flex
BORNIT® SpeedUp
BORNIT® Streufix 2.0

6800000702 4 017228 00097 8 1 piece







BORNIT® Crack Tape

Flexible polymer bitumen masking tape for the quick and easy repair of cracks and seams in asphalt surfaces, can be built over with asphalt

System products: BORNIT® Hot Compound Primer Spray BORNIT® MultiClean BORNIT® Crack Tape CSA



Туре	Conten	t <mark>C</mark> olour	sufficient for	Order-No.	EAN-Code	Palletisation
40x3	44 m	black	approx. 44 m	6900002716	4 017228 00739 7	48 box







BORNIT® Crack Tape CSA

Flexible polymer bitumen masking tape for the quick and easy repair of cracks and seams in asphalt surfaces, can be processed without burning, can be built over with asphalt, cold self-adhesive

System products: BORNIT® Hot Compound Primer Spray BORNIT® MultiClean BORNIT® Crack Tape



Type	Content	Colour	sufficient for
40x3	44 m	black	approx. 44 m

Order-No. EAN-Code **Palletisation** 6900002720 4 017228 00690 1 48 box

BORNIT® Edge Module

Add-on module for the BORNIT® Flexomat 3.1; used to seal the edges of load-bearing, binder and surface layers with BORNIT® Edge Flex

System products: BORNIT® MultiClean BORNIT® Bitumen Cleaner BORNIT® Flexomat 3.1 BORNIT® Edge Flex



oe	Content	Colour	sufficient for	Order-No.	EAN-Code	Palletisation
	1 piece	black		6800000514	4 017228 00093 0	1 piece

BORNIT® Flexomat 3.1

Basic unit for the modular add-on systems BORNIT® Edge Module, BORNIT® Joint Module and BORNIT® Crack Module SpeedUp for processing of the renovation products BORNIT® Joint Flex, BORNIT® Crack Flex and BORNIT® Edge Flex

System pr BORNIT® BORNIT® BORNIT® BORNIT®



roducts:	770.986
Joint Flex	243
Crack Flex	
Edge Flex	
SpeedUp	

sufficient for Content Colour 1 piece red





BORNIT® Edge Sealant Hot

Bitumen compound to be processed hot, for sealing edges in asphalt road construction according to TL Sbit-StB 15, processing temperature +150 °C to +170 °C, sprayable (at least 4 mm nozzle)

System products: BORNIT® MultiClean BORNIT® Bitumen Cleaner BORNIT® Sealant Heater BORNIT® Pouring Can



9	Content	Colour	sufficient for	Order-No.	EAN-Code	P alletisation
	25 kg	black	approx. 62.5 linear metre	6800000724	4 017228 00751 9	24 box

BORNIT® Joint Module

TINGE



BORNIT® Edge Module



BORNIT® Crack Module SpeedUp



BORNIT® Joint Flex

Type



Solvent-free, thixotropic (high viscosity) and to -5 °C frostresistant bituminous compound for making flexible and permanent seams when installing a machine r

asphalt mix in tapes (compliant with ZTV Asphalt StB07),	BORNIT® Bitumen Cle
pre-treatment of the center seam flanks when paving hot mix	BORNIT® Flexomat 3.1
NIT® Flexomat 3.1 and Joint Module	BORNIT® Joint Module

		exomat 3.1 and Joint Mod	dule
T ype	Content	Colour	sufficient for
	25 ltr.	black	approx. 123 m with 4 cm top layer



Order-No.	EAN-Code	Palletisation
6900002530	4 017228 00339 9	18 bucket

BORNIT® Edge Flex




System products: BORNIT® MultiClean BORNIT® Bitumen Cleaner BORNIT® Flexomat 3.1 BORNIT® Edge Module



tres with	6

Order-No. EAN-Code **Palletisation** 6900002673 4 017228 00255 2 18 bucket







BORNIT® Joint Module

Content Colour

Content Colour

190 kg black

1000 kg black

black

25 kg

1 piece black

Add-on module for the BORNIT® Flexomat 3.1; used for the rapid, clean application of BORNIT® Joint Flex to central seams during the strip-bystrip construction of rolled asphalt surfaces

sufficient for

sufficient for

approx. 11.3 - 17.8 m²

approx. 86.4 - 135.7 m²

approx. 454.5 - 714.3 m²

System products: BORNIT® MultiClean BORNIT® Bitumen Cleaner BORNIT® Flexomat 3.1 BORNIT® Joint Flex



Order-No.	EAN-Code	Palletisation
6800000515	4 017228 00091 6	1 piece



BORNIT® Asphalt Adhesive C40BF5-S

Cationic bitumen emulsion, binder content approx. 40 %, for prespraying soiled and aged asphalt surfaces, pre-treatment before application of mix or cation-active bitumen emulsions, quality according to TL BE-StB 15

уре	Content	Colour	sufficient for
	190 kg	black	approx. 422.2 - 950.0 m²
	1000 kg	black	approx. 2222.2 - 5000.0 m ²



BORNIT® Bitumen Cleaner BORNIT® Asphalt Adhesive R2 C40BF5-S BORNIT® Asphalt Adhesive Sprayer

Order-No.	EAN-Code	Palletisation
6900002540	4 017228 00712 0	2 barrel
6900003290		1 IBC tank pallet



BORNIT® Bituminous Emulsion C60B4-REP

Solvent-free, unstable, cationic bitumen emulsion with a binding content of approx. 60 %, for surface treatments and repair patches with standardized chippings for sealing asphalt roads, quality according to TL BE-StB 15

System products: BORNIT® MultiClean BORNIT® Bitumen Cleaner



Order-No.	EAN-Code	Palletisation	
6900002678	4 017228 00768 7	24 canister	



BORNIT® Asphalt Adhesive Sprayer

Handy spraying device for precise and energy-saving distribution of BORNIT® Asphalt Adhesive C40BF5-S on all kinds of small construction

sufficient for

sufficient for

up to 90 m² with one filling

BORNIT®	MultiClean
BORNIT®	Bitumen Cleaner
BORNIT®	Asphalt Adhesive R2
C40BF5-S	
BORNIT®	Asphalt Adhesive-C40B

System products:

C40BF5-S	
Palletisation	

Order-No. EAN-Code 6800000935 4 017228 00887 5 1 piece



BORNIT[®] Asphalt Adhesive R2 C40BF5-S

Cationic bitumen emulsion, binder content approx. 40 %, for prespraying soiled and aged asphalt surfaces, pre-treatment before applying mix or cation-active bitumen emulsions, quality according to TL BE-StB 15

System products: BORNIT® MultiClean BORNIT® Bitumen Cleaner BORNIT® Asphalt Adhesive C40BF5-S BORNIT® Asphalt Adhesive Sprayer

6900002677 4 017228 00740 3 2 barrel

6900003422 4 017228 00695 6 1 IBC tank pallet



4	

BORNIT® Valve for Asphalt Adhesive Sprayer

Valve for Asphalt Adhesive Sprayer

Content Colour

liaht-arev

18 ltr.

System products:
BORNIT® MultiClean
BORNIT® Bitumen Cleaner
BORNIT® Asphalt Adhesive R2
C40RE5-S

BORNIT® Asphalt Adhesive Sprayer

<u> </u>		- " · · · · ·
Order-No.	EAN-Code	Palletisation
6800001004	4 017228 00107 4	1 piece
6900000077	/ 017220 00100 1	1 piece



sufficient for Order-No. EAN-Code Content Colour approx. 55.6 - 125.0 m² black 25 kg

Palletisation 6800001137 4 017228 00947 6 16 canister



Content Colour 1 piece brass truck 1 piece brass, red, blue

Note: For the return of rented containers which are not empty (e.g. vats, tank pallets) we charge for disposal 800.00 €/t.









Road

Hot and cold sealing compounds, joint tapes, bituminous emulsions



BORNIT® Bituminous Emulsion C60BP4-S

Solvent-free, unstable, extra polymer-modified, cationic bitumen emulsion with a binding content of approx. 60 %, for pre-spraying dirty and aged asphalt surfaces or for new paving, quality according to TL BE - StB 15 category C60BP4-S

System products: BORNIT® MultiClean BORNIT® Bitumen Cleaner





ре	Content	Colour	sufficient for
	25 kg	black	approx. 50.0 - 166.7 m²
	190 kg	black	approx. 380.0 - 1266.7 m ²
	1000 kg	black	approx. 2000 - 6666.7 m ²

Order-No. EAN-Code **Palletisation** 6900002680 4 017228 00939 1 24 canister 6900002679 4 017228 00741 0 2 barrel 6900003289 4 017228 00860 8 1 IBC tank pallet



BORNIT® Reactive Asphalt

Content Colour

black

black

black

25 kg

25 kg

25 kg

20

40

30

Solvent-free cold mix quick-hardening with water for repair and maintenance of pavements and roads of all load classes, immediately traversable after compacting, also usable below 0 °C - cold workable Grain size 0 to 2 mm / 0 to 4 mm / 0 to 8 mm

sufficient for

approx. 1 m²

approx. 1 m²

approx, 1 m²

sufficient for

approx. 0.9 m²

approx. 0.9 m²

System products: BORNIT® Bitumen Primer Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner BORNIT® Asphalt Fix



Order-No.	EAN-Code	P alletisati
6800000937	4 017228 00937 7	32 bucket
6800000456	4 017228 00829 5	32 bucket
C00000007C	/ 017220 00070 /	72 level (et







BORNIT® Bitumen Primer

Content Colour

Content Colour

600 ml black

Solvent-based bitumen primer for the pretreatment of bituminous and mineral substrates such as concrete and masonry surfaces, before laying bitumen welding membranes, quick-drying, brush- and sprayable

sufficient for





	BORN
	88
alletisation	


BORNIT® Asphalt Repair Mortar

Multi-component asphalt mortar, for fast sealing of cracks and unevenness, adjustment of inlets, manhole covers and transitions, layer thicknesses 5 - 20 mm (RE 30) or 10 - 30 mm (RE 50), fast-setting, coldinstallation Grain size 0 to 3 mm (RE 30) / 0 to 5 mm (RE 50)

BORNIT® MultiClean BORNIT® Bitumen Cleaner



Order-No.	EAN-Code	Palletisation
6700000137	4 017228 00905 6	24 bucket
6700000138	4 017228 00906 3	24 bucket



Order-No.	EAN-Code	Palletisation
6900002635	4 017228 00350 4	75 bucket
6900002634	4 017228 00351 1	45 bucket
6900002633	4 017228 00352 8	18 bucket
6900002632	4 017228 00353 5	2 barrel

BORNIT® Coldmix Asphalt (bucket)

6900002553 4 017228 00347 4 12 piece / box

Order-No. FAN-Code

BORNIT® Bitumen Primer Spray

Solvent-containing bitumen primer for easy priming of smaller bituminous and mineral substrates like concrete, asphalt and masonry surfaces, prior to laying bituminous welded sheeting, processing of solvent-containing bitumen coatings as well as road repair materials, fast-drying





Palletisation

- 1
INIT
20

BORNIT® Asphalt Fix

Content Colour

black

18 kg

Easy to process, fast curing cold mix for the repair of asphalt and concrete surfaces. Grain size 0 to 5 mm

System products: BORNIT® Bitumen Primer Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner Hot mix asphalt



T ype	Conten	t Colour	sufficient for
	25 kg	black	approx. 1.0 m² per cm layer thickness

Order-No. EAN-Code **Palletisation** 6800000451 4 017228 00688 8 24 bucket



Note: For the return of rented containers which are not empty (e.g. vats, tank pallets) we charge for disposal 800.00 €/t.

sufficient for

approx. 3 m²









BORNIT® Coldmix Asphalt (bucket)

Solvent-free cold mix for the quick removal of potholes, frost cracks and other road damage, compaction with plate compactors or hand rammers and rolling traffic is essential. Grain size 0 to 5 mm

System products: BORNIT® Bitumen Primer Spray BORNIT® MultiClean BORNIT® Bitumen Cleaner BORNIT® Pounder



ype	Content	Colour	sufficient for
	25 kg	black	approx. 1 m² per cm layer thickness

Order-No. EAN-Code **Palletisation** 6800000439 4 017228 00725 0 24 bucket



BORNIT® Pounder

Shock-absorbing special hand tamper with strong impact for black ceiling installation, paving and slab laying, concrete work, easy to use, precise to guide, does not tilt. Rubber buffers cushions harmful impacts and thus effectively predect the wrist. Handle tube made of precision steel tubing. Ideal for paving BORNIT® Reactive Asphalt, BORNIT® Asphalt Fix, BORNIT® Coldmix Asphalt (bag) and BORNIT® Coldmix Asphalt (bucket). Base plate: 18 x 18 cm, height: 116 cm, weight: 7.2 kg

sufficient for Content Colour

System products: BORNIT® MultiClean BORNIT® Asphalt Fix BORNIT® Coldmix Asphalt (bag) BORNIT® Coldmix Asphalt (bucket)



Order-No. EAN-Code Palletisation 6800000444 4 017228 00699 4 1 piece



BORNIT® Coldmix Asphalt (bag)

Solvent-free asphalt mix for easy and quick elimination of potholes, frost buckling and other road damages, compaction by vibratory plate resp. pounder and moving traffic, ready to use, cold workable

sufficient for

sufficient for

approx. 2.4 m² per cm layer thickness

approx. 1 m² per cm layer thickness

System products: BORNIT® Bitumen Primer Spray BORNIT® MultiClean BORNIT® Pounder BORNIT® Asphalt Fix



Order-No.	EAN-Code	Palletisation
6900000440	/, 017229 00709 0	40 haq



Type

BORNIT® Asphalt Pore Sealer

1 piece red/black

Solvent-free, ready-to-use bitumen slurry for sealing open-pored asphalt surfaces such as roadways, squares, sidewalks and bike paths, etc., tested according to TL-Sbit. Only pore closure, no layer thickness build-up!

System products: BORNIT® Grundbit BORNIT® MultiClean BORNIT® Rubber Scraper BORNIT® High-quality chippings



Content	Colour	sufficient for	Order-No.	EAN-Code	Palletisation
30 kg	black	approx. 37.5 m ²	6900002681	4 017228 00710 6	18 bucket



BORNIT® RoadStixx

Content Colour

12 kg

Content Colour

black

25 ka

Thermoplastic that can be installed hot (with gas burner), for repairing cracks and small potholes (up to Ø 20 cm, H45 mm) in asphalt and concrete, can also be used in frosty conditions

BORNIT® Bitumen Primer Spray BORNIT® MultiClean

Order-No. EAN-Code

6800001015 4 017228 01009 0 66 bag

回海港回

Palletisation



BORNIT® Rubber Scraper

Extremely robust rubber scraper, ideally suited for processing BORNIT® Asphalt Pore Sealer, solvent-resistant

System products: BORNIT® MultiClean BORNIT® Bitumen Cleaner BORNIT® Asphalt Pore Sealer

	约	控	П
뮸	5 7	얍	5
69	*	胡	b
鑫	75	\mathbf{x}	Ľ
	77 3	H	3
쁘	i: E	~~	æ

Туре	Content Colour	sufficient for	Order-No. EAN-Code	Palletisation
Scraper	1 piece		6800000537	1 piece
Lip	1 piece		6800000593	1 piece







BORNIT® MultiClean

Highly effective, plant-based cleaning spray for the rapid, thorough removal of dirt in the form of tar, bitumen and asphalt

all bitumen-based BORNIT® products



T ype	Conter	nt Colour	sufficient for
	10 ltr.	transparent	dep, on degree of contamination

Order-No. EAN-Code 6700000032 4 017228 00068 8 20 canister

BORNIT® MultiClean Spray

Highly effective, plant-based cleaning spray for the rapid, thorough removal of dirt in the form of tar, bitumen and asphalt

System products: all bitumen-based BORNIT® products





T ype	Content Colour	sufficient for
	600 ml transparent	dep. on degree of contaminat

Order-No.	EAN-Code	<u>Palletisation</u>
6800000350	4 017228 00066 4	12 piece / box



Road Marking made of thermoplastic!

BORNIT-Werk Aschenborn GmbH +49 375 27 95 - 0 | strassenbau@bornit.com









Vho wants

standard?

to have







Hot and cold sealing compounds, joint tapes, bituminous emulsions

Size in mm


BORNIT® Road Markings

Thermoplastic markings, e.g. traffic signs, lines, directional arrows, symbols, letters, numbers, logos, etc.

Easy to use: clean substrate, apply motif, melt with burner; can be driven on after 10-20 minutes!

Special colours available based on RAL Classic and RAL Design System. Various motifs and dimensions available on request!

Prefabricated thermoplastic markings will be part of the future thanks to their environmental friendliness and quick and easy handling.



RAL 9016 - traffic white	50 X 1000	60
	100 X 1000	30
	120 X 1000	25
	150 X 1000	20
	250 X 1000	10
	300 X 1000	10

Lines in rolls

white	50 X 5000	12
	100 X 5000	6
	120 X 5000	6
	150 V 5000	/.

Marking lines

	100 X 1000	30
(RAL 1023 / RAL 9017)	250 X 1000	10

Straight arrow

	1000	5
RAL 9016 - traffic white	2500	5
	5000	2





Elektric car

Pictogram (RMS)* RAL 9016 - traffic white



Kids

Pictogram (RMS)* RAL 9016 - traffic white 525 X 1000

Size in mm



Triangular traffic signs according to german traffic regulations

Example:	1000 X 1000	1
VZ 101, VZ 101-11, VZ 131, VZ 133, VZ 136,	1200 X 2400	1
VZ 138, VZ205,	1500 X 3600	1
	2000 X 4000	1


















Round and oval traffic signs according to german traffic regulations

Example:	Ø 500	1
VZ 224, VZ 239, VZ 225, VZ 267, VZ 283,	Ø 600	1
	Ø 750	1
	Ø 1000	1
	Ø 1500	1
	Ø 2000	1
	Ø 3000	1
	1000 X 2000	1
	2000 X 3000	1
	2000 X 4000	1

















VZ 283-50







Greenline

Solvent-free - the better solution!









Content Colour

black black

10 ltr.

25 ltr.

 ${\bf Solvent-free, quick-drying\ elastomer\ bitumen\ primer\ for\ laying\ bitumen}$ welding membranes indoors and outdoors, can be rolled, brushed or sprayed-on

sufficient for

approx. 50 m²

approx. 125 m²

System products: BORNIT® MultiClean Spray BORNIT® Bitumen Cleaner Bitumen roof sheetings

Greenline



Order-No.	EAN-Code	P alletisation
6900004117	4 017228 00541 6	44 bucket
6900004118	4 017228 00542 3	18 bucket







BORNIT® Flexbit

Solvent-free, crack-bridging bitumen elastic coating for the protection of roof coverings against the effects of the weather, moisture protection for components in contact with the ground and for intermediate sealing on horizontal surfaces, UV-resistant, brush- and sprayable

T ype	Conten	t Colour	sufficient for
	5 ltr.	black	approx. 10 m ²
	10 ltr.	black	approx. 20 m ²
	25 ltr.	black	approx. 50 m ²



System products: BORNIT® Grundbit BORNIT® Glass Fabric 58 BORNIT® MultiClean Spray BORNIT® Bitumen Cleaner





order-No.	EAN-Code	Palletisation
900002660	4 017228 00281 1	60 bucket
900002534	4 017228 00289 7	44 bucket
900002659	4 017228 00285 9	18 bucket





BORNIT

Confress Confress





Solvent-free bitumen primer for the pretreatment of bituminous and mineral substrates such as concrete and masonry surfaces, before laying bitumen welding membranes and for bitumen emulsion coatings, can be ro

rolle	d, brushed or sprayed-on		
_	Content Colour	cufficient for	

Type	Conten	t Colour	sufficient for
	5 ltr.	black	approx. 25 m ²
	10 ltr.	black	approx. 50 m ²
	25 ltr.	black	approx. 125 m ²

Greenline

BORNIT® Dachbit BORNIT® Flexbit BORNIT® Unibit Bitumen roof sheetings



Order-No.	EAN-Code	Palletisation
6900002527	4 017228 00292 7	60 bucket
6900002529	4 017228 00293 4	44 bucket
6900002666	4 017228 00294 1	18 bucket





BORNIT® Unibit

5 ltr.

10 ltr.

25 ltr.

Content Colour

black

black

Solvent-free bitumen coating to protect concrete, plaster and masonry against soil moisture, brush- and sprayable

sufficient for

approx. 16.6 m²

approx. 33 m²

approx. 83 m²

System products:
BORNIT® Grundbit
BORNIT® Glass Fabric 58
BORNIT® BORNIthene Plus
BORNIT® MultiClean Spray

Greenline



Order-No.	EAN-Code	Palletisation
6900002662	4 017228 00280 4	60 bucket
6900002531	4 017228 00288 0	44 bucket
6900002661	4 017228 00284 2	18 bucket



Solvent-free bitumen top coat for the protection and maintenance of bituminous and mineral roof coverings, UV-resistant, brush- and sprayable



BORNIT® MultiClean Spray BORNIT® Bitumen Cleaner





/pe	Content	Colour	sufficient for
	5 ltr.	black	12.5 m ²
	10 ltr.	black	25.0 m ²
	25 ltr.	black	62.5 m ²

Order-No. EAN-Code **Palletisation** 6900002665 4 017228 00279 8 60 bucket 6900002664 4 017228 00287 3 44 bucket 6900002663 4 017228 00283 5 18 bucket





Greenline

Solvent-free - the better solution!

Siloflex & Siloflex Primer



BORNIT® Siloflex Primer

Content Colour

Solvent-free polymer bitumen primer for the preparation of the substrate for BORNIT® Siloflex on concrete and masonry surfaces, quick-drying, brush- and sprayable

sufficient for

System products:
BORNIT® Siloflex
BORNIT® MultiClean Spray
BORNIT® MultiClean
BORNIT® Bitumen Cleaner

Greenline



arr		
Cleaner		



	١	
. 1	1	

r.	black	approx. 50 m ²
tr.	black	approx. 100 m ²

Order-No.	EAN-Code	Palletisation
6900004842	4 017228 00312 2	60 canister
6900004841	4 017228 00313 9	24 canister



BORNIT® Siloflex

Solvent-free bitumen coating for coatings on JGS systems as a tested alternative to synthetic resin seals, with general building authority approval from DiBt, UV-resistant, brush- and sprayable



Greenline





Туре	Conten	t <mark>C</mark> olour	sufficient for
	25 kg	black	approx. 50 - 62.5 m ²
	180 kg	black	approx. 360 m ²

Order-No.	EAN-Code	P alletisation
6900004796	4 017228 00310 8	18 bucket
600000/707	/ 017220 00711 E	2 harrol

The future of silo coatings is called GREENLINE!

Especially by the sealing of JGS systems, there are a lot of high demands are made i.a. at the crack bridging. Based on the current requirements and guidelines, we have further developed our proven silo coating. BORNIT®-Siloflex is the new, solvent-free Bitumen-based silage protection coating with general authorization from the DIBt!

Completely solvent-free!

As a primer we recommend the new BORNIT® Siloflex Primer. Together with our BORNIT® Siloflex are these two products our new solvent-free inovations for a safe coating for your silo.





- proven bitumen protection
- solvent-free
- Inexpensive alternative to synthetic resin coatings
- 1-component no mixing necessary
- with reduced surface stickiness
- quick drying, brushable and sprayable
- economical processing from large containers (180 kg barrel)
- resistant to organic acids, salts and bases








Product Overview

All BORNIT® products

		,					
	Product name	Package	Consumption	Order-No.	EAN-Code	Delivery form Recom	mended storage
#	BORNIT® 1C Bitumen Thick Coating	12 liter	approx. 4.3 liter/m²	6900002648	4 017228 004075	44 bucket	C&D, SF
"	BORNIT® 1C Bitumen Thick Coating	32 liter	approx. 4.3 liter/m ²	6900002647	4 017228 004082	18 bucket	C&D, SF
	BORNIT® 2C Bitumen Thick Coating	32 kg	approx. 4.1 – 5.5 kg/m ²	6900002536	4 017228 004099	18 bucket	C&D, SF
	BORNIT® 2C Flex Bitumen Thick Coating	30 liter	approx. 4.2 – 5.6 liter/m ²	6900002539	4 017228 004426	18 bucket	C&D, SF
	BORNIT® 5M-Primer	10 liter	approx. 0.2 liter/m ²	6900004355	4 017228 005898	45 bucket	CCS
	BORNIT® 5M-Primer	25 liter	approx. 0.2 liter/m²	6900004356	4 017228 005447	18 bucket	CCS
Α	BORNIT® Adhesive Filler	310 ml	approx. 12 m/box per joint of 5 x 5 mm	6800001095	4 017228 003160	20/box-72 box/Pal.	CCS
	BORNIT® Alu-Tape 75 aluminium	10 m roll		6800000369	4 017228 002422		C&D
	BORNIT® Alu-Tape 100 aluminium	10 m roll		6800000370	4 017228 004365		C&D
	BORNIT® Alu-Tape 150 aluminium	10 m roll		6800000371	4 017228 004372	2 rolls/box	C&D
	BORNIT® Anchor stirrer	2.1	300 370 / 3	6800000520	4 017228 001050	-	65
	BORNIT® Anti Sulphate	1 kg	approx. 100 – 130 g/m² approx. 100 – 130 g/m²	6900002779		- CO bushest	SF SF
	BORNIT® Anti Sulphate BORNIT® Asphalt Adhesive R2 C40BF5-S	10 kg 25 kg	approx. 100 – 130 g/m-	6800000410 6800001137	4 017228 004624 4 017228 009476	60 bucket	SF
	BORNIT® Asphalt Adhesive C40BF5-S	190 kg		6900002540	4 017228 009476	2 barrels	SF
	BORNIT® Asphalt Adhesive C40BF5-S	1000 kg		6900003290	-	2 Daireis	SF
	BORNIT® Asphalt Adhesive Sprayer	1000 kg		6800000935	4 017228 001036		31
	BORNIT® Asphalt Adhesive Sprayer - car adapter			6800001004	4 017228 001036		
	BORNIT® Asphalt Adhesive Sprayer - truck adapter			6800000934	4 017228 001081	-	
	BORNIT® Asphalt-Fix	25 kg	approx. 25 kg/m² per cm layer thickn		4 017228 006888	24 bucket	C&D
	BORNIT® Asphalt Pore Sealer	30 kg	approx. 0.8 kg/m²	6900002681	4 017228 007106	18 bucket	SF
	BORNIT® Asphalt Primer	1 liter	approx. 0.02 - 0.04 per linear meter of joint		4 017228 000152	-	CCS
	BORNIT® Asphalt Repair Mortar RE 30	18 kg	approx. 20 kg/m² per cm layer thickn.		4 017228 009056	24 bucket	SF
	BORNIT® Asphalt Repair Mortar RE 50	18 kg	approx. 20 kg/m² per cm layer thickn.	6700000138	4 017228 009063	24 bucket	SF
В	BORNIT® Basement Primer	5 liter	approx. 0.2 liter/m²	6900002657	4 017228 004433	60 canister	C&D, SF
	BORNIT® Basement Primer	10 liter	approx. 0.2 liter/m ²	6900002656	4 017228 004440	60 canister	C&D, SF
	BORNIT® Basement Primer	20 liter	approx. 0.2 liter/m²	6900002655	4 017228 003955	24 canister	C&D, SF
	BORNIT® Basic Primer	10 kg	approx. 100 – 130 g/m²	6900002784	4 017228 000206		SF
	BORNIT® Bitumen 100/25	30 kg	approx. 1.3 kg/m²	6900002247	4 017228 003733	36 bags	C&D
	BORNIT® Bitumen Adhesive	5 liter	approx. 0.8 liter/m²	6900002613	4 017228 003689		CCS
	BORNIT®-Bitumen Adhesive BORNIT®-Bitumen Adhesive	10 liter 25 liter	approx. 0.8 liter/m²	6900002535	4 017228 003696 4 017228 003702	45 bucket 18 bucket	CCS
	BORNIT® Bitumen Cleaner	1 liter	approx. 0,8 liter/m²	6900002612 6900002608	4 017228 003702	12 bucket/box	CCS
	BORNIT® Bitumen Cleaner	10 liter		6900002609	4 017228 004174		CCS
	BORNIT® Bitumen Coating	5 liter	approx. 0.4 liter/m²	6900002625	4 017228 003979	75 bucket	CCS
	BORNIT® Bitumen Coating	10 liter	approx. 0.4 liter/m²	6900002624	4 017228 003986	45 bucket	CCS
	BORNIT® Bitumen Coating	25 liter	approx. 0.4 liter/m²	6900002623	4 017228 003993	18 bucket	CCS
	BORNIT® Bitumen Coating	200 liter	approx. 0.4 liter/m²	6900002622	4 017228 004006		CCS
	BORNIT® Bituminous emulsion C60B4-REP	25 kg		6900002678	4 017228 007687		SF
	BORNIT® Bituminous emulsion C60B4-REP	190 kg		6900002677	4 017228 007403	2 barrels	SF
	BORNIT® Bituminous emulsion C60B4-REP	1000 kg		6900003422	4 017228 006956	-	SF
	BORNIT® Bituminous emulsion C60BP4-S	25 kg		6900002680	4 017228 009391	24 canister	SF
	BORNIT® Bituminous emulsion C60BP4-S	190 kg		6900002679	4 017228 007410	2 barrels	SF
	BORNIT® Bituminous emulsion C60BP4-S	1000 kg		6900003289	4 017228 008608	-	SF
	BORNIT® Bitumen Joint Sealant 2C	360 ml	depending on joint dimension	6800000345	4 017228 002576	12/box	SF
	BORNIT® Bitumen Joint Sealant 2C - replacement mixin			6800000774	4 017228 001098	1 piece	
	BORNIT®-Bitumen Mastic	1 kg	approx. 1.2kg/m² per mm layer thickn		4 017228 003795	18 cans/ box	CCS
	BORNIT®-Bitumen Mastic	2,5 kg	approx. 1.2kg/m² per mm layer thickn		4 017228 003641		CCS
	BORNIT® Bitumen Mastic	6 kg	approx. 1.2kg/m² per mm layer thickn			75 bucket	CCS
	BORNIT®-Bitumen Mastic BORNIT® Bitumen Primer	12 kg 5 liter	approx. 1.2kg/m ² per mm layer thickn approx. 0.2 liter/m ²	6900002635	4 017228 003665 4 017228 003504	75 bucket	CCS
	BORNIT® Bitumen Primer	10 liter	approx. 0.2 liter/m²	6900002634	4 017228 003504		CCS
	BORNIT® Bitumen Primer	25 liter	approx. 0.2 liter/m²	6900002633	4 017228 003511		CCS
	BORNIT® Bitumen Primer	200 liter	approx. 0.2 liter/m²	6900002632	4 017228 003535		CCS
	BORNIT® Bitumen Primer Spray	600 ml Spray	can contents enough for approx. 3m ²		4 017228 003474		CCS
	BORNIT® BORNIthene Plus	15 m²	1.08 m²/m²	6800000518	4 017228 002484	15 rolls	C&D
С	BORNIT® Cold Joint Sealant grey	2,5 liter	depending on joint dimension	6800000501		-	
	BORNIT® Cold Joint Sealant grey	4,0 liter	depending on joint dimension	6800000502	4 017228 000077	-	
	BORNIT® Cold Joint Sealant black	2,5 liter	depending on joint dimension	6800000503	4 017228 000336	-	
	BORNIT® Cold Joint Sealant black	4,0 liter	depending on joint dimension	6800000504	1 01/120 0000 10	-	
	BORNIT® Coldmix Asphalt (bag)	25 kg	approx. 25 kg/m² per cm layer thickn			40 bags	C&D
	BORNIT® Coldmix Asphalt (bucket)	25 kg	approx. 25 kg/m² per cm layer thickn.		4 017228 007250		C&D
	BORNIT® Cold Sealing Compound grey	2,5 liter	depending on joint dimension	6800000498	4 017228 000305	-	
	BORNIT® Cold Sealing Compound grey	4,0 liter	depending on joint dimension	6800000499	4 017228 000329	-	
	BORNIT® Cold Sealing Compound grey	10,0 liter 2,5 liter	depending on joint dimension	6800000500 6800000494	4 017228 000312 4 017228 000367	-	
	BORNIT® Cold Sealing Compound black BORNIT® Cold Sealing Compound black	4,0 liter	depending on joint dimension depending on joint dimension	6800000494	4 017228 000367	-	
	BORNIT® Cold Sealing Compound black	10,0 liter	depending on joint dimension	6800000497	4 017228 000299		
	BORNIT® Concrete Primer	1 liter	approx. 0.01 – 0.02 per linear meter of joint		4 017228 000145		CCS
	BORNIT® Corrosion Preventer	10 liter	approx. 0.4 l/m² at 1 time	6900002627	4 017228 004655		CCS
	BORNIT® Corrosion Preventer	25 liter	approx. 0.4 l/m² at 1 time	6900002626	4 017228 004662		CCS
	BORNIT® Crack Flex	12 kg	depending on load condition	6900002671	4 017228 006819		C&D, SF
	BORNIT® Crack Flex	30 kg	depending on load condition	6900002670	4 017228 006802		C&D, SF
	BORNIT® Crack Module SpeedUp			6800000702	4 017228 000978		·
	BORNIT® Crack Tape 40 x 3 mm	44 m/box		6900002716	4 017228 007397	48 box	C&D
	BORNIT® Crack Tape CSA 40 x 3 mm	44 m/box		6900002720	4 017228 006901	48 box	C&D
D	BORNIT® Dachbit	5 liter	approx. 0.4 liter/m²	6900002665	4 017228 002798		SF
	BORNIT® Dachbit	10 liter	approx. 0.4 liter/m²	6900002664	4 017228 002873		SF
_	BORNIT® Dachbit	25 liter	approx. 0.4 liter/m²	6900002663	4 017228 002835		SF
Е	BORNIT® EasyPipe transparent	Ø 8-25 mm		6800000594	4 017228 000725		
	BORNIT® EasyPipe transparent	Ø 26-44 mm		6800000595	4 017228 000732		
	BORNIT® EasyPipe transparent	Ø 45-63 mm		6800000596	4 017228 000749		
	BORNIT® EasyPipe transparent	Ø 64-86 mm		6800000597	4 017228 000756	-	
	BORNIT® EasyPipe transparent	Ø 87-110 mm		6800000598	4 017228 000763		
	BORNIT® EasyPipe transparent	Ø111-125 mm		6800000599	4 017228 000770	-	

Е	BORNIT® EasyPipe transparent	Ø135-160 mm		6800000600	4 017228 000787	-	
_	BORNIT® EasyPipe Adhesive	310 ml cartridge		6800000530	4 017228 000794	-	
	BORNIT® Edge Sealant Hot	25 kg			4 017228 007519		C&D, SF
	BORNIT® Edge Flex BORNIT® Edge Module	30 kg	min. 0.4 kg/m (spraying width of 10 cm)	6900002673 6800000514	4 017228 002552 4 017228 000930	18 bucket	C&D, SF
F	BORNIT® Filling Stick	45 cm	per hole one stick	6800000314	4 017228 000930	50 pieces/ Bund	C&D
	BORNIT® Flexomat 3.1		per more street	6800000508	4 017228 000909	1	
	BORNIT® Flexbit	5 liter	approx. 0.5 liter/m² per layer - 2times		4 017228 002811	60 bucket	SF
	BORNIT® Flexbit	10 liter	approx. 0.5 liter/m² per layer - 2times		4 017228 002897	44 bucket	SF
_	BORNIT® Flexbit BORNIT® Glass Fabric 58	25 liter	approx. 0.5 liter/m² per layer - 2times 1.1 m²/m²		4 017228 002859	18 bucket	SF
G	BORNIT® Glass Fabric 165	50 m-roll, 100 cm wide 50 m-roll, 100 cm wide	1.1 m²/m² 1.1 m²/m²	6800000591 6800000481	4 017228 002286 4 017228 004167	33 rolls 33 rolls	
	BORNIT® Grundbit	5 liter	approx. 0.2 liter/m²	6900002527	4 017228 002927	60 bucket	SF
	BORNIT® Grundbit	10 liter	approx. 0.2 liter/m ²	6900002529	4 017228 002934	44 bucket	SF
	BORNIT® Grundbit	25 liter	approx. 0.2 liter/m²	6900002666	4 017228 002941	18 bucket	SF
H	BORNIT® Hand applicator handle			6800000448	4 017228 000701		
	BORNIT® Hand applicator Long handle Collomix® Hand Mixer			6800000449	4 017228 000718 4 011024 251183		
	BORNIT® Hot-Air Lance			6800000932	-	-	-
	BORNIT® Hot Compound Primer	10 liter	approx. 0.2 liter/m ²	6800000431	4 017228 007007	30 bucket	CCS
	BORNIT® Hot Compound Primer	30 liter	approx. 0.2 liter/m²	6800000429	4 017228 007014	12 bucket	CCS
	BORNIT® Hot Compound Primer Spray	600 ml	approx. 0.2 liter/m²	6700000091		6 spray cans/ box	CCS
	BORNIT® Hot Sealing N1 BORNIT® Hot Sealing N1	10 kg 22 kg	approx. 1.0 kg/liter joint capacity approx. 1.0 kg/liter joint capacity	6800000766 6800000767	4 017228 007526 4 017228 006666	80 box 32 box	C&D C&D
	BORNIT® Hot Sealing PS	15 kg	approx. 1.5 kg/liter joint capacity	6800000422	4 017228 007021	64 box	C&D
	BORNIT® Hot Sealing PS	30 kg	approx. 1.5 kg/liter joint capacity	6800000421	4 017228 007038	36 box	C&D
	BORNIT® Hot Sealing Rail	12 kg	approx. 1.3 kg/liter joint capacity	6800000875	4 017228 009278	64 box	C&D
	BORNIT® Hot Sealing Rail	27 kg	approx. 1.3 kg/liter joint capacity	6800000874	4 017228 009285	36 box	C&D
	BORNIT® Hot Sealing TL BORNIT® Hot Sealing TL	10 kg 25 kg	approx. 1.1 kg/liter joint capacity approx. 1.1 kg/liter joint capacity	6800000334 6800000335	4 017228 007045 4 017228 007052	80 box 32 box	C&D C&D
	BORNIT® Hot Sealing TL	30 kg	approx. 1.1 kg/liter joint capacity	6800000424	4 017228 007182	11 bucket	C&D
1	BORNIT® Injektil 100	1 liter	approx. 20 liter/m ² masonry cross-sect.	6900002689	4 017228 004037	20 pieces/ box	SF
	BORNIT® Injektil 100	10 liter	approx. 20 liter/m² masonry cross-sect.	. 6900002688	4 017228 004051	60 bucket	SF
	BORNIT® Injektil 100	20 liter	approx. 20 liter/m² masonry cross-sect.		4 017228 004068	24 bucket	SF COD SE
	BORNIT® Injektil Super BORNIT® Injektil Super	550 g 10 kg	approx. 15 kg/m ² masonry cross-sect. approx. 15 kg/m ² masonry cross-sect.		4 017228 004471 4 017228 004464	35 pieces/ box 60 bucket	C&D, SF C&D, SF
	BORNIT* Injektil Super	20 kg	approx. 15 kg/m² masonry cross-sect.		4 017228 004484	24 bucket	C&D, SF
	BORNIT® Injektil Super - empty container (incl		1,	6190000519	4 017228 004815	-	, _,
	BORNIT® Injection Cream Plus	5 liter	approx. 1.5 kg/rm/m²	6800000587		-	SF
J	BORNIT® Joint & Crack Widener			-	(01000000000	-	
	BORNIT® Joint Fabric Tape 150 mm DIN BORNIT® Joint Flex	30 m	FOG form for (7T) / Assistable	6800000798		- 18 bucket	COD SE
	BORNIT® Joint Flex BORNIT® Joint Module	25 liter	50g /cm /m (ZTV Asphalt)	6900002530 6800000515	4 017228 003399 4 017228 000916		C&D, SF
	BORNIT® Joint Tape 7 CSA 30	15 m/box		6900004092	4 017228 000918	36 box	C&D
	BORNIT® Joint Tape 30 x 10 mm	63 m/box		6900002700	4 017228 007311	24 box	C&D
	BORNIT® Joint Tape 30 x 8 mm	73 m/box		6900002697	4 017228 007281	24 box	C&D
	BORNIT® Joint Tape 35 x 10 mm	48 m/box		6900002701	4 017228 007328	24 box	C&D C&D
	BORNIT® Joint Tape 35 x 8 mm BORNIT® Joint Tape 40 x 10 mm	63 m/box 40 m/box		6900002698 6900002702	4 017228 007298 4 017228 007335	24 box 24 box	C&D C&D
	BORNIT® Joint Tape 40 x 8 mm	48 m/box		6900002702	4 017228 007304	24 box	C&D
	BORNIT® Joint Tape 50 x 10 mm	31 m/box		6900002704	4 017228 007359	24 box	C&D
	BORNIT® Joint Tape CSA 30 x 8 mm	73 m/box		6900002705	4 017228 007137	24 box	C&D
	BORNIT® Joint Tape CSA 30 x 10 mm	63 m/box		6900002707	4 017228 007366	24 box	C&D
K	BORNIT® Joint Tape CSA 40 x 10 mm BORNIT® KTW	40 m/box 200 liter	approx. 0.4 liter/m² at 1 time	6900002708 6900002604	4 017228 007151 4 017228 004150	24 box 2 barrels	C&D CCS
K M	BORNIT® KTW BORNIT® Mastic Asphalt 20	200 liter 25 kg	approx. 0.4 liter/m² at 1 time approx. 25 kg/m² per cm layer thickn.		4 017228 004150	40 box	C&D
	BORNIT® Mastic Asphalt 50	25 kg	approx. 25 kg/m² per cm layer thickn.		4 017228 008271	40 box	C&D
	BORNIT® Mineral Flex 2C	25 kg	approx. 2.4 - 4.8 kg/m ²	6800000947	4 017228 009438	18 buckets	C&D
	BORNIT® MultiClean Spray	600 ml spray	depending on load condition	6800000350	4 017228 000664		
P	BORNIT® MultiClean BORNIT® Pounder	10 liter 18 x 18 cm; 7.2 kg	depending on load condition	6700000032 6800000444	4 017228 000688 4 017228 006994	20 canister	
P	BORNIT® Pouring Can	3.5 liter		6800000531	4 017228 000994	-	
	BORNIT® Pouring Can	12 liter		6800000548	4 017228 000992	-	
	BORNIT® Pouring Can	20 liter		6800000177	4 017228 001067	-	
	BORNIT® Profi cartridge gun (for BORNIT® Bit		75 508 / 3	6800000560	4 017228 008486	- 10 hazalari	COD ST
	BORNIT® Profi 1C Express BORNIT® Profi Hybrid 2C	32 liter	approx. 3.5 – 5.0 liter/m²	6900002651	4 017228 004969 4 017228 008837	18 bucket	C&D, SF
	BORNIT® Profi Hybrid 2C BORNIT® Profi Hybrid 2C	9 kg 24 kg	approx. 3.5 – 4.5 kg/m ² approx. 3.5 – 4.5 kg/m ²	6900004319 6900002658	4 017228 008837		C&D, SF C&D, SF
	BORNIT® PS-Cleaner	400 ml spray	depending on joint dimension	6800000512			CCS
R	BORNIT® Reactive Asphalt 20	25 kg	approx. 25 kg/m² per cm layer thickn.	6800000937	4 017228 009377	32 bucket	C&D
	BORNIT® Reactive Asphalt 40	25 kg	approx. 25 kg/m² per cm layer thickn.		4 017228 008295	32 bucket	C&D
	BORNIT® Reactive Asphalt 80	25 kg	approx. 25 kg/m² per cm layer thickn.		4 017228 009384		C&D SE
	BORNIT® Repabit BORNIT® RoadStixx	3 kg 12 kg	approx. 1 kg/m ² per mm layer thickn. approx. 5 kg/m ² per cm layer thickn.		4 017228 004945 4 017228 010090		C&D, SF C&D
	BORNIT® RoadStixx BORNIT® Roof Paint 230 anthracite	12 kg 10 kg	approx. 5 kg/m² per cm layer thickn. approx. 0.30 kg/m² - 2 times necessary!		4 017228 010090		SF
	BORNIT® Roof Paint 230 brick red	10 kg	approx. 0.30 kg/m ² - 2 times necessary!	6800000414	4 017228 005010	30 bucket	SF
	BORNIT® Roof Primer 220	10 liter	approx. 0.2 liter/m²	6800000413	4 017228 004891	40 bucket	SF
	BORNIT® Roof Varnish	5 liter	approx. 0.4 liter/m² - 2x recommended!		4 017228 003542		CCS
	BORNIT® Roof Varnish BORNIT® Roof Varnish	10 liter 25 liter	approx. 0.4 liter/m ² - 2x recommended! approx. 0.4 liter/m ² - 2x recommended!		4 017228 003559 4 017228 003566		CCS
	BORNIT® Roof Varnish BORNIT® Roof Varnish	200 liter	approx. 0.4 liter/m² - 2x recommended: approx. 0.4 liter/m² - 2x recommended!		4 017228 003566		CCS
	BORNIT® Round Cord 10 mm	50 m/box		6700000039	4 017228 008431	-	C&D
	BORNIT® Round Cord 10 mm	1700 m		6700000033	4 017228 008370	-	C&D
	BORNIT® Round Cord 13 mm	50 m/box		6700000041	4 017228 002491	-	C&D
	BORNIT® Round Cord 15 mm	1100 m		6700000034		-	C&D
	BORNIT® Round Cord 15 mm BORNIT® Round Cord 15 mm	50 m/box 780 m		6700000043 6700000035	4 017228 002507 4 017228 008394		C&D C&D
	BORNIT® Round Cord 15 mm BORNIT® Round Cord 19 mm	40 m/box		6700000035	4 017228 008394		C&D
	BORNIT® Round Cord 19 mm	500 m		6700000105	4 017228 008745		C&D
	BORNIT® Round Cord 25 mm	25 m/box		6700000045	4 017228 008714	-	C&D
	BORNIT® Round Cord 25 mm	280 m		6700000037	4 017228 008417	-	C&D
	BORNIT® Round Cord 32 mm	20 m/box		6700000102	4 017228 008769		C&D
	BORNIT® Round Cord 32 mm	190 m		6700000104	4 017228 008752	-	C&D
	BORNIT® Rubber Scraper BORNIT® Rubber Scraper (Replacement blade)		6800000537 6800000593	4 017228 000503 4 017228 000510		
S	BORNIT Rubber Scraper (Replacement blade BORNIT® Sealant Heater			2000000333	-	-	
	BORNIT® Sealing Mortar	25 kg	approx. 1 - 1.5 kg/m² per mm layer thickn		4 017228 004600		C&D
	BORNIT® Sheet Metal Adhesive	5 kg	approx. 2 kg/m ²	6800000417	4 017228 008776	60 bucket	C&D
		10 kg	approx. 2 kg/m²	6800000418	4 017228 008783		C&D
	BORNIT® Sheet Metal Adhesive			6900002642	4 017228 004105	45 bucket	CCS
	BORNIT® Silo Coating	10 liter	approx. 0.4 liter/m²				CCS
	BORNIT® Silo Coating BORNIT® Silo Coating	10 liter 25 liter	approx. 0.4 liter/m²	6900002641	4 017228 004112	18 bucket	CCS
	BORNIT [®] Silo Coating BORNIT [®] Silo Coating BORNIT [®] Silo Coating	10 liter 25 liter 200 liter	approx. 0.4 liter/m² approx. 0.4 liter/m²	6900002641 6900002640	4 017228 004112 4 017228 004129	18 bucket 2 barrels	CCS
	BORNIT® Silo Coating BORNIT® Silo Coating	10 liter 25 liter 200 liter 25 kg 180 kg	approx. 0.4 liter/m² approx. 0.4 liter/m² approx. 0.4 kg/m² approx. 0.4 kg/m²	6900002641 6900002640 6900004796 6900004797	4 017228 004112 4 017228 004129 4 017228 003108 4 017228 003115	18 bucket 2 barrels	CCS SF SF
	BORNIT® Silo Coating BORNIT® Silo Coating BORNIT® Silo Coating BORNIT® Siloflex	10 liter 25 liter 200 liter 25 kg	approx. 0.4 liter/m² approx. 0.4 liter/m² approx. 0.4 kg/m²	6900002641 6900002640 6900004796	4 017228 004112 4 017228 004129 4 017228 003108	18 bucket 2 barrels 18 bucket	CCS SF











Product Overview

All BORNIT® products

S BORNIT® Silo Primer 10 liter approx. 0.2 liter/m² 6900002638 4 017228 004181 45 bucket CCS BORNIT® Silo Primer 25 liter approx. 0.2 liter/m² 6900002637 4 017228 004198 18 bucket CCS BORNIT® Silo Primer 200 liter approx. 0.2 liter/m² 6900002636 4 017228 004204 2 barrels CCS
RODNIT® Silo Primer 200 liter approx 0.2 liter/m ² 6900002636 4.017228.004204 2 barrels CCS
BORNIT® Slurry EL 25kg powder + 8kg liquid approx. 3.6 kg/m² 6900002694 4 017228 004594 40 bags/ bucket C&D, SF
BORNIT® Slurry SF 25 kg approx. 1.5 - 3 kg/m² 6800000361 4 017228 004570 40 bags C&D
BORNIT® Slurry SB1 (system-module 1) 15 kg approx. 2.5 kg/m² 6800000363 4 017228 004341 36 bucket C&D, SF
BORNIT® Solidificator SB3 (system-module 3) 12 kg approx. 0.5 kg/m² 6800000364 4 017228 004334 60 bucket C&D, SF
BORNIT® Speedbit-Primer 10 liter approx. 0.2 liter/m² 6900004117 4 017228 005416 44 bucket SF
BORNIT® Speedbit-Primer 25 liter approx. 0.2 liter/m² 6900004118 4 017228 005423 18 bucket SF
BORNIT®-SpeedUp 22 kg approx. 0.016 kg/m 6900003791 4 017228 000817 24 canister
BORNIT® Spray Adhesive 400 ml approx. 6.0 m ² 6800000823 4 017228 002279 12 pieces/ box C&D
BORNIT® Stick Emulsion 1 kg depending on load condition 670000107 4 017228 002743 - C&D, SF
BORNIT® Stick Emulsion 10 kg depending on load condition 6800000356 4 017228 004587 60 bucket C&D, SF
BORNIT® Streufix 2.0 6800000818
T BORNIT® Trapezium Tape 25 m 6900002710 4 017228 000572 24 box C&D
BORNIT® Triangle Tape 25 m 6900002711 4 017228 000565 24 box C&D
BORNIT® Unibit 5 liter approx. 0.3 liter/m² 6900002662 4 017228 002804 60 bucket C&D, SF
BORNIT® Unibit 10 liter approx. 0.3 liter/m² 6900002531 4 017228 002880 44 bucket C&D, SF
BORNIT® Unibit 25 liter approx. 0.3 liter/m² 6900002661 4 017228 002842 18 bucket C&D, SF
W BORNIT® Water Stop SB2 (system-module 2) 15 kg approx. 1.5 kg/m² 6800000362 4 017228 004327 36 bucket C&D, SF

Data status: 12/05/2022



nfo-Point

General terms and conditions

- Applicability of the terms
 These General Terms and Conditions (GTC) shall exclusively apply to business relationships with entrepreneurs in terms of § 14 BGB (German Civil Code), corporate bodies under public law and separate estates under public law. They shall not apply to contracts with consumers in terms of § 13 BGB.
 Our deliveries and services including consulting shall be undertaken, unless otherwise agreed, exclusively based on these GTC. These shall also always apply to our future deliveries and services to the
- Ustorner.
 We disallow opposing terms or terms of the customer deviating from our GTC, unless we expressly

- 13. We disallow opposing terms or terms of the customer deviating from our GTC, unless we expressly consented to their applicability. Our GTC shall also apply, if we, aware of opposing terms or terms of the customer deviating price of contract

 2. Offer and conclusion of contract

 2. Offer and conclusion of contract

 2. Offer shall be unless expressly agreed otherwise non-binding. Contracts as well as their amendments and additions shall only be deemed concluded, when our written confirmation is present or when our delivery/service was rendered without reservation.

 2. Information on our products and services on the Internet, in brochures or price lists shall not represent an offer binding us.

 3. Prices

 3. Prices

 3.1. The prices agreed shall apply. Furthermore, calculation shall be undertaken according to our price lists respectively valid on the date of delivery/service. The basis for our prices shall be the price-determining factors given upon conclusion of the contract (e.g., wage agreements, raw materials or energy costs, costs for auxiliary and operating materials). In case of an increase in the price-determining factors, which cannot be compensated with cost savings, we reserve a respective price adjustment for deliveries, which shall be undertaken 2 months after the conclusion of contract, at the earliest. The amount of the price adjustment must be justified by the change in the price-determining factors and must be indicated to the customer within a reasonable period of time. If fixed prices were agreed, this shall only apply, if the changes occurred unforeseeable for us after conclusion of contract. changes occurred unforeseeable for us after conclusion of contract.

 3.2. All prices shall be understood plus the respectively valid value-added tax and, unless agreed otherwise,
- 3.3. If delivery free domicile or on site was agreed, then the price shall include delivery in vehicles of our choice as well as unloading in one place only. We shall be entitled to pass on increases in freight costs to the customer. The delivery of reduced quantities, the use of temperature-controlled or other special vehicles or the unloading of partial quantities in various places, resp., shall require a separate contractual agreement and must be additionally compensated by the customer. Costs for waiting/unloading times of max. 60 minutes shall be included in the agreed price. For idle times exceeding this, the customer will
- of max. 60 minutes shall be included in the agreed price. For idle times exceeding this, the customer will be charged separately.

 3.4. Should delivery be undertaken on pallets, then the customer shall be obliged to hand over empty pallets of the same quantity, type, and quality in exchangeable condition to the deliverer of the goods. The handing-over of pallets must be acknowledged by the deliverer on the delivery documents. The customer shall be charged for pallets not exchanged.

 4. Determination of weights and quantities

 4.1 We shall invoice on the basis of the weight determined a our supply plant.

 4.2. Upon sale by number of items, cubic metres, square metres or linear metres, the quantity determined upon loading shall be deemed decisive for invoicing.

 5. Delivery / Service / Passage of risk

 5.1. Our delivery shall, unless agreed otherwise, always be undertaken ex supply plant/warehouse. The risk shall nase to the customer as soon as the delivery is handed over to the person executing the transport.

- Delivery / Service / Passage of risk
 Our delivery shall, unless agreed otherwise, always be undertaken ex supply plant/warehouse. The risk shall pass to the customer as soon as the delivery is handed over to the person executing the transport. If the shipment becomes impossible or delayed through no fault on our part, then the risk shall pass to the customer with the notification of readiness for shipment.
 Upon delivery free domicile/on site, the unloading place must be well reachable for the vehicles. If access to the unloading place should be impossible or inacceptable for whichever reasons, then unloading shall be undertaken in that place, up to which the vehicle can get unhinderedly.
 Returnable containers and returnable packaging must be sent back to us by the customer completely empty and carriage paid within 60 days. Loss and damages shall be paid by the customer. Returnable containers/packaging must not be used of other purposes or for filling with other products. They shall be exclusively intended for the transport of our delivered goods. Labelling must not be removed.
 Payment

- Payment
 Payment by the desired telephone and the data specific and

- into arrears, if he/she does not pay within 30 days after the due date and invoicing (decisive shall be the date of invoice). Should we arrange an advance on current account at an interest rate, which is higher than the interest on arrears resulting according to the provisions of the BCB, then we shall be entitled to calculate the interest rate corresponding to the interest on current account.

 6.2. Cheques shall only be accepted following special agreement and on account of payment, calculating all collection expenses and discount charges as well as other resulting fees.

 6.3. Should costs and interests have arisen already, then we shall be entitled to allocate the payment first to the costs, then to the interests, and last to the main service. We shall be entitled, despite provisions of the customer to the contrary, to first allocate payments to his/her older debts.

 6.4. In case of cheques, payment shall only be deemed undertaken, once the cheque is cashed or the bill is honoured, resp., and there is no chargeback by the redeeming bank.

 6.5. In case of delayed payment of the customer, or should we become aware of other circumstances, which raise doubt on the creditworthiness of the customer, we can revoke allowed times for payment or deferments at any time. In addition, we can declare any further demands from our business relationship with the customer due immediately. Circumstances, which raise doubt on the creditworthiness of the customer, shall include, eg., protested direct debits, non-redemption or chargeback of a cheque, pursuing of extrajudical conciliation proceedings, cessation of payment, filing for insolvency against the assets of the customer or justified indications for over-indebtedness or impending insolvency of the customer.
- 6.6. Under the pre-requisites of Clause 6.5., we shall also be entitled to hinge any deliveries/services to the customer on advance payments and/or the provision of securities and/or to cease the fulfilment of all existing delivery/service obligations – also such one, for which there is no delayed payment – for the time being. Furthermore, we shall be entitled to demand compensation and/or to withdraw from contracts
- for deliveries/services to the customer following expiry of a reasonable extension without any result.

 6.7. Rights of set-off and retention of the customer shall only be admissible with own legally established,

- 6.7. Rights of set-off and retention of the customer shall only be admissible with own legally established, acknowledged, or undisputed claims.
 7. Times of delivery and service / Material returns
 7.1. The dates and deadlines stated by us shall be non-binding.
 7.2. Only 24 hours after exceeding of a non-binding date of delivery/service or a non-binding delivery/service deadline, the customer may request us in writing to deliver/render a service within an appropriate period of time. With this reminder, we shall enter into default.
 7.3. In case of default, the customer shall only be entitled to withdrawal, when he/she sets a reasonable grace period in writing, indicating, that he/she would reject acceptance of the subject matter of the contract after expiry of the deadline and the deadline expired without success. The withdrawal must be in writing.
 7.4. We shall not be responsible for delays in delivery and service due to force majeure and due to events, which make it significantly more difficult or impossible for us to undertake the delivery/service these shall also include subsequently occurred difficulties in materials procurement, operational disturbances, strike, lockout, lack of raw materials or energy, lack of personnel, lack of means of transport, officially agreed deadlines and dates. In case of delays in terms of Para 1, we shall be entitled to postpone the delivery or service, resp, by the duration of the hindrance, plus a reasonable lead time, or to completely or partially withdraw from the contract for the part not undertaken yet. Should the hindrance last longer than 10 days, then the customer shall be entitled to withdraw from the contract according to Clause 7.3 with regard to the part not fulfilled yet.
- with regard to the part not fulfilled yet.
 7.5. Claims for damages of the customer shall be determined according to Clause 9 of these GTC in conjunc-
- tion with the legal provisions.
 7.6. We shall be entitled to partial deliveries and partial services anytime.
 7.7. The return of defect-free goods delivered by us shall be excluded. Should we, by way of exception, agree

- to the return, then crediting for the goods taken back shall only take place insofar as our laboratory determines their unrestricted reusability. For the costs of examination, processing, reworking and new packaging, the actual costs, at least, however, 20 % of the amount invoiced for the respective goods, or if the amount determined this way should be lower at least, however, 630.00 will be deducted. The credit will not be paid out, but shall serve for offsetting with future deliveries only. Should the laboratory tests not confirm unrestricted reusability, then we shall be entitled to charge the customer with the costs for the laboratory testing as well as for proper disposal of the goods to the full amount.

 Quality / Rights in case of defects

 The quality of our goods corresponds with the information given in our German-language technical datasheets valid at the time of contract conclusion and retrievable under www.bornit.de/de. The information shall be deemed approximate and shall always serve as a yardstick for the determination, whether the subject matter of the contract is free from defects, wherein tolerance regulations included in the sets of rules must be applied. It is known to the customer that the goods sold by us have different shelf lives and areas of application. The risk of suitability and application shall be exclusively incumbent on the customer.

 The customer must immediately notify us about defects in writing, indicating the order and batch numbers. The same shall apply to other complaints of whichever kind. The customer must immediately inform us about intended sampling at the construction site and give us the opportunity to participate in time.

- 83 In case of defective delivery we shall provide replacement and compensate reasonable expense 8.3. In case of defective delivery, we shall provide replacement and compensate reasonable expenses required for the purpose of supplementary performance (including removal and installation costs) pursuant to the legal provisions, if and as far as the damage was not caused by other circumstances (e.g., errors in installation and/or planning).
 8.4. The legal deadlines shall apply to the assertion of claims for defects. Should the term of liability for defects of the customer in the relationship to his/her client, however, end earlier than the legal deadline.
 - valid for our contractual relationship to the customer, then our liability for defects shall end 1 month after expiry of the deadline valid in the relationship of the customer to his/her client. The deadlines shall start with the respective date of delivery/service.
- start with the respective date of delivery/service.

 8.5. Technical specifications and standards applicable abroad, which deviate from our technical datasheets or safety datasheets, resp., shall only be deemed agreed in the relationship between the customer and us, when this was agreed in writing between the customer and us. Should such an agreement not be present, then we shall not be liable for the goods delivered complying with these specifications/ standards. Should there, nevertheless, be third-party claims because of the quality of our goods against us no matter for which legal reason –, then the seller shall be obliged to completely indemnify us from these, unless the claims are due to the fact that the goods do not comply with the quality contractually agreed between the buyer and us.

 9. Liability / Damages.

- Agreed between the buyer and us.

 Liability / Damages

 In case of claims for damages of the customer according to the Product Liability Act, according to Art. 82

 DSGVO, for injury to life, body, or health, for fraudulent concealment of defects or for assumption of a guarantee for the quality of the item delivered, we shall be liable according to the legal provisions. In case of infringement of essential contractual obligations, we shall be liable for intent and gross negligence according to the legal provisions. Apart from that as far as the claims for damages of the customer do not fall under Paras. 1 and 2 our liability shall be limited to the contract-typical damage for the customer of the contract of

- 9.2. As far as nothing else results from Clause 9.1, the liability for consequential damages shall be excluded.
 10. Comprehensive reservation of title
 10. The goods delivered by us (reserved goods) shall remain our property until fulfilment of any and all claims we are entitled to from the business relationship towards the customer. The customer shall be entitled to process and sell the reserved goods in proper business transaction, it is not a proper business transaction, if, in case of sales of the customer or in case of his/her other orders or actions in favour of third parties, the assignability of his/her claims to third parties is excluded. Pledges or assignments as security of the reserved goods shall be inadmissible.
- security of the reserved goods shall be inadmissible.

 Processing or transformation shall always be undertaken for us as the manufacturer, however, without obligation for us. The processed goods shall likewise be deemed reserved goods. In case of connection or mixing of the reserved goods with other mobile objects, to the effect that they become essential
- or mixing of the reserved goods with other mobile objects, to the effect that they become essential components of a uniform object, we shall become co-owners in this object, our share shall be determined by the value ratio of the objects at the time of connection or mixing. If, however, the reserved goods have to be considered as the main object, then we shall obtain sole ownership. In case of connection of the reserved goods with a structure, a claim of the customer for the grant of a recordable security interest of the building contractor in the building plot of his/her orderer to the amount of the part, which corresponds to the value of the reserved goods, shall be assigned to us.

 10.3.Claims resulting from the resale/further processing or another legal reason with regard to the reserved goods shall already be assigned to us by the customer as a security to the amount of the purchase price of the reserved goods. The customer shall be authorised to collect these claims for us. The authorisation to collect shall become ineffective, should the customer not properly fulfil his/her payment obligations towards us. In this case, we shall be entitled to disclose the assignments to the third-party debtors.

 10.4.In case of deliveries in construction projects, for which, in the relationship between the customer and the client, partial assignment is excluded in general, the following shall apply deviating from Clause 10.3: the assignment, regardless of the amount of the purchase price of the reserved goods, shall refer to the entire claims the customer is excluded in general, the following shall apply deviating from Clause 10.3: the assignment is outloaded in general, the following shall apply deviating from Clause 10.3: the assignment regardless of the amount of the purchase price of the reserved goods, shall be immediately transferred to the customer, as soon as our claim to payment of the purchase price as well as possible accessory claims were paid.
- in intendist of intendistriction of the customer, as soon as our claim to payment on its publishes piece as were as possible accessory claims were paid.

 105.5hould the value of the securities granted to us exceed our claims by at least 50%, then we shall, at the customer's demand and at our discretion, release securities we are entitled to to the extent as they exceed the value of 110 % of our claims.
- exceed the value of 10 % of our claims.

 10.6. The customer shall be obliged to provide us, immediately and at his/her cost, with the information required for the assertion of our claims and other claims, and to hand over the documents of proof, as far as they are in his/her possession. The obligation shall correspondingly exist in case of a foreclosure on objects, claims and other rights to assets belonging to us. The customer must immediately inform us about the foreclosure. Additionally, he/she will point out our rights to the attaching creditor in writing. Beside the above obligations to provide information and present documents of proof, the custome shall be obliged to indicate the assignment to the third-party debtors together with us in writing.
- shall be obliged to indicate the assignment to the third-party debtors together with us in writing.

 11. Group invoicing clause

 We shall be entitled to offset all claims no matter which kind with any and all claims of the customer, which he/she shall be entitled to from us and from companies asociated with us in terms of the Companies Act, also in case of various due dates of the claims, as far as it is known to the customer that the respective company is an associated company.

 12. Other provisions

 12.1. Information about personal data processed by us within the scope of contract performance can be retrieved from our data protection notice.

 12.2.As far as legally admissible, all legal disputes directly or indirectly resulting from the contractual relationship shall be brought before the court, which is competent for our registered office. We shall also be entitled to take legal action at the registered office of the customer.

 12.3. The laws of the Federal Republic of Germany shall apply to these terms and conditions and the entire legal relationship between us and the customer, excluding the UN Convention on Contracts for the International Sale of Goods.

- - rnational Sale of Goods
- 12.4. Should a provision in these terms and conditions or a provision within the scope of other agreements be or become ineffective, then this shall not affect the effectiveness of all other provisions or agreements.

ent of consumer disputes according to § 36 VSBG (Consumer Dispute Settlement Act):
spute settlement proceedings before a consumer arbitration board in terms of the Consumer Dispute Settlement Act and are also not obliged to do so.

SF C&D Store safe from frost! Store cool and dry! Caution – combustible solvent!




www.bornit.com





Notes











ROCK SOLID CONNECTIONS



BORNIT-Werk Aschenborn GmbH Your partner for building and road construction products! Reichenbacher Straße 117 | 08056 Zwickau | Germany

Phone: +49 375 27 95 - 0 Fax: +49 375 27 95 - 150 E-Mail: info@bornit.com Web: www.bornit.com







